

## INSTALL

```
sudo snap install austin --classic
```



```
brew install austin
```



```
choco install austin
```



```
scoop install austin
```



```
conda install -c conda-forge austin
```



## LAUNCH

### Start a script

```
austin python myscript.py
```

### Start an executable script

```
austin ./myscript.py
```

### Start a module

```
austin python -m mymodule
```

### Attach to a running process\*

```
austin -p 123
```

### Attach to child processes

```
austin -C python my_multiproc_script.py
```

```
austin -Cp 123
```

### Set sampling interval

```
austin -p 123 -i 10ms
```

### Exposure

```
austin -x 3s ./myscript.py
```

### Where?\*

```
austin -w 123
```

### Set start-up timeout (on slow machines)

```
austin -p 123 -t 1s
```

### Set heap size (for more accurate results)

```
austin -h 512 python -m mymodule
```

\* requires superuser capabilities on Linux

## MODE

### Wall clock time

```
austin python myscript.py
```

### CPU time

```
austin -s python myscript.py
```

### Memory

```
austin -m python myscript.py
```

### Wall clock time and garbage collector

```
austin -g python myscript.py
```

### CPU time and garbage collector

```
austin -sg python myscript.py
```

### All metrics

```
austin -f python -m mymodule
```

### All metrics and garbage collector

```
austin -fg -p 123
```

## OUTPUT

### Emit to STDOUT (Python STDOUT suppressed)

```
austin python -m mymodule
```

### Redirect to file (Python STDOUT suppressed)

```
austin -p 123 > /path/to/samples.austin
```

### Pipe to other tools (Python STDOUT suppressed)

```
austin -P ./myscript.py | ./flamegraph.pl > fg.svg
```

### Emit to file (Python STDOUT preserved)

```
austin -o /path/to/samples.austin -p 123
```

### Emit to file in binary (MOJO) format (STDOUT preserved)

```
austin -bo /path/to/samples.austin -p 123
```

## TOOLS

### Austin TUI

```
pipx install austin-tui
```



### Austin VS Code

```
code --install-extension p403n1x87.austin-vscode
```

