



border:5

$w=100, \quad h=200$

h=200

pdfcpu is a tool for PDF manipulation written in Go.

Usage:

pdfcpu command [arguments]

The commands are:

validate	validate PDF against PDF 32000-1:2008 (PDF 1.7)
optimize	optimize PDF by getting rid of redundant page resources
split	split multi-page PDF into several single-page PDFs
merge	concatenate 2 or more PDFs
extract	extract images, fonts, content, pages out of a PDF
trim	create trimmed version of a PDF
version	print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.

$w=200, \quad h=100$

pdfcpu is a tool for PDF manipulation written in Go.

Usage:

pdfcpu command [arguments]

The commands are:

```
validate      validate PDF against PDF 32000-1:2008 (PDF 1.7)
optimize      optimize PDF by getting rid of redundant page resources
split         split multi-page PDF into several single-page PDFs
merge         concatenate 2 or more PDFs
extract       extract images, fonts, content, pages out of a PDF
trim          create trimmed version of a PDF
version       print pdfcpu version
```

Use "pdfcpu help [command]" for more information about a command.

$w=200$




Imageboxes



bgCol, border:5, padding: 10

w=100, h=200

h=200



```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:

    pdfcpu command [arguments]

The commands are:

    validate    validate PDF against PDF 32000-1:2008 (PDF 1.7)
    optimize    optimize PDF by getting rid of redundant page resources
    split       split multi-page PDF into several single-page PDFs
    merge       concatenate 2 or more PDFs
    extract     extract images, fonts, content, pages out of a PDF
    trim        create trimmed version of a PDF
    version     print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

w=200, h=100

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:

    pdfcpu command [arguments]

The commands are:

    validate    validate PDF against PDF 32000-1:2008 (PDF 1.7)
    optimize    optimize PDF by getting rid of redundant page resources
    split       split multi-page PDF into several single-page PDFs
    merge       concatenate 2 or more PDFs
    extract     extract images, fonts, content, pages out of a PDF
    trim        create trimmed version of a PDF
    version     print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:

    pdfcpu command [arguments]

The commands are:

    validate    validate PDF against PDF 32000-1:2008 (PDF 1.7)
    optimize    optimize PDF by getting rid of redundant page resources
    split       split multi-page PDF into several single-page PDFs
    merge       concatenate 2 or more PDFs
    extract     extract images, fonts, content, pages out of a PDF
    trim        create trimmed version of a PDF
    version     print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

w=200



Imageboxes



```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
    pdfcpu command [arguments]

The commands are:
    validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
    optimize  optimize PDF by getting rid of redundant page resources
    split     split multi-page PDF into several single-page PDFs
    merge     concatenate 2 or more PDFs
    extract   extract images, fonts, content, pages out of a PDF
    trim     create trimmed version of a PDF
    version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
    pdfcpu command [arguments]

The commands are:
    validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
    optimize  optimize PDF by getting rid of redundant page resources
    split     split multi-page PDF into several single-page PDFs
    merge     concatenate 2 or more PDFs
    extract   extract images, fonts, content, pages out of a PDF
    trim     create trimmed version of a PDF
    version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
    pdfcpu command [arguments]

The commands are:
    validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
    optimize  optimize PDF by getting rid of redundant page resources
    split     split multi-page PDF into several single-page PDFs
    merge     concatenate 2 or more PDFs
    extract   extract images, fonts, content, pages out of a PDF
    trim     create trimmed version of a PDF
    version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

anchored, height: 100

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
    pdfcpu command [arguments]

The commands are:
    validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
    optimize  optimize PDF by getting rid of redundant page resources
    split     split multi-page PDF into several single-page PDFs
    merge     concatenate 2 or more PDFs
    extract   extract images, fonts, content, pages out of a PDF
    trim     create trimmed version of a PDF
    version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
    pdfcpu command [arguments]

The commands are:
    validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
    optimize  optimize PDF by getting rid of redundant page resources
    split     split multi-page PDF into several single-page PDFs
    merge     concatenate 2 or more PDFs
    extract   extract images, fonts, content, pages out of a PDF
    trim     create trimmed version of a PDF
    version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
    pdfcpu command [arguments]

The commands are:
    validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
    optimize  optimize PDF by getting rid of redundant page resources
    split     split multi-page PDF into several single-page PDFs
    merge     concatenate 2 or more PDFs
    extract   extract images, fonts, content, pages out of a PDF
    trim     create trimmed version of a PDF
    version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
    pdfcpu command [arguments]

The commands are:
    validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
    optimize  optimize PDF by getting rid of redundant page resources
    split     split multi-page PDF into several single-page PDFs
    merge     concatenate 2 or more PDFs
    extract   extract images, fonts, content, pages out of a PDF
    trim     create trimmed version of a PDF
    version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
    pdfcpu command [arguments]

The commands are:
    validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
    optimize  optimize PDF by getting rid of redundant page resources
    split     split multi-page PDF into several single-page PDFs
    merge     concatenate 2 or more PDFs
    extract   extract images, fonts, content, pages out of a PDF
    trim     create trimmed version of a PDF
    version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
    pdfcpu command [arguments]

The commands are:
    validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
    optimize  optimize PDF by getting rid of redundant page resources
    split     split multi-page PDF into several single-page PDFs
    merge     concatenate 2 or more PDFs
    extract   extract images, fonts, content, pages out of a PDF
    trim     create trimmed version of a PDF
    version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```



Imageboxes



```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
  pdfcpu command [arguments]

The commands are:
  validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
  optimize  optimize PDF by getting rid of redundant page resources
  split     split multi-page PDF into several single-page PDFs
  merge     concatenate 2 or more PDFs
  extract   extract images, fonts, content, pages out of a PDF
  trim     create trimmed version of a PDF
  version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
  pdfcpu command [arguments]

The commands are:
  validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
  optimize  optimize PDF by getting rid of redundant page resources
  split     split multi-page PDF into several single-page PDFs
  merge     concatenate 2 or more PDFs
  extract   extract images, fonts, content, pages out of a PDF
  trim     create trimmed version of a PDF
  version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
  pdfcpu command [arguments]

The commands are:
  validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
  optimize  optimize PDF by getting rid of redundant page resources
  split     split multi-page PDF into several single-page PDFs
  merge     concatenate 2 or more PDFs
  extract   extract images, fonts, content, pages out of a PDF
  trim     create trimmed version of a PDF
  version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

anchored, width: 150

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
  pdfcpu command [arguments]

The commands are:
  validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
  optimize  optimize PDF by getting rid of redundant page resources
  split     split multi-page PDF into several single-page PDFs
  merge     concatenate 2 or more PDFs
  extract   extract images, fonts, content, pages out of a PDF
  trim     create trimmed version of a PDF
  version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
  pdfcpu command [arguments]

The commands are:
  validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
  optimize  optimize PDF by getting rid of redundant page resources
  split     split multi-page PDF into several single-page PDFs
  merge     concatenate 2 or more PDFs
  extract   extract images, fonts, content, pages out of a PDF
  trim     create trimmed version of a PDF
  version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
  pdfcpu command [arguments]

The commands are:
  validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
  optimize  optimize PDF by getting rid of redundant page resources
  split     split multi-page PDF into several single-page PDFs
  merge     concatenate 2 or more PDFs
  extract   extract images, fonts, content, pages out of a PDF
  trim     create trimmed version of a PDF
  version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
  pdfcpu command [arguments]

The commands are:
  validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
  optimize  optimize PDF by getting rid of redundant page resources
  split     split multi-page PDF into several single-page PDFs
  merge     concatenate 2 or more PDFs
  extract   extract images, fonts, content, pages out of a PDF
  trim     create trimmed version of a PDF
  version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
  pdfcpu command [arguments]

The commands are:
  validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
  optimize  optimize PDF by getting rid of redundant page resources
  split     split multi-page PDF into several single-page PDFs
  merge     concatenate 2 or more PDFs
  extract   extract images, fonts, content, pages out of a PDF
  trim     create trimmed version of a PDF
  version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```

```
pdfcpu is a tool for PDF manipulation written in Go.

Usage:
  pdfcpu command [arguments]

The commands are:
  validate  validate PDF against PDF 32000-1:2008 (PDF 1.7)
  optimize  optimize PDF by getting rid of redundant page resources
  split     split multi-page PDF into several single-page PDFs
  merge     concatenate 2 or more PDFs
  extract   extract images, fonts, content, pages out of a PDF
  trim     create trimmed version of a PDF
  version   print pdfcpu version

Single-letter Unix-style supported for commands and flags.

Use "pdfcpu help [command]" for more information about a command.
```



Imageboxes



anchored, width: 100, height: 100

