✅ Built with /web-precode & /spec-kit • 60 Production Skills

📘 The .agents Beginner Handbook

دليل استخدام .agents المبسط — من الصفر بدون أي تعقيد

You do **NOT** need to be a senior developer—or even a junior developer—to build professional, secure, bug-free apps and CMS dashboards. Just pick your situation below, copy **1 command** into your AI Chat, and let your AI Senior Tech Team handle the rest.

لا تحتاج أن تكون مبرمجاً خبيراً (أو حتى مبتدئاً) لتبني تطبيقات ولوحات تحكم احترافية وآمنة. اختر حالتك بالأسفل، انسخ أمراً واحداً في شات الذكاء الاصطناعي، ودع الفريق الخبير ينفذ المهمة.

🔥 1. Why You Need This (Fast Intern vs. Senior Tech Team)

لماذا تحتاج هذه الأداة؟ الفرق بين المتدرب المتسرع والفريق البرمجي الخبير

❌ WITHOUT .AGENTS (THE FAST INTERN)

If you say *"build a users page,"* a normal AI acts like an impatient intern. It **guesses** what you want, writes messy code, forgets security, breaks the CMS sticky sidebar and Arabic (RTL) layout, and wastes your internet data.

يتصرف الذكاء الاصطناعي كمتدرب متسرع—يخمن طلبك، يكتب كود عشوائي، ينسى الصلاحيات والأمان، يكسر القائمة الجانبية واللغة العربية، ويستهلك باقة الإنترنت. بدون .agents:

✅ WITH .AGENTS (FULL SENIOR TECH TEAM)

Your AI becomes a **Senior Tech Team** (UI Designer + Backend Engineer + Database Architect + Security Guard + QA Tester) that **interviews you first**, supports any tech stack you choose, and checks its own work automatically.

يبني (Recommended)، يتحول المساعد إلى **فريق برمجي خبير كامل** يسألك أولاً مع خيارات مقترحة: `.agents` مع بأي تقنية تختارها، ويراجع أخطاءه بنفسه.

Area (المجال)	❌ Without .agents	✅ With .agents
فهم فكرتك	Guesses everything and builds the wrong screen.	`/grill-me` `/muaz-skill`
اختيار التقنيات	Forces random frameworks you didn't ask for.	
الشريط العلوي والجانبي	Navbar and Sidebar scroll away or break on mobile.	
الجداول والنماذج	Wide tables push the page off-screen; forms lack validation.	
العربية والإنجليزية	Uses hardcoded `left/right` so Arabic breaks.	
الباك-إند وقاعدة البيانات	Missing permissions, unsafe file uploads, slow queries.	
استهلاك الإنترنت	Drains mobile data with background updates & re-downloads.	`/save-data`

🚦 2. How Easy Is It? The "1-2-3 Traffic Light" Rule

قاعدة إشارة المرور (1-2-3): كيف تعمل كل الأوامر بنفس الطريقة السهلة

🔴 Step 1: Paste 1 Command

Pick your situation below and paste the command into 💬 **AI Chat** with your idea in Arabic or English.

انسخ الأمر المناسب لحالتك والصقه في شات الذكاء الاصطناعي بالعربية أو الإنجليزية.

🟡 Step 2: Click (Recommended)

The AI interviews you first (`/grill-me`). Not sure about a technical question? Just click the first option marked **(Recommended)**!

سيسألك النظام أولاً. إذا لم تعرف إجابة أي سؤال تقني، فقط اختر الخيار الأول (Recommended)!

🟢 Step 3: Auto-Build & Test Card

It builds the feature, checks its own UI & security automatically, and gives you a simple **"How to Test It"** card.

يبني الكود، يفحص الواجهة والأمان تلقائياً، ويعطيك بطاقة مبسطة تشرح كيف تجرب الميزة.

🛠️ 3. One-Time Setup (Copy & Paste into AI Chat)

التثبيت لأول مرة في 60 ثانية — فقط انسخ والصق في شات الذكاء الاصطناعي

💬 Paste in AI Chat (الصق في شات الذكاء الاصطناعي)

📋 Copy Setup Prompt

```
Please set up Agent OS for me:
1. Run `python scripts/agent_os.py sync --apply` to install all skills
and rules globally.
2. Run `python scripts/agent_os.py install-hooks` to enable local git
safety checks.
3. Run `python scripts/agent_os.py data-saver apply` to enable low-
bandwidth mode and offline package caching.
Tell me in simple words when everything is 100% ready.
```

⚡ 4. Start Here in 30 Seconds: The Top 4 Magic Commands

أهم 4 أوامر تغطي 90% من عملك اليومي

`/save-data`

Copy

توفير باقة الإنترنت وتسريع الردود

/start-project [idea]

Copy

بدء مشروع جديد من الصفر بأي تقنية

/smart-feature [description]

Copy

إضافة أي ميزة — يختار المهارات تلقائياً

/fix-ui

Copy

فحص وإصلاح مشاكل الواجهة والجداول تلقائياً

🧩 5. All 11 Situation Cards (1-Word Command + Full Prompt)

جميع الحالات الـ 11 — يمكنك نسخ الأمر المختصر (Option A) أو النص الكامل (Option B)

Situation #1 • UI Auto-Fixer

🖼️

الحالة 1: لديك مشاكل في الواجهة، أو القائمة العلوية/الجانبية غير ثابتة، أو الجداول والنماذج مكسورة

/fix-ui

Option A — 1-Word Shortcut

Copy

```
/fix-ui
```

Option B — Full Copy-Paste Prompt

Copy Full Prompt

```
Use /fix-ui (/ui-audit, /muaz-skill, /rtl-logical-guard, and /ui-review-loop) to
scan my UI, generate fix prompts for all violations, and fix them automatically
(including sticky top-0 navbar, sticky h-dvh sidebar with mobile drawer, flex-1 min-
w-0 + overflow-x-auto tables, responsive forms, and LTR/RTL support).
```

Situation #2 • Any Frontend Stack

🎨

الحالة 2: بناء ميزة واجهة أمامية جديدة (صفحة، لوحة تحكم، جدول، أو نموذج — بأي تقنية تختارها)

/feature-fe

Option A — 1-Word Shortcut

Copy

```
/feature-fe Stack: [your stack or "auto-detect"] | Feature: [describe in Arabic or English]
```

Option B — Full Copy-Paste Prompt

Copy Full Prompt

```
I am starting a new frontend feature using [your stack or auto-detect]: [describe feature].
1. First run /grill-me + /muaz-skill Smart Intake with (Recommended) defaults and wait for my "yes" on the Confirmation Summary.
2. Activate /muaz-skill, /rtl-logical-guard, /ui-review-loop, and /clean-code-guard.
3. Enforce CMS Frontend Armor: sticky top navbar, sticky h-dvh sidebar + mobile drawer, flex-1 min-w-0 main wrapper, overflow-x-auto tables with 5 UI states, responsive forms with sticky Save bar, and full LTR/RTL responsiveness.
```

Situation #3 • Frontend + Backend

الحالة 3: بناء ميزة تشمل الواجهة الأمامية + الباك-إند (APIs، صلاحيات RBAC، رفع ملفات، تحقق)

/feature-febe

Option A — 1-Word Shortcut

Copy

```
/feature-febe Stack: [FE + BE stack or "auto-detect"] | Feature: [describe in Arabic or English]
```

Option B — Full Copy-Paste Prompt

Copy Full Prompt

```
I am starting a Frontend + Backend feature using [your stack or auto-detect]: [describe feature].
1. Run /grill-me + /muaz-skill Smart Intake first and wait for my "yes" on the Confirmation Summary.
2. Activate /feature-fe skills + /backend-api, /backend-http, /backend-identity, /backend-ops, and stack security guards.
3. Enforce CMS Frontend Armor + Backend Armor (RBAC Admin/Editor/User permissions, server-side pagination/search/sort, 422 field validation, and safe file uploads).
```

Situation #4 • Full-Stack + Database



الحالة 4: بناء ميزة كاملة: واجهة أمامية + باك-إند + قاعدة بيانات (جداول، علاقات، فهارس، حذف آمن)

/feature-full

Option A — 1-Word Shortcut

Copy

```
/feature-full Stack: [FE + BE + DB stack or "auto-detect"] | Feature: [describe in Arabic or English]
```

Option B — Full Copy-Paste Prompt

Copy Full Prompt

```
I am starting a full Frontend + Backend + Database feature using [your stack or auto-detect]: [describe feature].
1. Run /grill-me + /muaz-skill Smart Intake first and wait for my "yes" on the Confirmation Summary.
2. Activate /feature-febe + /database and /backend-data.
3. Enforce Database Armor (Foreign Keys, Indexes on FKs and filters, Soft Deletes deleted_at, zero N+1 queries, transactions), Backend Armor (RBAC, pagination/search, validation, safe uploads), and CMS Frontend Armor.
```

Situation #5 • Brand New App from Zero

🚀

الحالة 5: بدء مشروع جديد بالكامل من الصفر (/grill-me + التخطيط المعماري /web-precode + البناء)

/start-project

Option A — 1-Word Shortcut

Copy

```
/start-project [describe your project idea in Arabic or English]
```

Option B — Full Copy-Paste Prompt

Copy Full Prompt

```
I want to start a brand new project from zero: [describe idea].
1. Interview me first using /grill-me and the 28 Smart Intake questions in /muaz-
skill (references/intake-template.md) with (Recommended) defaults. Show the Phase 1E
Confirmation Summary and wait for my "yes".
2. Generate and audit the 6 architecture docs with /web-precode and the task plan
with /spec-kit.
3. Build the project in my chosen stack with full CMS Frontend, Backend, and
Database Armor.
```

Situation #6 • Smart Auto-Router

🧠

الحالة 6: لدي وصف للميزة فقط — دع النظام يختار أفضل المهارات تلقائياً ويسألني ثم يبنيها

/smart-feature

Option A — 1-Word Shortcut

Copy

```
/smart-feature [describe your feature in plain Arabic or English]
```

Option B — Full Copy-Paste Prompt

Copy Full Prompt

```
Use /smart-feature for this feature: [describe feature in Arabic or English].
Auto-detect my stack, pick the best targeted Frontend/Backend/Database/Security
skills, run the /grill-me + /muaz-skill Smart Intake interview first, and build and
verify it after I confirm "yes".
```

Situation #7 • WordPress & WooCommerce

🛒

الحالة 7: بناء ميزة أو قالب أو إضافة ووردبريس / ووكومرس آمنة ومتوافقة مع HPOS

/feature-wp

Option A — 1-Word Shortcut

Copy

```
/feature-wp [describe your WordPress or WooCommerce feature]
```

Option B — Full Copy-Paste Prompt

Copy Full Prompt

```
Use /feature-wp (/grill-me + /muaz-skill + /wp-guard + /woo-guard + /rtl-logical-
guard) to build: [describe feature]. Enforce nonces, capability checks, $wpdb
→prepare(), WooCommerce HPOS CRUD, and RTL/LTR styling.
```

Situation #8 • Backend & DB Bug Fixer



الحالة 8: إصلاح خطأ في الباك-إند، الـ API، قاعدة البيانات، أو الصلاحيات، التحقق

/fix-backend

Option A — 1-Word Shortcut

Copy

```
/fix-backend [paste the error message or describe what is broken]
```

Option B — Full Copy-Paste Prompt

Copy Full Prompt

```
Use /fix-backend to diagnose and fix this issue: [paste error or describe problem].
Trace from the request to the controller, RBAC permissions, validation, and database
query, explain the cause in 2 simple sentences, fix it, and add a regression test.
```

Situation #9 • Pre-Push Quality Gate



الحالة 9: فحص الأمان وجودة الكود وحذف التعقيد الزائد قبل رفع التعديلات إلى GitHub

/check-all

Option A — 1-Word Shortcut

Copy

```
/check-all
```

Option B — Full Copy-Paste Prompt

Copy Full Prompt

```
Use /check-all (/clean-code-guard, /test-guard, /rtl-logical-guard, security guards,
/ponytail-review, and /debate-review) to audit my changes and give me a READY TO
PUSH verdict.
```

Situation #10 • Auto-Documentation

الحالة 10: توليد أو تحديث ملفات التوثيق (README و ARCHITECTURE و API) لأي مشروع

/doc-project

Option A — 1-Word Shortcut

Copy

```
/doc-project
```

Option B — Full Copy-Paste Prompt

Copy Full Prompt

```
Use /doc-project (/project-documentation and /docs-guard) to scan this repo and
generate or update a beginner-friendly README.md, docs/ARCHITECTURE.md, and
docs/API.md.
```

Situation #11 • Low-Bandwidth Mode

الحالة 11: وضع توفير الإنترنت والبيانات — يوقف الاستهلاك الخلفي ويستخدم الكاش المحلي

/save-data

Option A — 1-Word Shortcut

Copy

```
/save-data
```

Option B — Full Copy-Paste Prompt

Copy Full Prompt

```
Use /save-data (/data-saver + /caveman lite): apply the low-bandwidth IDE profile,
use --prefer-offline when installing packages, and keep replies concise.
```

🏰 6. Built-In CMS Frontend, Backend & Database Armor

الحمايات المدمجة تلقائياً في كل أوامر البناء والإصلاح

🎨 CMS Frontend & Layout Armor

✅ **Sticky Top Navbar:** `sticky top-0 z-40` never disappears when scrolling.

✅ **Sticky Sidebar Panel:** `lg:sticky lg:top-0 lg:h-dvh lg:overflow-y-auto` + mobile drawer on `<1024px`.

✅ **Main Wrapper Lock:** `flex-1 min-w-0` so wide tables never push the sidebar.

✅ **CMS Data Tables:** `overflow-x-auto`, sticky headers, pagination, and all 5 UI states.

✅ **CMS Forms:** Multi-column grids, inline validation errors, and sticky `Save / Cancel` bar.

✅ **All-Media & RTL/LTR:** Mobile, Tablet, and Desktop with CSS Logical Properties (`ms-`, `me-`, `start-`, `end-`).

🛡️ CMS Backend & Database Armor

✅ **RBAC Role & Permission Guards:** Locks both UI buttons and Backend APIs (Admin / Editor / User) + anti-IDOR checks.

✅ **Server-Side Pagination, Search & Sort:** Large CMS tables never crash the browser.

✅ **Field-Level Server Validation:** Returns clean `422` field errors mapped to form inputs.

✅ **Safe File & Image Uploads:** MIME/size validation, preview URLs, and old-file cleanup on update/delete.

✅ **Database Integrity:** Explicit Foreign Keys, Indexes on FKs/filters, Soft Deletes (`deleted_at`), and Transactions.

📚 7. Complete Dictionary of All 60 Skills (Optional Reference)

القاموس المرجعي لجميع المهارات الـ 60 — تستدعيها أوامر الحالات تلقائياً بالنيابة عنك

Category (الفئة)	Skills Included (المهارات المتضمنة)
	`/start-project`, `/smart-feature`, `/feature-fe`, `/feature-febe`, `/feature-full`, `/feature-wp`, `/fix-ui`, `/fix-backend`, `/check-all`, `/doc-project`, `/save-data`

Agent OS Beginner Handbook • Architected with `/web-precode`, implemented with `/spec-kit`, designed with `/muaz-skill`, and verified with `/ui-audit`.