```cpp
#include <iostream>
#include <pthread.h>
using namespace std;

// Global variable
double balance = 0.0;

// Deposit Thread Function

void* deposit(void* arg) {

    double amount;

    cout << "Enter amount to deposit: ";
    cin >> amount;

    if (amount > 0) {
        balance += amount;
        cout << "Amount deposited successfully!\n";
    } else {
        cout << "Invalid amount!\n";
    }

    pthread_exit(NULL);
}

// Withdraw Thread Function

void* withdraw(void* arg) {
    double amount;

    cout << "Enter amount to withdraw: ";
    cin >> amount;

    if (amount > 0 && amount <= balance) {

        balance -= amount;
        cout << "Amount withdrawn successfully!\n";
    } else {
        cout << "Insufficient balance or invalid amount!\n";
    }

    pthread_exit(NULL);
}

// Check Balance Thread Function

void* checkBalance(void* arg) {
    cout << "Current Balance: " << balance << endl;

    pthread_exit(NULL);
}

int main() {
    int choice;
    pthread_t threadID;

    do {
        cout << "\n===== BANK MENU =====\n";
        cout << "1. Deposit\n";
        cout << "2. Withdraw\n";
        cout << "3. Check Balance\n";
        cout << "4. Exit\n";
        cout << "Enter your choice: ";
```

```
        cin >> choice;

        switch (choice) {
            case 1:
                pthread_create(&threadID, NULL, deposit, NULL);

                pthread_join(threadID, NULL);
                break;

            case 2:
                pthread_create(&threadID, NULL, withdraw, NULL);

                pthread_join(threadID, NULL);
                break;

            case 3:
                pthread_create(&threadID, NULL, checkBalance, NULL);

                pthread_join(threadID, NULL);
                break;

            case 4:
                cout << "Thank you for using the Bank System!\n";
                break;

            default:
                cout << "Invalid choice! Try again.\n";
        }

    } while (choice != 4);

    return 0;
}
```