The fontspec package
Font selection for XƎLATEX and LuaLATEX

WILL ROBERTSON and KHALED HOSNY
http://wspr.io/fontspec/

2017/03/31   v2.6a

Contents

Part I
Getting started

1 History

This package began life as a LaTeX interface to select system-installed Mac OS X fonts in Jonathan Kew's X∃TEX, the first widely-used Unicode extension to TEX. Over time, X∃TEX was extended to support OpenType fonts and then was ported into a cross-platform program to run also on Windows and Linux.

More recently, LuaTEX is fast becoming the TEX engine of the day; it supports Unicode encodings and OpenType fonts and opens up the internals of TEX via the Lua programming language. Hans Hagen's ConTEXt Mk. IV is a re-write of his powerful typesetting system, taking full advantage of LuaTEX's features including font support; a kernel of his work in this area has been extracted to be useful for other TEX macro systems as well, and this has enabled fontspec to be adapted for LaTeX when run with the LuaTEX engine.

2 Introduction

The fontspec package allows users of either X∃TEX or LuaTEX to load OpenType fonts in a LaTeX document. No font installation is necessary, and font features can be selected and used as desired throughout the document.

Without fontspec, it is necessary to write cumbersome font definition files for LaTeX, since LaTeX's font selection scheme (known as the 'NFSS') has a lot going on behind the scenes to allow easy commands like \emph or \bfseries. With an uncountable number of fonts now available for use, however, it becomes less desirable to have to write these font definition (.fd) files for every font one wishes to use.

Because fontspec is designed to work in a variety of modes, this user documentation is split into separate sections that are designed to be relatively independent. Nonetheless, the basic functionality all behaves in the same way, so previous users of fontspec under X∃TEX should have little or no difficulty switching over to LuaTEX.

This manual can get rather in-depth, as there are a lot of details to cover. See the documents `fontspec-example.tex` for a complete minimal example to get started quickly.

2.1 Acknowledgements

This package could not have been possible without the early and continued support the author of X∃TEX, Jonathan Kew. When I started this package, he steered me many times in the right direction.

I've had great feedback over the years on feature requests, documentation queries, bug reports, font suggestions, and so on from lots of people all around the world. Many thanks to you all.

Thanks to David Perry and Markus Böhning for numerous documentation improvements and David Perry again for contributing the text for one of the sections

of this manual.

Special thanks to Khaled Hosny, who was the driving force behind the support for LuaLaTeX, ultimately leading to version 2.0 of the package.

3 Package loading and options

For basic use, no package options are required:

```
\usepackage{fontspec}
```

Package options will be introduced below; some preliminary details are discussed first.

3.1 Font encodings

The 2016 release of fontspec initiated some changes for font encodings and the loading of xunicode. The 2017 release rolls out those changes as default.

The now-default `tuenc` package option switches the NFSS font encoding to TU. TU is a new Unicode font encoding, intended for both X∃TEX and LuaTEX engines, and automatically contains support for symbols covered by LaTeX's traditional T1 and TS1 font encodings (for example, `\%`, `\textbullet`, `\"u`, and so on). As a result, with this package option, Ross Moore's xunicode package is **not** loaded. Some new, experimental, features are now provided to customise some encoding details; see Part V on page 55 for further details.

Pre-2017 behaviour can be achieved with the `euenc` package option. This selects the EU1 or EU2 encoding (X∃TEX/LuaTEX, resp.) and loads the xunicode package. Package authors and users who have referred explicitly to the encoding names EU1 or EU2 should update their code or documents. (See internal variable names described in Section 27 on page 69 for how to do this properly.)

3.2 Maths fonts adjustments

By default, fontspec adjusts LaTeX's default maths setup in order to maintain the correct Computer Modern symbols when the roman font changes. However, it will attempt to avoid doing this if another maths font package is loaded (such as mathpazo or the unicode-math package).

If you find that fontspec is incorrectly changing the maths font when it shouldn't be, apply the `no-math` package option to manually suppress its behaviour here.

3.3 Configuration

If you wish to customise any part of the fontspec interface, this should be done by creating your own `fontspec.cfg` file, which will be automatically loaded if it is found by X∃TEX or LuaTEX. A `fontspec.cfg` file is distributed with fontspec with a small number of defaults set up within it.

To customise fontspec to your liking, use the standard `.cfg` file as a starting point or write your own from scratch, then either place it in the same folder as the main document for isolated cases, or in a location that X∃TEX or LuaTEX searches by default; *e.g.* in MacTEX: `~/Library/texmf/tex/latex/`.

The package option `no-config` will suppress the loading of the `fontspec.cfg` file under all circumstances.

3.4 Warnings

This package can give some warnings that can be harmless if you know what you're doing. Use the `quiet` package option to write these warnings to the transcript (`.log`) file instead.

Use the `silent` package option to completely suppress these warnings if you don't even want the `.log` file cluttered up.

4 Interaction with LaTeX 2ε and other packages

This section documents some areas of adjustment that fontspec makes to improve default behaviour with LaTeX 2ε and third-party packages.

4.1 Verbatim

Many verbatim mechanisms assume the existence of a 'visible space' character that exists in the ASCII space slot of the typewriter font. This character is known in Unicode as U+2423: BOX OPEN, which looks like this: '␣'.

When a Unicode typewriter font is used, LaTeX no longer prints visible spaces for the `verbatim*` environment and `\verb*` command. This problem is fixed by using the correct Unicode glyph, and the following packages are patched to do the same: listings, fancyvrb, moreverb, and verbatim.

In the case that the typewriter font does not contain '␣', the Latin Modern Mono font is used as a fallback.

4.2 Discretionary hyphenation: \-

\-   LaTeX defines the macro `\-` to insert discretionary hyphenation points. However, it is hard-coded in LaTeX to use the hyphen - character. Since fontspec provides features to change the hyphenation character on a per font basis, the definition of `\-` is changed to adapt accordingly.

4.3 Commands for old-style and lining numbers

\oldstylenums   LaTeX's definition of `\oldstylenums` relies on strange font encodings. We provide a
\liningnums   fontspec-compatible alternative and while we're at it also throw in the reverse option as well. Use `\oldstylenums{`⟨*text*⟩`}` to explicitly use old-style (or lowercase) numbers in ⟨*text*⟩, and the reverse for `\liningnums{`⟨*text*⟩`}`.

4.4 Italic small caps

\itshape   Note that this package redefines the `\itshape`, `\slshape`, and `\scshape` commands
\slshape   in order to allow them to select italic small caps in conjunction. With these changes,
\scshape   writing `\itshape\scshape` will lead to italic small caps, and `\upshape` subsequently

then moves back to small caps only. \upshape again returns from small caps to upright regular. (And similarly for for \slshape. In addition, once italic small caps are selected then \slshape will switch to slanted small caps, and vice versa.)

4.5 Emphasis and nested emphasis

\eminnershape LaTeX 2ε allows you to specify the behaviour of \emph nested within \emph by setting the \eminnershape command. For example,

```
\renewcommand\eminnershape{\upshape\scshape}
```

will produce small caps within \emph{\emph{...}}.

\emfontdeclare The fontspec package takes this idea one step further to allow arbitrary font shape changes and arbitrary levels of nesting within emphasis. This is performed using the \emfontdeclare command, which takes a comma-separated list of font switches corresponding to increasing levels of emphasis. An example:

1. \emfontdeclare{\itshape,\upshape\scshape,\itshape} will lead to 'italics', 'small caps', then 'italic small caps' as the level of emphasis increases, as long as italic small caps are defined for the font. Note that \upshape is required because the font changes are cascading.

The implementation of this feature tries to be 'smart' and guess what level of emphasis to use in the case of manual font changing. This is reliable only if you use shape-changing commands in \emfontdeclare. For example:

```
\emfontdeclare{\itshape,\upshape\scshape,\itshape}
...
\scshape small caps \emph{hello}
```

Here, the emphasised text 'hello' will be printed in italic small caps since \emph can detect that the current font shape is already in the second 'mode' of emphasis.

\emreset Finally, if you have so much nested emphasis that \emfontdeclare runs out of options, it will insert \emreset (by default just \upshape) and start again from the beginning.

4.6 Strong emphasis

\strong The \strong macro is used analogously to \emph but produces variations in weight.
\strongenv If you need it in environment form, use \begin{strongenv}...\end{strongenv}.

As with emphasis, this font-switching command is intended to move through a range of font weights. For example, if the fonts are set up correctly it allows usage such as \strong{...\strong{...}} in which each nested \strong macro increases the weight of the font.

\strongfontdeclare Currently this feature set is somewhat experimental and there is no syntactic sugar to easily define a range of font weights using fontspec commands. Use, say, the following to define first bold and then black (k) font faces for \strong:

```
\strongfontdeclare{\bfseries,\fontseries{k}\selectfont}
```

\strongreset   If too many levels of \strong are reached, \strongreset is inserted. By default
                  this is a no-op and the font will simply remain the same. Use \renewcommand\strongreset{\mdseries}
                  to start again from the beginning if desired.

                  An example for setting up a font family for use with \strong is discussed in 6.3.1
                  on page 18.

Part II
General font selection

This section concerns the variety of commands that can be used to select fonts.

```
\fontspec{⟨font name⟩}[⟨font features⟩]
\setmainfont{⟨font name⟩}[⟨font features⟩]
\setsansfont{⟨font name⟩}[⟨font features⟩]
\setmonofont{⟨font name⟩}[⟨font features⟩]
\newfontfamily⟨cmd⟩{⟨font name⟩}[⟨font features⟩]
```

These are the main font-selecting commands of this package. The `\fontspec` command selects a font for one-time use only; all others should be used to define the standard fonts used in a document, as shown in Example 1. Here, the scales of the fonts have been chosen to equalise their lowercase letter heights. The `Scale` font feature will be discussed further in Section 14 on page 27, including methods for automatic scaling. Note that further options may need to be added to select appropriate bold/italic fonts, but this shows the main idea.

Note that while these commands all look and behave largely identically, the default setup for font loading automatically adds the `Ligatures=TeX` feature for the `\setmainfont` and `\setsansfont` commands. These defaults (and further customisations possible) are discussed in Section 8 on page 21.

The font features argument accepts comma separated ⟨*font feature*⟩=⟨*option*⟩ lists; these are described later:

- For general font features, see Section 14 on page 27

- For OpenType fonts, see Part IV on page 34

- For X∃TEX-only general font features, see Part VII on page 61

- For LuaTEX-only general font features, see Part VI on page 59

- For features for AAT fonts in X∃TEX, see Section 22 on page 62

Example 1: Loading the default, sans serif, and monospaced fonts.

```
\setmainfont{texgyrebonum-regular.otf}
\setsansfont{lmsans10-regular.otf}[Scale=MatchLowercase]
\setmonofont{Inconsolatazi4-Regular.otf}[Scale=MatchLowercase]

\rmfamily Pack my box with five dozen liquor jugs\par
\sffamily Pack my box with five dozen liquor jugs\par
\ttfamily Pack my box with five dozen liquor jugs
```

ack my box with five dozen liquor jugs
ack my box with five dozen liquor jugs
ck my box with five dozen liquor jugs

---

5 Font selection

In both LuaTeX and X_ETeX, fonts can be selected either by 'font name' or by 'file name', but there are some differences in how each engine finds and selects fonts — don't be too surprised if a font invocation in one engine needs correction to work in the other.

5.1 By font name

Fonts known to LuaTeX or X_ETeX may be loaded by their standard names as you'd speak them out loud, such as *Times New Roman* or *Adobe Garamond*. 'Known to' in this case generally means 'exists in a standard fonts location' such as `~/Library/Fonts` on Mac OS X, or `C:\Windows\Fonts` on Windows. In LuaTeX, fonts found in the TEXMF tree can also be loaded by name.

The simplest example might be something like

```
\setmainfont{Cambria}[ ... ]
```

in which the bold and italic fonts will be found automatically (if they exist) and are immediately accessible with the usual `\textit` and `\textbf` commands.

The 'font name' can be found in various ways, such as by looking in the name listed in a application like *Font Book* on Mac OS X. Alternatively, TeXLive contains the `otfinfo` command line program, which can query this information; for example:

```
otfinfo -a `kpsewhich lmroman10-regular.otf`
```

results in 'LM Roman 10'.

LuaTeX users only   In order to load fonts by their name rather than by their file-name (*e.g.*, 'Latin Modern Roman' instead of 'ec-lmr10'), you may need to run the script `luaotfload-tool`, which is distributed with the luaotfload package. Note that if you do not execute this script beforehand, the first time you attempt to typeset the process will pause for (up to) several minutes. (But only the first time.) Please see the luaotfload documentation for more information.

5.2 By file name

X_ETeX and LuaTeX also allow fonts to be loaded by file name instead of font name. When you have a very large collection of fonts, you will sometimes not wish to have them all installed in your system's font directories. In this case, it is more convenient to load them from a different location on your disk. This technique is also necessary in X_ETeX when loading OpenType fonts that are present within your TeX distribution, such as `/usr/local/texlive/2013/texmf-dist/fonts/opentype/public`. Fonts in such locations are visible to X_ETeX but cannot be loaded by font name, only file name; LuaTeX does not have this restriction.

When selecting fonts by file name, any font that can be found in the default search paths may be used directly (including in the current directory) without having to explicitly define the location of the font file on disk.

Fonts selected by filename must include bold and italic variants explicitly.

```
\setmainfont{texgyrepagella-regular.otf}[
    BoldFont        = texgyrepagella-bold.otf ,
    ItalicFont      = texgyrepagella-italic.otf ,
    BoldItalicFont = texgyrepagella-bolditalic.otf ]
```

fontspec knows that the font is to be selected by file name by the presence of the '.otf'
extension. An alternative is to specify the extension separately, as shown following:

```
\setmainfont{texgyrepagella-regular}[
    Extension       = .otf ,
    BoldFont        = texgyrepagella-bold ,
    ... ]
```

If desired, an abbreviation can be applied to the font names based on the mandatory
'font name' argument:

```
\setmainfont{texgyrepagella}[
    Extension       = .otf ,
    UprightFont     = *-regular ,
    BoldFont        = *-bold ,
    ... ]
```

In this case 'texgyrepagella' is no longer the name of an actual font, but is used to
construct the font names for each shape; the * is replaced by 'texgyrepagella'. Note in
this case that UprightFont is required for constructing the font name of the normal
font to use.

To load a font that is not in one of the default search paths, its location in the filesys-
tem must be specified with the Path feature:

```
\setmainfont{texgyrepagella}[
    Path            = /Users/will/Fonts/ ,
    UprightFont     = *-regular ,
    BoldFont        = *-bold ,
    ... ]
```

Note that X∃TEX and LuaTEX are able to load the font without giving an extension, but
fontspec must know to search for the file; this can can be indicated by using the Path
feature without an argument:

```
\setmainfont{texgyrepagella-regular}[
    Path, BoldFont = texgyrepagella-bold,
    ... ]
```

My preference is to always be explicit and include the extension; this also allows
fontspec to automatically identify that the font should be loaded by filename.

In previous versions of the package, the Path feature was also provided under the
alias ExternalLocation, but this latter name is now deprecated and should not be
used for new documents.

5.3 Querying whether a font 'exists'

\IfFontExistsTF{⟨*font name*⟩}{⟨*true branch*⟩}{⟨*false branch*⟩}

The conditional \IfFontExistsTF is provided to test whether the ⟨*font name*⟩ exists or is loadable. If it is, the ⟨*true branch*⟩ code is executed; otherwise, the ⟨*false branch*⟩ code is.

This command can be slow since the engine may resort to scanning the filesystem for a missing font. Nonetheless, it has been a popular request for users who wish to define 'fallback fonts' for their documents for greater portability.

In this command, the syntax for the ⟨*font name*⟩ is a restricted/simplified version of the font loading syntax used for \fontspec and so on. Fonts to be loaded by filename are detected by the presence of an appropriate extension (.otf, etc.), and paths should be included inline. E.g.:

```
\IfFontExistsTF{cmr10}{T}{F}
\IfFontExistsTF{Times New Roman}{T}{F}
\IfFontExistsTF{texgyrepagella-regular.otf}{T}{F}
\IfFontExistsTF{/Users/will/Library/Fonts/CODE2000.TTF}{T}{F}
```

The \IfFontExistsTF command is a synonym for the programming interface function \fontspec_font_if_exist:nTF (Section 27 on page 69).

6   Commands to select font families

\newfontfamily\⟨*font-switch*⟩{⟨*font name*⟩}[⟨*font features*⟩]
\newfontface\⟨*font-switch*⟩{⟨*font name*⟩}[⟨*font features*⟩]

For cases when a specific font with a specific feature set is going to be re-used many times in a document, it is inefficient to keep calling \fontspec for every use. While the \fontspec command does not define a new font instance after the first call, the feature options must still be parsed and processed.

\newfontfamily   For this reason, new commands can be created for loading a particular font family with the \newfontfamily command, demonstrated in Example 2. This macro should be used to create commands that would be used in the same way as \rmfamily, for example. If you would like to create a command that only changes the font inside its argument (i.e., the same behaviour as \emph) define it using regular LaTeX commands:

```
\newcommand\textnote[1]{{\notefont #1}}
\textnote{This is a note.}
```

Note that the double braces are intentional; the inner pair are used to to delimit the scope of the font change.

Example 2: Defining new font families.

| This is a *note*. | `\newfontfamily\notefont{Kurier}`
`\notefont This is a \emph{note}.` |

`\newfontface`   Sometimes only a specific font face is desired, without accompanying italic or bold variants being automatically selected. This is common when selecting a fancy italic font, say, that has swash features unavailable in the upright forms. `\newfontface` is used for this purpose, shown in Example 3, which is repeated in .

Comment for advanced users: The commands defined by `\newfontface` and `\newfontfamily` include their encoding information, so even if the document is set to use a legacy TEX encoding, such commands will still work correctly. For example,

```
\documentclass{article}
\usepackage{fontspec}
\newfontfamily\unicodefont{Lucida Grande}
\usepackage{mathpazo}
\usepackage[T1]{fontenc}
\begin{document}
A legacy \TeX\ font. {\unicodefont A unicode font.}
\end{document}
```

6.1   More control over font shape selection

```
BoldFont = ⟨font name⟩
ItalicFont = ⟨font name⟩
BoldItalicFont = ⟨font name⟩
SlantedFont = ⟨font name⟩
BoldSlantedFont = ⟨font name⟩
SmallCapsFont = ⟨font name⟩
```

The automatic bold, italic, and bold italic font selections will not be adequate for the needs of every font: while some fonts mayn't even have bold or italic shapes, in which case a skilled (or lucky) designer may be able to chose well-matching accompanying shapes from a different font altogether, others can have a range of bold and italic fonts to chose among. The `BoldFont` and `ItalicFont` features are provided for these situations. If only one of these is used, the bold italic font is requested as the default from the *new* font. See Example 4.

If a bold italic shape is not defined, or you want to specify *both* custom bold and italic shapes, the `BoldItalicFont` feature is provided.

Example 3: Defining a single font face.

---

where is all the vegemite

```
\newfontface\fancy{Hoefler Text Italic}%
    [Contextuals={WordInitial,WordFinal}]
\fancy where is all the vegemite
% \emph, \textbf, etc., all don't work
```

15

Example 4: Explicit selection of the bold font.

Helvetica Neue UltraLight
Helvetica Neue UltraLight Italic
Helvetica Neue
Helvetica Neue Italic

```
\fontspec{Helvetica Neue UltraLight}%
        [BoldFont={Helvetica Neue}]
              Helvetica Neue UltraLight        \\
{\itshape      Helvetica Neue UltraLight Italic} \\
{\bfseries              Helvetica Neue       } \\
{\bfseries\itshape       Helvetica Neue Italic} \\
```

6.1.1 Small caps and slanted font shapes

When a font family has both slanted *and* italic shapes, these may be specified separately using the analogous features `SlantedFont` and `BoldSlantedFont`. Without these, however, the LaTeX font switches for slanted (`\textsl`, `\slshape`) will default to the italic shape.

Pre-OpenType, it was common for font families to be distributed with small caps glyphs in separate fonts, due to the limitations on the number of glyphs allowed in the PostScript Type 1 format. Such fonts may be used by declaring the `SmallCapsFont` of the family you are specifying:

```
\setmainfont{Minion MM Roman}[
  SmallCapsFont={Minion MM Small Caps & Oldstyle Figures}
]
Roman 123 \\ \textsc{Small caps 456}
```

In fact, you should specify the small caps font for each individual bold and italic shape as in

```
\setmainfont{ <upright> }[
  UprightFeatures    = { SmallCapsFont={ <sc> } } ,
  BoldFeatures       = { SmallCapsFont={ <bf sc> } } ,
  ItalicFeatures     = { SmallCapsFont={ <it sc> } } ,
  BoldItalicFeatures = { SmallCapsFont={ <bf it sc> } } ,
]
Roman 123 \\ \textsc{Small caps 456}
```

For most modern fonts that have small caps as a font feature, this level of control isn't generally necessary.

All of the bold, italic, and small caps fonts can be loaded with different font features from the main font. See Section 11 for details. When an OpenType font is selected for `SmallCapsFont`, the small caps font feature is *not* automatically enabled. In this case, users should write instead, if necessary,

```
\setmainfont{...}[
  SmallCapsFont={...},
  SmallCapsFeatures={Letters=SmallCaps},
]
```

6.2 Specifically choosing the NFSS family

In LaTeX's NFSS, font families are defined with names such as 'ppl' (Palatino), 'lmr' (Latin Modern Roman), and so on, which are selected with the `\fontfamily` command:

```
\fontfamily{ppl}\selectfont
```

In fontspec, the family names are auto-generated based on the fontname of the font; for example, writing `\fontspec{Times New Roman}` for the first time would generate an internal font family name of 'TimesNewRoman(1)'. Please note that should not rely on the name that is generated.

In certain cases it is desirable to be able to choose this internal font family name so it can be re-used elsewhere for interacting with other packages that use the LaTeX's font selection interface; an example might be

```
\usepackage{fancyvrb}
\fvset{fontfamily=myverbatimfont}
```

To select a font for use in this way in fontspec use the `NFSSFamily` feature:[1]

```
\newfontfamily\verbatimfont[NFSSFamily=myverbatimfont]{Inconsolata}
```

It is then possible to write commands such as:

```
\fontfamily{myverbatimfont}\selectfont
```

which is essentially the same as writing `\verbatimfont`, or to go back to the orginal example:

```
\fvset{fontfamily=myverbatimfont}
```

Only use this feature when necessary; the in-built font switching commands that fontspec generates (such as `\verbatimfont` in the example above) are recommended in all other cases.

If you don't wish to explicitly set the NFSS family but you would like to know what it is, an alternative mechanism for package writers is introduced as part of the fontspec programming interface; see the function `\fontspec_set_family:Nnn` for details (Section 27 on page 69).

6.3 Choosing additional NFSS font faces

LaTeX's font selection scheme (NFSS) is more flexible than the fontspec interface discussed up until this point. It assigns to each font face a *family* (discussed above), a *series* such as bold or light or condensed, and a *shape* such as italic or slanted or small caps. The fontspec features such as `BoldFont` and so on all assign faces for the default series and shapes of the NFSS, but it's not uncommon to have font families that have multiple weights and shapes and so on.

If you set up a regular font family with the 'standard four' (upright, bold, italic, and bold italic) shapes and then want to use, say, a light font for a certain document element, many users will be perfectly happy to use `\newfontface\`⟨*switch*⟩ and use

---

[1] Thanks to Luca Fascione for the example and motivation for finally implementing this feature.

17

the resulting font \⟨*switch*⟩. In other cases, however, it is more convenient or even necessary to load additional fonts using additional NFSS specifiers.

> FontFace = {⟨*series*⟩}{⟨*shape*⟩} { Font = ⟨*font name*⟩ , ⟨*features*⟩ }
> FontFace = {⟨*series*⟩}{⟨*shape*⟩}{⟨*font name*⟩}

The font thus specified will inherit the font features of the main font, with optional additional ⟨*features*⟩ as requested. (Note that the optional {⟨*features*⟩} argument is still surrounded with curly braces.) Multiple FontFace commands may be used in a single declaration to specify multiple fonts. As an example:

```
\setmainfont{font1.otf}[
   FontFace = {c}{\updefault}{ font2.otf } ,
   FontFace = {c}{m}{ Font = font3.otf , Color = red }
  ]
```

Writing \fontseries{c}\selectfont will result in font2 being selected, which then followed by \fontshape{m}\selectfont will result in font3 being selected (in red). A font face that is defined in terms of a different series but an upright shape (\updefault, as shown above) will attempt to find a matching small caps feature and define that face as well. Conversely, a font face defined in terms of a non-standard font shape will not.

There are some standards for choosing shape and series codes; the LATEX 2ε font selection guide[2] lists series m for medium, b for bold, bx for bold extended, sb for semi-bold, and c for condensed. A far more comprehensive listing is included in Appendix A of Philipp Lehman's 'The Font Installation Guide'[3] covering 14 separate weights and 12 separate widths.

The FontFace command also interacts properly with the SizeFeatures command as follows: (nonsense set of font selection choices)

```
FontFace = {c}{n}{
  Font = Times ,
  SizeFeatures = {
    { Size =   -10 , Font = Georgia } ,
    { Size = 10-15}                   , % default "Font = Times"
    { Size = 15-   , Font = Cochin  } ,
  },
},
```

Note that if the first Font feature is omitted then each size needs its own inner Font declaration.

6.3.1 An example for \strong

If you wanted to set up a font family to allow nesting of the \strong to easily access increasing font weights, you might use a declaration along the following lines:

```
\setmonofont{SourceCodePro}[
  Extension = .otf ,
```

---

[2] texdoc fntguide
[3] texdoc fontinstallationguide

```
  UprightFont = *-Light ,
  BoldFont = *-Regular ,
  FontFace = {k}{n}{*-Black} ,
]
\strongfontdeclare{\bfseries,\fontseries{k}\selectfont}
```

Further 'syntactic sugar' is planned to make this process somewhat easier.

6.4 Math(s) fonts

When \setmainfont, \setsansfont and \setmonofont are used in the preamble, they also define the fonts to be used in maths mode inside the \mathrm-type commands. This only occurs in the preamble because LaTeX freezes the maths fonts after this stage of the processing. The fontspec package must also be loaded after any maths font packages (*e.g.*, euler) to be successful. (Actually, it is *only* euler that is the problem.[4])

Note that fontspec will not change the font for general mathematics; only the upright and bold shapes will be affected. To change the font used for the mathematical symbols, see either the mathspec package or the unicode-math package.

Note that you may find that loading some maths packages won't be as smooth as you expect since fontspec (and X∃TEX in general) breaks many of the assumptions of TEX as to where maths characters and accents can be found. Contact me if you have troubles, but I can't guarantee to be able to fix any incompatibilities. The Lucida and Euler maths fonts should be fine; for all others keep an eye out for problems.

\setmathrm{⟨*font name*⟩}[⟨*font features*⟩]
\setmathsf{⟨*font name*⟩}[⟨*font features*⟩]
\setmathtt{⟨*font name*⟩}[⟨*font features*⟩]
\setboldmathrm{⟨*font name*⟩}[⟨*font features*⟩]

However, the default text fonts may not necessarily be the ones you wish to use when typesetting maths (especially with the use of fancy ligatures and so on). For this reason, you may optionally use the commands above (in the same way as our other \fontspec-like commands) to explicitly state which fonts to use inside such commands as \mathrm. Additionally, the \setboldmathrm command allows you define the font used for \mathrm when in bold maths mode (which is activated with, among others, \boldmath).

For example, if you were using Optima with the Euler maths font, you might have this in your preamble:

```
\usepackage{mathpazo}
\usepackage{fontspec}
\setmainfont{Optima}
\setmathrm{Optima}
\setboldmathrm[BoldFont={Optima ExtraBlack}]{Optima Bold}
```

These commands are compatible with the unicode-math package. Having said that, unicode-math also defines a more general way of defining fonts to use in maths mode, so you can ignore this subsection if you're already using that package.

---

[4]Speaking of euler, if you want to use its [mathbf] option, it won't work, and you'll need to put this after fontspec is loaded instead: \AtBeginDocument{\DeclareMathAlphabet\mathbf{U}{eur}{b}{n}

7 Miscellaneous font selecting details

The optional argument — from v2.4 For the first decade of fontspec's life, optional font features were selected with a bracketed argument before the font name, as in:

```
\setmainfont[
  lots and lots ,
  and more and more ,
  an excessive number really ,
  of font features could go here
]{myfont.otf}
```

This always looked like ugly syntax to me, because the most important detail — the name of the font — was tucked away at the end. The order of these arguments has now been reversed:

```
\setmainfont{myfont.otf}[
  lots and lots ,
  and more and more ,
  an excessive number really ,
  of font features could go here
]
```

I hope this doesn't cause any problems.

1. Backwards compatibility has been preserved, so either input method works.

2. In fact, you can write

   ```
   \fontspec[Ligatures=Rare]{myfont.otf}[Color=red]
   ```

   if you really felt like it and both sets of features would be applied.

3. Following standard xparse behaviour, there must be no space before the opening bracket; writing

   ```
   \fontspec{myfont.otf}␣[Color=red]
   ```

   will result in `[Color=red]` not being recognised an argument and therefore it will be typeset as text. When breaking over lines, write either of:

   ```
   \fontspec{myfont.otf}%           \fontspec{myfont.otf}[
     [Color=red]                       Color=Red]
   ```

Spaces `\fontspec` and `\addfontfeatures` ignore trailing spaces as if it were a 'naked' control sequence; *e.g.,* 'M. `\fontspec{...}` N' and 'M. `\fontspec{...}`N' are the same.

Part III
Selecting font features

The commands discussed so far such as `\fontspec` each take an optional argument for accessing the font features of the requested font. Commands are provided to set default features to be applied for all fonts, and even to change the features that a font is presently loaded with. Different font shapes can be loaded with separate features, and different features can even be selected for different sizes that the font appears in. This part discusses these options.

8   Default settings

> `\defaultfontfeatures{`⟨*font features*⟩`}`

It is sometimes useful to define font features that are applied to every subsequent font selection command. This may be defined with the `\defaultfontfeatures` command, shown in Example 5. New calls of `\defaultfontfeatures` overwrite previous ones, and defaults can be reset by calling the command with an empty argument.

> `\defaultfontfeatures[`⟨*font name*⟩`]{`⟨*font features*⟩`}`

Default font features can be specified on a per-font and per-face basis by using the optional argument to `\defaultfontfeatures` as shown.

```
\defaultfontfeatures[texgyreadventor-regular.otf]{Color=blue}
\setmainfont{texgyreadventor-regular.otf}% will be blue
```

Multiple fonts may be affected by using a comma separated list of font names.

> `\defaultfontfeatures[`⟨`\font-switch`⟩`]{`⟨*font features*⟩`}`

New in v2.4. Defaults can also be applied to symbolic families such as those created with the `\newfontfamily` command and for `\rmfamily`, `\sffamily`, and `\ttfamily`:

```
\defaultfontfeatures[\rmfamily,\sffamily]{Ligatures=TeX}
\setmainfont{texgyreadventor-regular.otf}% will use standard TeX ligatures
```

Example 5: A demonstration of the `\defaultfontfeatures` command.

```
\fontspec{texgyreadventor-regular.otf}
Some default text 0123456789 \\
\defaultfontfeatures{
    Numbers=OldStyle, Color=888888
}
\fontspec{texgyreadventor-regular.otf}
Now grey, with old-style figures:
0123456789
```

Some default text 0123456789
Now grey, with old-style figures: 0123456789

The line above to set TEX-like ligatures is now activated by *default* in `fontspec.cfg`.
To reset default font features, simply call the command with an empty argument:

```
\defaultfontfeatures[\rmfamily,\sffamily]{}
\setmainfont{texgyreadventor-regular.otf}% will no longer use standard TeX ligatures
```

`\defaultfontfeatures+{⟨font features⟩}`
`\defaultfontfeatures+[⟨font name⟩]{⟨font features⟩}`

New in v2.4. Using the + form of the command appends the ⟨*font features*⟩ to any already-selected defaults.

9   Default settings from a file

In addition to the defaults that may be specified in the document as described above, when a font is first loaded, a configuration file is searched for with the name '⟨*fontname*⟩`.fontspec`'.[5]

The contents of this file can be used to specify default font features without having to have this information present within each document. ⟨*fontname*⟩ is stripped of spaces and file extensions are omitted; for example, the line above for TEX Gyre Adventor could be placed in a file called `TeXGyreAdventor.fontspec`, or for specifying options for `texgyreadventor-regular.otf` (when loading by filename), the configuration file would be `texgyreadventor-regular.fontspec`. (N.B. the lettercase of the names should match.)

This mechanism can be used to define custom names or aliases for your font collections. If you create a file `MyCharis.fontspec` containing, say,

```
\defaultfontfeatures[My Charis]
 {
 Extension = .ttf ,
 UprightFont = CharisSILR,
 BoldFont = CharisSILB,
 ItalicFont = CharisSILI,
 BoldItalicFont = CharisSILBI,
 % <any other desired options>
 }
```

you can load that custom family with `\fontspec{My Charis}` and similar. The optional argument to `\defaultfontfeatures` must match that requested by the font loading command (`\fontspec`, etc.), else the options won't take effect.

Finally, note that options for font faces can also be defined in this way. To continue the example above, here we colour the different faces:

```
\defaultfontfeatures[CharisSILR]{Color=blue}
\defaultfontfeatures[CharisSILB]{Color=red}
```

And such configuration lines can be stored either inline inside `My Charis.fontspec` or within their own `.fontspec` files; in this way, fontspec is designed to handle 'nested' configuration options as well.

---

[5]Located in the current folder or within a standard `texmf` location.

10 Working with the currently selected features

\IfFontFeatureActiveTF{⟨*font feature*⟩}{⟨*true code*⟩}{⟨*false code*⟩}

This command queries the currently selected font face and executes the appropriate branch based on whether the ⟨*font feature*⟩ as specified by fontspec is currently active.

For example, the following will print 'True':

```
\setmainfont{texgyrepagella-regular.otf}[Numbers=OldStyle]
\IfFontFeatureActiveTF{Numbers=OldStyle}{True}{False}
```

Note that there is no way for fontspec to know what the default features of a font will be. For example, by default the `texgyrepagella` fonts use lining numbers. But in the following example, querying for lining numbers returns false since they have not been explicitly requested:

```
\setmainfont{texgyrepagella-regular.otf}
\IfFontFeatureActiveTF{Numbers=Lining}{True}{False}
```

Please note: At time of writing this function only supports OpenType fonts; AAT/Graphite fonts under the X⅂TEX engine are not supported.

\addfontfeatures{⟨*font features*⟩}

This command allows font features to be changed without knowing what features are currently selected or even what font is being used. A good example of this could be to add a hook to all tabular material to use monospaced numbers, as shown in Example 6. If you attempt to *change* an already-selected feature, fontspec will try to deactivate any features that clash with the new ones. *E.g.*, the following two invocations are mutually exclusive:

```
\addfontfeature{Numbers=OldStyle}...
\addfontfeature{Numbers=Lining}...
123
```

Since `Numbers=Lining` comes last, it takes precedence and deactivates the call `Numbers=OldStyle`.

\addfontfeature   This command may also be executed under the alias `\addfontfeature`.

10.1 Priority of feature selection

Features defined with `\addfontfeatures` override features specified by `\fontspec`, which in turn override features specified by `\defaultfontfeatures`. If in doubt, whenever a new font is chosen for the first time, an entry is made in the transcript (`.log`) file displaying the font name and the features requested.

Example 6: A demonstration of the \addfontfeatures command.

```
\fontspec{texgyreadventor-regular.otf}%
        [Numbers={Proportional,OldStyle}]
`In 1842, 999 people sailed 97 miles in
 13 boats. In 1923, 111 people sailed 54
 miles in 56 boats.'            \bigskip

{\addfontfeatures{Numbers={Monospaced,Lining}}
\begin{tabular}{@{} cccc @{}}
        Year & People & Miles & Boats \\
  \hline  1842 &  999   & 75    & 13    \\
        1923 &  111   & 54    & 56
\end{tabular}}
```

'In 1842, 999 people sailed 97 miles in 13 boats. In 1923, 111 people sailed 54 miles in 56 boats.'

Year	People	Miles	Boats
1842	999	75	13
1923	111	54	56

11 Different features for different font shapes

```
BoldFeatures={⟨features⟩}
ItalicFeatures={⟨features⟩}
BoldItalicFeatures={⟨features⟩}
SlantedFeatures={⟨features⟩}
BoldSlantedFeatures={⟨features⟩}
SmallCapsFeatures={⟨features⟩}
```

It is entirely possible that separate fonts in a family will require separate options; *e.g.*, Hoefler Text Italic contains various swash feature options that are completely unavailable in the upright shapes.

The font features defined at the top level of the optional \fontspec argument are applied to *all* shapes of the family. Using Upright-, SmallCaps-, Bold-, Italic-, and BoldItalicFeatures, separate font features may be defined to their respective shapes *in addition* to, and with precedence over, the 'global' font features. See Example 7.

Note that because most fonts include their small caps glyphs within the main font, features specified with SmallCapsFeatures are applied *in addition* to any other shape-specific features as defined above, and hence SmallCapsFeatures can be nested within ItalicFeatures and friends. Every combination of upright, italic, bold and small caps can thus be assigned individual features, as shown in the somewhat ludi-

Example 7: Features for, say, just italics.

Don't Ask Victoria!
Don't Ask Victoria!

```
\fontspec{EBGaramond12-Regular.otf}%
   [ItalicFont=EBGaramond12-Italic.otf]
\itshape Don't Ask Victoria! \\
\addfontfeature{ItalicFeatures={Style=Swash}}
Don't Ask Victoria! \\
```

24

crous Example 8.

12 Selecting fonts from TrueType Collections (TTC files)

TrueType Collections are multiple fonts contained within a single file. Each font within a collection must be explicitly chosen using the `FontIndex` command. Since TrueType Collections are often used to contain the italic/bold shapes in a family, fontspec automatically selects the italic, bold, and bold italic fontfaces from the same file. For example, to load the macOS system font Optima:

```
\setmainfont{Optima.ttc}[
  Path = /System/Library/Fonts/ ,
  UprightFeatures    = {FontIndex=0} ,
  BoldFeatures       = {FontIndex=1} ,
  ItalicFeatures     = {FontIndex=2} ,
  BoldItalicFeatures = {FontIndex=3} ,
]
```

Support for TrueType Collections has only been tested in X_ET_EX, but should also work with an up-to-date version of LuaT_EX and the luaotfload package.

13 Different features for different font sizes

```
SizeFeatures = {
  ...
  { Size = ⟨size range⟩, ⟨font features⟩ },
  { Size = ⟨size range⟩, Font = ⟨font name⟩, ⟨font features⟩ },
  ...
}
```

The `SizeFeature` feature is a little more complicated than the previous features discussed. It allows different fonts and different font features to be selected for a given font family as the point size varies.

It takes a comma separated list of braced, comma separated lists of features for each size range. Each sub-list must contain the `Size` option to declare the size range, and optionally `Font` to change the font based on size. Other (regular) fontspec features that are added are used on top of the font features that would be used anyway. A demonstration to clarify these details is shown in Example 9. A less trivial example is shown in the context of optical font sizes in .

To be precise, the `Size` sub-feature accepts arguments in the form shown in . Braces around the size range are optional. For an exact font size (`Size=X`) font sizes chosen near that size will 'snap'. For example, for size definitions at exactly 11pt and 14pt, if a 12pt font is requested *actually* the 11pt font will be selected. This is a remnant of the past when fonts were designed in metal (at obviously rigid sizes) and later when bitmap fonts were similarly designed for fixed sizes.

```
\fontspec{texgyretermes}[
    Extension = {.otf},
    UprightFont = {*-regular}, ItalicFont = {*-italic},
    BoldFont = {*-bold}, BoldItalicFont = {*-bolditalic},
    UprightFeatures={Color = 220022,
        SmallCapsFeatures = {Color=115511}},
    ItalicFeatures={Color = 2244FF,
        SmallCapsFeatures = {Color=112299}},
      BoldFeatures={Color = FF4422,
        SmallCapsFeatures = {Color=992211}},
  BoldItalicFeatures={Color = 888844,
        SmallCapsFeatures = {Color=444422}},
        ]
```

Upright Small Caps

Italic Italic Small Caps

Bold Bold Small Caps

Bold Italic Bold Italic Small Caps

```
Upright {\scshape Small Caps}\\
\itshape Italic {\scshape Italic Small Caps}\\
\upshape\bfseries Bold {\scshape Bold Small Caps}\\
\itshape Bold Italic {\scshape Bold Italic Small Caps}
```

Example 9: An example of specifying different font features for different sizes of font with `SizeFeatures`.

```
\fontspec{texgyrechorus-mediumitalic.otf}[
  SizeFeatures={
    {Size={-8}, Font=texgyrebonum-italic.otf, Color=AA0000},
    {Size={8-14}, Color=00AA00},
    {Size={14-}, Color=0000AA}} ]
```

Small

Normal size

Large

```
{\scriptsize Small\par} Normal size\par {\Large Large\par}
```

26

If additional features are only required for a single size, the other sizes must still be specified. As in:

```
SizeFeatures={
    {Size=-10,Numbers=Uppercase},
    {Size=10-}}
```

Otherwise, the font sizes greater than 10 won't be defined at all!

Interaction with other features   For `SizeFeatures` to work with `ItalicFeatures`, `BoldFeatures`, etc., and `SmallCapsFeatures`, a strict heirarchy is required:

```
UprightFeatures =
 {
  SizeFeatures =
   {
    {
     Size = -10,
     Font = ..., % if necessary
     SmallCapsFeatures = {...},
     ... % other features for this size range
    },
    ... % other size ranges
   }
 }
```

Suggestions on simplifying this interface welcome.

14   Font independent options

Features introduced in this section may be used with any font.

14.1   Colour

`Color` (or `Colour`) uses font specifications to set the colour of the text. You should think of this as the literal glyphs of the font being coloured in a certain way. Notably, this mechanism is different to that of the color/xcolor/hyperref/etc. packages, and in fact using fontspec commands to set colour will prevent your text from changing colour using those packages at all! For example, if you set the colour in a \setmainfont

Table 1: Syntax for specifying the size to apply custom font features.

Input	Font size, s
Size = X-	$s \geq \text{X}$
Size = -Y	$s < \text{Y}$
Size = X-Y	$\text{X} \leq s < \text{Y}$
Size = X	$s = \text{X}$

command, \color{...} and related commands, including hyperlink colouring, will no longer have any effect on text in this font.) Therefore, fontspec's colour commands are best used to set explicit colours in specific situations, and the xcolor package is recommended for more general colour functionality.

The colour is defined as a triplet of two-digit Hex RGB values, with optionally another value for the transparency (where 00 is completely transparent and FF is opaque.) Transparency is supported by LuaLATEX; XƎLATEX with the xdvipdfmx driver does not support this feature.

If you load the xcolor package, you may use any named colour instead of writing the colours in hexadecimal.

```
\usepackage{xcolor}
...
\fontspec[Color=red]{Verdana} ...
\definecolor{Foo}{rgb}{0.3,0.4,0.5}
\fontspec[Color=Foo]{Verdana} ...
```

The color package is *not* supported; use xcolor instead.

You may specify the transparency with a named colour using the Opacity feature which takes an decimal from zero to one corresponding to transparent to opaque respectively:

```
\fontspec[Color=red,Opacity=0.7]{Verdana} ...
```

It is still possible to specify a colour in six-char hexadecimal form while defining opacity in this way, if you like.

14.2 Scale

```
Scale = ⟨number⟩
Scale = MatchLowercase
Scale = MatchUppercase
```

In its explicit form, Scale takes a single numeric argument for linearly scaling the font, as demonstrated in Example 1. It is now possible to measure the correct dimensions of the fonts loaded and calculate values to scale them automatically.

As well as a numerical argument, the Scale feature also accepts options MatchLowercase and MatchUppercase, which will scale the font being selected to match the current default roman font to either the height of the lowercase or uppercase letters, respectively; these features are shown in Example 11.

Example 10: Selecting colour with transparency.

```
\fontsize{48}{48}
\fontspec{texgyrebonum-bold.otf}
{\addfontfeature{Color=FF000099}W}\kern-0.4ex
{\addfontfeature{Color=0000FF99}S}\kern-0.4ex
{\addfontfeature{Color=DDBB2299}P}\kern-0.5ex
{\addfontfeature{Color=00BB3399}R}
```

Example 11: Automatically calculated scale values.

The perfect match is hard to find.
L O G O F O N T

```
\setmainfont{Georgia}
\newfontfamily\lc[Scale=MatchLowercase]{Verdana}
 The perfect match {\lc is hard to find.}\\
\newfontfamily\uc[Scale=MatchUppercase]{Arial}
 L O G O \uc F O N T
```

The amount of scaling used in each instance is reported in the `.log` file. Since there is some subjectivity about the exact scaling to be used, these values should be used to fine-tune the results.

Note that when `Scale=MatchLowercase` is used with `\setmainfont`, the new 'main' font of the document will be scaled to match the old default. This may be undesirable in some cases, so to achieve 'natural' scaling for the main font but automatically scale all other fonts selected, you may write

```
\defaultfontfeatures{ Scale = MatchLowercase }
\defaultfontfeatures[\rmfamily]{ Scale = 1}
```

One or both of these lines may be placed into a local `fontspec.cfg` file (see Section 3.3 on page 7) for this behaviour to be effected in your own documents automatically. (Also see Section 8 on page 21 for more information on setting font defaults.)

14.3 Interword space

While the space between words can be varied on an individual basis with the TeX primitive `\spaceskip` command, it is more convenient to specify this information when the font is first defined.

The space in between words in a paragraph will be chosen automatically, and generally will not need to be adjusted. For those times when the precise details are important, the `WordSpace` feature is provided, which takes either a single scaling factor to scale the default value, or a triplet of comma-separated values to scale the nominal value, the stretch, and the shrink of the interword space by, respectively. (`WordSpace={`x`}` is the same as `WordSpace={`x,x,x`}`.)

Note that TeX's optimisations in how it loads fonts means that you cannot use this feature in `\addfontfeatures`.

14.4 Post-punctuation space

If `\frenchspacing` is *not* in effect, TeX will allow extra space after some punctuation in its goal of justifying the lines of text. Generally, this is considered old-fashioned, but occasionally in small amounts the effect can be justified, pardon the pun.

The `PunctuationSpace` feature takes a scaling factor by which to adjust the nominal value chosen for the font; this is demonstrated in Example 13. Note that `PunctuationSpace=0` is *not* equivalent to `\frenchspacing`, although the difference will only be apparent when a line of text is under-full.

Example 12: Scaling the default interword space. An exaggerated value has been chosen to emphasise the effects here.

```
\fontspec{texgyretermes-regular.otf}
Some text for our example to take
up some space, and to demonstrate
the default interword space.
\bigskip
```

Some text for our example to take up some space, and to demonstrate the default interword space.

```
\fontspec{texgyretermes-regular.otf}%
   [WordSpace = 0.3]
Some text for our example to take
up some space, and to demonstrate
the default interword space.
```

Sometextforourexampletotakeupsomespace,andtodemonstratethedefaultinterwordspace.

Example 13: Scaling the default post-punctuation space.

```
\nonfrenchspacing
\fontspec{texgyreschola-regular.otf}
 Letters, Words. Sentences.          \par
\fontspec{texgyreschola-regular.otf}[PunctuationSpace=2]
 Letters, Words. Sentences.          \par
\fontspec{texgyreschola-regular.otf}[PunctuationSpace=0]
 Letters, Words. Sentences.
```

Letters, Words. Sentences.
Letters, Words. Sentences.
Letters, Words. Sentences.

Note that TeX's optimisations in how it loads fonts means that you cannot use this feature in \addfontfeatures.

14.5 The hyphenation character

The letter used for hyphenation may be chosen with the `HyphenChar` feature. It takes three types of input, which are chosen according to some simple rules. If the input is the string `None`, then hyphenation is suppressed for this font. If the input is a single character, then this character is used. Finally, if the input is longer than a single character it must be the UTF-8 slot number of the hyphen character you desire.

This package redefines LaTeX's \- macro such that it adjusts along with the above changes.

Note that TeX's optimisations in how it loads fonts means that you cannot use this feature in \addfontfeatures.

14.6 Optical font sizes

Optically scaled fonts thicken out as the font size decreases in order to make the glyph shapes more robust (less prone to losing detail), which improves legibility. Conversely, at large optical sizes the serifs and other small details may be more delicately rendered.

OpenType fonts with optical scaling will exist in several discrete sizes, and these will be selected by X𝟛TeX and LuaTeX *automatically* determined by the current font size as in Example 15, in which we've scaled down some large text in order to be able to compare the difference for equivalent font sizes.

The `OpticalSize` option may be used to specify a different optical size. With `OpticalSize` set to zero, no optical size font substitution is performed, as shown in Example 16.

The `SizeFeatures` feature (Section 13 on page 25) can be used to specify exactly which optical sizes will be used for ranges of font size. For example, something like:

```
\fontspec{Latin Modern Roman}[
  UprightFeatures = { SizeFeatures = {
    {Size=-10,    OpticalSize=8 },
    {Size= 10-14, OpticalSize=10},
    {Size= 14-18, OpticalSize=14},
```

Example 14: Explicitly choosing the hyphenation character.

EXAMPLE
HYPHENATION

```
\def\text{\fbox{\parbox{1.55cm}{%
  EXAMPLE HYPHENATION%
}}\qquad\qquad\null\par\bigskip}
```

EXAMPLE
HYPHEN+
ATION

```
\fontspec{LinLibertine_R.otf}[HyphenChar=None]
\text
\fontspec{LinLibertine_R.otf}[HyphenChar={+}]
\text
```

Example 15: A demonstration of automatic optical size selection.

Automatic optical size
Automatic optical size
	```\fontspec{Latin Modern Roman}```
	```Automatic optical size \\```
	```\scalebox{0.4}{\Huge```
	``` Automatic optical size}```

Example 16: Optical size substitution is suppressed when set to zero.

Latin Modern optical sizes
Latin Modern optical sizes
Latin Modern optical sizes
Latin Modern optical sizes
	```\fontspec{Latin Modern Roman 5 Regular}[OpticalSize=0]```
	``` Latin Modern optical sizes \\```
	```\fontspec{Latin Modern Roman 8 Regular}[OpticalSize=0]```
	``` Latin Modern optical sizes \\```
	```\fontspec{Latin Modern Roman 12 Regular}[OpticalSize=0]```
	``` Latin Modern optical sizes \\```
	```\fontspec{Latin Modern Roman 17 Regular}[OpticalSize=0]```
	``` Latin Modern optical sizes```

```
      {Size=    18-, OpticalSize=18}}}
            ]
```

14.7   Font transformations

In rare situations users may want to mechanically distort the shapes of the glyphs in the current font such as shown in Example 17. Please don't overuse these features; they are *not* a good alternative to having the real shapes.

If values are omitted, their defaults are as shown above.

If you want the bold shape to be faked automatically, or the italic shape to be slanted automatically, use the `AutoFakeBold` and `AutoFakeSlant` features. For example, the following two invocations are equivalent:

```
\fontspec[AutoFakeBold=1.5]{Charis SIL}
\fontspec[BoldFeatures={FakeBold=1.5}]{Charis SIL}
```

Example 17: Articifial font transformations.

		```\fontspec{Charis SIL} \emph{ABCxyz} \quad``` ```\fontspec{Charis SIL}[FakeSlant=0.2] ABCxyz```
		```\fontspec{Charis SIL} ABCxyz \quad``` ```\fontspec{Charis SIL}[FakeStretch=1.2] ABCxyz```
ABCxyz	*ABCxyz*	
ABCxyz	ABCxyz	
ABCxyz	**ABCxyz**	```\fontspec{Charis SIL} \textbf{ABCxyz} \quad``` ```\fontspec{Charis SIL}[FakeBold=1.5] ABCxyz```

If both of the `AutoFake...` features are used, then the bold italic font will also be faked.

The `FakeBold` and `AutoFakeBold` features are only available with the X꜒TEX engine and will be ignored in LuaTEX.

14.8   Letter spacing

Letter spacing, or tracking, is the term given to adding (or subtracting) a small amount of horizontal space in between adjacent characters. It is specified with the `LetterSpace`, which takes a numeric argument, shown in Example 18.

The letter spacing parameter is a normalised additive factor (not a scaling factor); it is defined as a percentage of the font size. That is, for a 10 pt font, a letter spacing parameter of '1.0' will add 0.1 pt between each letter.

This functionality is not generally used for lowercase text in modern typesetting but does have historic precedent in a variety of situations. In particular, small amounts of letter spacing can be very useful, when setting small caps or all caps titles. Also see the OpenType `Uppercase` option of the `Letters` feature (Section 16.2 on page 36).

Example 18:   The `LetterSpace` feature.

USE TRACKING FOR DISPLAY CAPS TEXT
USE TRACKING FOR DISPLAY CAPS TEXT

```
\fontspec{Didot}
\addfontfeature{LetterSpace=0.0}
USE TRACKING FOR DISPLAY CAPS TEXT \\
\addfontfeature{LetterSpace=2.0}
USE TRACKING FOR DISPLAY CAPS TEXT
```

Part IV

OpenType

15 Introduction

OpenType fonts (and other 'smart' font technologies such as AAT and Graphite) can change the appearance of text in many different ways. These changes are referred to as font features. When the user applies a feature — for example, small capitals — to a run of text, the code inside the font makes appropriate substitutions and small capitals appear in place of lowercase letters. However, the use of such features does not affect the underlying text. In our small caps example, the lowercase letters are still stored in the document; only the appearance has been changed by the OpenType feature. This makes it possible to search and copy text without difficulty. If the user selected a different font that does not support small caps, the 'plain' lowercase letters would appear instead.

Some OpenType features are required to support particular scripts, and these features are often applied automatically. The Indic scripts, for example, often require that characters be reshaped and reordered after they are typed by the user, in order to display them in the traditional ways that readers expect. Other features can be applied to support a particular language. The Junicode font for medievalists uses by default the Old English shape of the letter thorn, while in modern Icelandic thorn has a more rounded shape. If a user tags some text as being in Icelandic, Junicode will automatically change to the Icelandic shape through an OpenType feature that localises the shapes of letters.

There are a large group of OpenType features, designed to support high quality typography a multitude of languages and writing scripts. Examples of some font features have already been shown in previous sections; the complete set of OpenType font features supported by fontspec is described below in Section 16.

The OpenType specification provides four-letter codes (e.g., `smcp` for small capitals) for each feature. The four-letter codes are given below along with the fontspec names for various features, for the benefit of people who are already familiar with OpenType. You can ignore the codes if they don't mean anything to you.

15.1 How to select font features

Font features are selected by a series of ⟨*feature*⟩=⟨*option*⟩ selections. Features are (usually) grouped logically; for example, all font features relating to ligatures are accessed by writing `Ligatures={...}` with the appropriate argument(s), which could be `TeX`, `Rare`, etc., as shown below in 16.1.1.

Multiple options may be given to any feature that accepts non-numerical input, although doing so will not always work. Some options will override others in generally obvious ways; `Numbers={OldStyle,Lining}` doesn't make much sense because the two options are mutually exclusive, and X∃TEX will simply use the last option that is specified (in this case using `Lining` over `OldStyle`).

If a feature or an option is requested that the font does not have, a warning is given in the console output. As mentioned in Section 3.4 on page 8 these warnings can be

suppressed by selecting the [quiet] package option.

15.2 How do I know what font features are supported by my fonts?

Although I've long desired to have a feature within fontspec to display the OpenType features within a font, it's never been high on my priority list. One reason for that is the existence of the document opentype-info.tex, which is available on CTAN or typing kpsewhich opentype-info.tex in a Terminal window. Make a copy of this file and place it somewhere convenient. Then open it in your regular TEX editor and change the font name to the font you'd like to query; after running through plain X∃TEX, the output PDF will look something like this:

OpenType Layout features found in '[Asana-Math.otf]'

script = 'DFLT'
    language = ⟨default⟩
        features = 'onum' 'salt' 'kern'
script = 'cher'
    language = ⟨default⟩
        features = 'onum' 'salt' 'kern'
script = 'grek'
    language = ⟨default⟩
        features = 'onum' 'salt' 'kern'
script = 'latn'
    language = ⟨default⟩
        features = 'onum' 'salt' 'kern'
script = 'math'
    language = ⟨default⟩
        features = 'dtls' 'onum' 'salt' 'ssty' 'kern'

I intentionally picked a font that by design needs few font features; 'regular' text fonts such as Latin Modern Roman contain many more, and I didn't want to clutter up the document too much. You'll then need to cross-check the OpenType feature tags with the 'logical' names used by fontspec.

otfinfo Alternatively, and more simply, you can use the command line tool otfinfo, which is distributed with TEXLive. Simply type in a Terminal window, say:

```
otfinfo -f `kpsewhich lmromandunh10-oblique.otf`
```

which results in:

```
aalt        Access All Alternates
cpsp        Capital Spacing
dlig        Discretionary Ligatures
frac        Fractions
```

```
kern        Kerning
liga        Standard Ligatures
lnum        Lining Figures
onum        Oldstyle Figures
pnum        Proportional Figures
size        Optical Size
tnum        Tabular Figures
zero        Slashed Zero
```

16   OpenType font features

There are a finite set of OpenType font features, and fontspec provides an interface to around half of them. Full documentation will be presented in the following sections, including how to enable and disable individual features, and how they interact.

A brief reference is provided (Table 2 on the following page) but note that this is an incomplete listing — only the 'enable' keys are shown, and where alternative interfaces are provided for convenience only the first is shown. (E.g., `Numbers=OldStyle` is the same as `Numbers=Lowercase`.)

For completeness, the complete list of OpenType features *not* provided with a fontspec interface is shown in Table 3 on page 38. Features omitted are partially by design and partially by oversight; for example, the `aalt` feature is largely useless in TeX since it is designed for providing a textscgui interface for selecting 'all alternates' of a glyph. Others, such as optical bounds for example, simply haven't yet been considered due to a lack of fonts available for testing. Suggestions welcome for how/where to add these missing features to the package.

16.1   Tag-based features

16.1.1   Ligatures

`Ligatures` refer to the replacement of two separate characters with a specially drawn glyph for functional or æsthetic reasons. The list of options, of which multiple may be selected at one time, is shown in Table 4. A demonstration with the Linux Libertine fonts[6] is shown in Example 19.

Note the additional features accessed with `Ligatures=TeX`. These are not actually real OpenType features, but additions provided by luaotfload (i.e., LuaTeX only) to emulate TeX's behaviour for ascii input of curly quotes and punctuation. In X⅁TeX this is achieved with the `Mapping` feature (see Section 21.1 on page 61) but for consistency `Ligatures=TeX` will perform the same function as `Mapping=tex-text`.

16.2   Letters

The `Letters` feature specifies how the letters in the current font will look. Open-Type fonts may contain the following options: `Uppercase`, `SmallCaps`, `PetiteCaps`, `UppercaseSmallCaps`, `UppercasePetiteCaps`, and `Unicase`.

---

[6]http://www.linuxlibertine.org/

Table 2: Summary of OpenType features in fontspec, alphabetic by feature tag.

ABVM	Diacritics = AboveBase	*Above-base Mark Positioning*	NUMR	`VerticalPosition = Numerator`	*Numerators*
AFRC	Fractions = Alternate	*Alternative Fractions*	ONUM	Numbers = Lowercase	*Oldstyle Figures*
BLWM	Diacritics = BelowBase	*Below-base Mark Positioning*	ORDN	`VerticalPosition = Ordinal`	*Ordinals*
			ORNM	Ornament = *N*	*Ornaments*
CALT	Contextuals = Alternate	*Contextual Alternates*	PALT	`CharacterWidth = AlternateProportional`	*Proportional Alternate Widths*
CASE	Letters = Uppercase	*Case-Sensitive Forms*			
CLIG	Ligatures = Contextual	*Contextual Ligatures*	PCAP	Letters = PetiteCaps	*Petite Capitals*
CPSP	Kerning = Uppercase	*Capital Spacing*	PKNA	Style = ProportionalKana	*Proportional Kana*
CSWH	Contextuals = Swash	*Contextual Swash*	PNUM	Numbers = Proportional	*Proportional Figures*
cvNN	`CharacterVariant = N:M`	*Character Variant N*	PWID	`CharacterWidth = Proportional`	*Proportional Widths*
C2PC	`Letters = UppercasePetiteCaps`	*Petite Capitals From Capitals*	QWID	CharacterWidth = Quarter	*Quarter Widths*
			RAND	Letters = Random	*Randomize*
C2SC	`Letters = UppercaseSmallCaps`	*Small Capitals From Capitals*	RLIG	Ligatures = Required	*Required Ligatures*
			RUBY	Style = Ruby	*Ruby Notation Forms*
DLIG	Ligatures = Rare	*Discretionary Ligatures*	SALT	Alternate = *N*	*Stylistic Alternates*
DNOM	`VerticalPosition = Denominator`	*Denominators*	SINF	`VerticalPosition = ScientificInferior`	*Scientific Inferiors*
EXPT	CJKShape = Expert	*Expert Forms*	SMCP	Letters = SmallCaps	*Small Capitals*
FALT	Contextuals = LineFinal	*Final Glyph on Line Alternates*	SMPL	CJKShape = Simplified	*Simplified Forms*
			ssNN	StylisticSet = *N*	*Stylistic Set N*
FINA	Contextuals = WordFinal	*Terminal Forms*	SSTY	Style = MathScript	*Math script style alternates*
FRAC	Fractions = On	*Fractions*	SUBS	`VerticalPosition = Inferior`	*Subscript*
FWID	CharacterWidth = Full	*Full Widths*	SUPS	`VerticalPosition = Superior`	*Superscript*
HALT	`CharacterWidth = AlternateHalf`	*Alternate Half Widths*	SWSH	Style = Swash	*Swash*
HIST	Style = Historic	*Historical Forms*	TITL	Style = TitlingCaps	*Titling*
HKNA	Style = HorizontalKana	*Horizontal Kana Alternates*	TNUM	Numbers = Monospaced	*Tabular Figures*
HLIG	Ligatures = Historic	*Historical Ligatures*	TRAD	CJKShape = Traditional	*Traditional Forms*
HWID	CharacterWidth = Half	*Half Widths*	TWID	CharacterWidth = Third	*Third Widths*
INIT	Contextuals = WordInitial	*Initial Forms*	UNIC	Letters = Unicase	*Unicase*
ITAL	Style = Italic	*Italics*	VALT	`Vertical = AlternateMetrics`	*Alternate Vertical Metrics*
JP78	CJKShape = JIS1978	*JIS78 Forms*	VERT	Vertical = Alternates	*Vertical Writing*
JP83	CJKShape = JIS1983	*JIS83 Forms*	VHAL	Vertical = HalfMetrics	*Alternate Vertical Half Metrics*
JP90	CJKShape = JIS1990	*JIS90 Forms*			
JP04	CJKShape = JIS2004	*JIS2004 Forms*	VKNA	Style = VerticalKana	*Vertical Kana Alternates*
KERN	Kerning = On	*Kerning*	VKRN	Vertical = Kerning	*Vertical Kerning*
LIGA	Ligatures = Common	*Standard Ligatures*	VPAL	`Vertical = ProportionalMetrics`	*Proportional Alternate Vertical Metrics*
LNUM	Numbers = Uppercase	*Lining Figures*			
MARK	Diacritics = MarkToBase	*Mark Positioning*	VRT2	Vertical = RotatedGlyphs	*Vertical Alternates and Rotation*
MEDI	Contextuals = Inner	*Medial Forms*			
MKMK	Diacritics = MarkToMark	*Mark to Mark Positioning*	VRTR	`Vertical = AlternatesForRotation`	*Vertical Alternates for Rotation*
NALT	Annotation = *N*	*Alternate Annotation Forms*			
NLCK	CJKShape = NLC	*NLC Kanji Forms*	ZERO	Numbers = SlashedZero	*Slashed Zero*

Table 3: List of *unsupported* OpenType features.

AALT	*Access All Alternates*	HNGL	*Hangul*	PSTS	*Post-base Substitutions*
ABVF	*Above-base Forms*	HOJO	*Hojo Kanji Forms*	RCLT	*Required Contextual Alternates*
ABVS	*Above-base Substitutions*	ISOL	*Isolated Forms*		
AKHN	*Akhands*	JALT	*Justification Alternates*	RKRF	*Rakar Forms*
BLWF	*Below-base Forms*	LFBD	*Left Bounds*	RPHF	*Reph Forms*
BLWS	*Below-base Substitutions*	LJMO	*Leading Jamo Forms*	RTBD	*Right Bounds*
CCMP	*Glyph Composition / Decomposition*	LOCL	*Localized Forms*	RTLA	*Right-to-left alternates*
		LTRA	*Left-to-right alternates*	RTLM	*Right-to-left mirrored forms*
CFAR	*Conjunct Form After Ro*	LTRM	*Left-to-right mirrored forms*		
CJCT	*Conjunct Forms*			RVRN	*Required Variation Alternates*
CPCT	*Centered CJK Punctuation*	MED2	*Medial Forms #2*		
CURS	*Cursive Positioning*	MGRK	*Mathematical Greek*	SIZE	*Optical size*
DIST	*Distances*	MSET	*Mark Positioning via Substitution*	STCH	*Stretching Glyph Decomposition*
DTLS	*Dotless Forms*				
FIN2	*Terminal Forms #2*	NUKT	*Nukta Forms*	TJMO	*Trailing Jamo Forms*
FIN3	*Terminal Forms #3*	OPBD	*Optical Bounds*	TNAM	*Traditional Name Forms*
FLAC	*Flattened accent forms*	PREF	*Pre-Base Forms*	VATU	*Vattu Variants*
HALF	*Half Forms*	PRES	*Pre-base Substitutions*	VJMO	*Vowel Jamo Forms*
HALN	*Halant Forms*	PSTF	*Post-base Forms*		

Table 4: Options for the OpenType font feature 'Ligatures'.

Feature	Option	Tag
Ligatures =	Required	`rlig` †
	Common	`liga` †
	Contextual	`clig` †
	Rare/Discretionary	`dlig` †
	Historic	`hlig` †
	TeX	`tlig` †
	ResetAll	

† These feature options can be disabled with `..Off` variants, and reset
to default state (neither explicitly on nor off) with `..Reset`.

Example 19: An example of the `Ligatures` feature.

strict → ſtrict

wurtzite → wurtzite

firefly → firefly

```
\def\test#1#2{%
  #2 $\to$ {\addfontfeature{#1} #2}\\}
\fontspec{LinLibertine_R.otf}
\test{Ligatures=Historic}{strict}
\test{Ligatures=Rare}{wurtzite}
\test{Ligatures=NoCommon}{firefly}
```

Table 5: Options for the OpenType font feature 'Letters'.

Feature	Option	Tag	
Letters =	Uppercase	`case`	†
	SmallCaps	`smcp`	†
	PetiteCaps	`pcap`	†
	UppercaseSmallCaps	`c2sc`	†
	UppercasePetiteCaps	`c2pc`	†
	Unicase	`unic`	†
	ResetAll		

† These feature options can be disabled with `..Off` variants, and reset
to default state (neither explicitly on nor off) with `..Reset`.

Petite caps are smaller than small caps. `SmallCaps` and `PetiteCaps` turn lowercase letters into the smaller caps letters, whereas the `Uppercase...` options turn the *capital* letters into the smaller caps (good, *e.g.*, for applying to already uppercase acronyms like 'NASA'). This difference is shown in Example 20. 'Unicase' is a weird hybrid of upper and lower case letters.

Note that the `Uppercase` option will (probably) not actually map letters to uppercase.[7] It is designed to select various uppercase forms for glyphs such as accents and dashes, such as shown in Example 21; note the raised position of the hyphen to better match the surrounding letters.

The `Kerning` feature also contains an `Uppercase` option, which adds a small amount of spacing in between letters (see Section 16.5 on page 45).

16.2.1 Numbers

The `Numbers` feature defines how numbers will look in the selected font, accepting options shown in Table 6.

The synonyms `Uppercase` and `Lowercase` are equivalent to `Lining` and `OldStyle`, respectively. The differences have been shown previously in Section 10 on page 23. The `Monospaced` option is useful for tabular material when digits need to be vertically aligned.

The `SlashedZero` option replaces the default zero with a slashed version to prevent confusion with an uppercase 'O', shown in Example 22.

The `Arabic` option (with tag `anum`) maps regular numerals to their Arabic script or Persian equivalents based on the current `Language` setting (see Section 16.9 on page 50). This option is based on a LuaTeX feature of the luaotfload package, not an OpenType feature. (Thus, this feature is unavailable in XƎTEX.)

16.2.2 Contextuals

This feature refers to substitutions of glyphs that vary 'contextually' by their relative position in a word or string of characters; features such as contextual swashes are accessed via the options shown in Table 7.

Historic forms are accessed in OpenType fonts via the feature `Style=Historic`; this is generally *not* contextual in OpenType, which is why it is not included in this feature.

Example 20: Small caps from lowercase or uppercase letters.

THIS SENTENCE NO VERB
THIS SENTENCE NO VERB

```
\fontspec{texgyreadventor-regular.otf}[Letters=SmallCaps]
  THIS SENTENCE no verb                    \\
\fontspec{texgyreadventor-regular.otf}[Letters=UppercaseSmallCaps]
  THIS SENTENCE no verb
```

Example 21: An example of the `Uppercase` option of the `Letters` feature.	

UPPER-CASE example
UPPER-CASE example
	`\fontspec{LinLibertine_R.otf}`
	`UPPER-CASE example \\`
	`\addfontfeature{Letters=Uppercase}`
	`UPPER-CASE example`

Table 6: Options for the OpenType font feature 'Numbers'.

Feature	Option	Tag	
Numbers =	Uppercase	`lnum`	†
	Lowercase	`onum`	†
	Lining	`lnum`	†
	OldStyle	`onum`	†
	Proportional	`pnum`	†
	Monospaced	`tnum`	†
	SlashedZero	`zero`	†
	Arabic	`anum`	†
	ResetAll		

† These feature options can be disabled with `..Off` variants, and reset
to default state (neither explicitly on nor off) with `..Reset`.

Example 22: The effect of the `SlashedZero` option.	

0123456789 0123456789	`\fontspec[Numbers=Lining]{texgyrebonum-regular.otf}`
	`0123456789`
	`\fontspec[Numbers=SlashedZero]{texgyrebonum-regular.otf}`
	`0123456789`

Table 7: Options for the OpenType font feature 'Contextuals'.

Feature	Option	Tag	
Contextuals =	Swash	`cswh`	†
	Alternate	`calt`	†
	WordInitial	`init`	†
	WordFinal	`fina`	†
	LineFinal	`falt`	†
	Inner	`medi`	†
	ResetAll		

† These feature options can be disabled with `..Off` variants, and reset
to default state (neither explicitly on nor off) with `..Reset`.

Table 8: Options for the OpenType font feature 'VerticalPosition'.

Feature	Option	Tag
VerticalPosition =	Superior	sups †
	Inferior	subs †
	Numerator	numr †
	Denominator	dnom †
	ScientificInferior	sinf †
	Ordinal	ordn †
	ResetAll	

† These feature options can be disabled with ..Off variants, and reset
to default state (neither explicitly on nor off) with ..Reset.

16.2.3 Vertical Position

The `VerticalPosition` feature is used to access things like subscript (`Inferior`)
and superscript (`Superior`) numbers and letters (and a small amount of punctuation,
sometimes). The `Ordinal` option will only raise characters that are used in some languages directly after a number. The `ScientificInferior` feature will move glyphs
further below the baseline than the `Inferior` feature. These are shown in Example 23

Numerator and Denominator should only be used for creating arbitrary fractions
(see next section).

The realscripts package (which is also loaded by xltxtra for X∃TEX) redefines the
`\textsubscript` and `\textsuperscript` commands to use the above font features
automatically, including for use in footnote labels. If this is the only feature of xltxtra
you wish to use, consider loading realscripts on its own instead.

16.2.4 Fractions

For OpenType fonts use a regular text slash to create fractions, but the `Fraction` feature must be explicitly activated. Some (Asian fonts predominantly) also provide for
the `Alternate` feature. These are both shown in Example 24.

---

[7] If you want automatic uppercase letters, look to LATEX's \MakeUppercase command.

Example 23: The `VerticalPosition` feature.

Superior: 1234567890
Numerator: 12345
Denominator: 12345
Scientific Inferior: 12345

```
\fontspec{LibreCaslonText-Regular.otf}[VerticalPosition=Superior]
 Superior: 1234567890                                            \\
\fontspec{LibreCaslonText-Regular.otf}[VerticalPosition=Numerator]
 Numerator: 12345                                                \\
\fontspec{LibreCaslonText-Regular.otf}[VerticalPosition=Denominator]
 Denominator: 12345                                              \\
\fontspec{LibreCaslonText-Regular.otf}[VerticalPosition=ScientificInferior]
 Scientific Inferior: 12345
```

Table 9: Options for the OpenType font feature 'Fractions'.

Feature	Option	Tag
Fractions =	On	+frac
	Off	-frac
	Reset	
	Alternate afrc	†
	ResetAll	

† These feature options can be disabled with `..Off` variants, and reset
to default state (neither explicitly on nor off) with `..Reset`.

Example 24: The `Fractions` feature.

1/2   1/4   5/6   13579/24680
½   ¼   ⅚   13579/24680
½   ¼   ⅚   13579/24680

```
\fontspec{Hiragino Maru Gothic Pro W4}
 1/2 \quad 1/4 \quad 5/6 \quad 13579/24680 \\
\addfontfeature{Fractions=On}
 1/2 \quad 1/4 \quad 5/6 \quad 13579/24680 \\
\addfontfeature{Fractions=Alternate}
 1/2 \quad 1/4 \quad 5/6 \quad 13579/24680 \\
```

16.3   Style

'Ruby' refers to a small optical size, used in Japanese typography for annotations. For fonts with multiple `salt` OpenType features, use the fontspec `Alternate` feature instead.

Example 25 and Example 26 both contain glyph substitutions with similar characteristics. Note the occasional inconsistency with which font features are labelled; a long-tailed 'Q' could turn up anywhere!

In other features, larger breadths of changes can be seen, covering the style of an entire alphabet. See Example 27 and Example 28; in the latter, the `Italic` option affects the Latin text and the `Ruby` option the Japanese.

Note the difference here between the default and the horizontal style kana in Example 29: the horizontal style is slightly wider.

Example 25: Example of the `Alternate` option of the `Style` feature.

M Q W
M Q W

```
\fontspec{Quattrocento Roman}
 M Q W                         \\
\addfontfeature{Style=Alternate}
 M Q W
```

Table 10: Options for the OpenType font feature 'Style'.

Feature	Option	Tag
Style =	Alternate	`salt` †
	Italic	`ital` †
	Ruby	`ruby` †
	Swash	`swsh` †
	Cursive	`curs` †
	Historic	`hist` †
	TitlingCaps	`titl` †
	HorizontalKana	`hkna` †
	VerticalKana	`vkna` †
	ResetAll	

† These feature options can be disabled with `..Off` variants, and reset
to default state (neither explicitly on nor off) with `..Reset`.

Example 26: Example of the `Historic` option of the `Style` feature.

M Q Z
M Q Z

```
\fontspec{Adobe Jenson Pro}
M Q Z                          \\
\addfontfeature{Style=Historic}
M Q Z
```

Example 27: Example of the `TitlingCaps` option of the `Style` feature.

TITLING CAPS
TITLING CAPS

```
\fontspec{Adobe Garamond Pro}
TITLING CAPS                   \\
\addfontfeature{Style=TitlingCaps}
TITLING CAPS
```

Example 28: Example of the `Italic` and `Ruby` options of the `Style` feature.

Latin ようこそ ワカヨタレソ
Latin ようこそ ワカヨタレソ

```
\fontspec{Hiragino Mincho Pro}
Latin \kana            \\
\addfontfeature{Style={Italic, Ruby}}
Latin \kana
```

Example 29: Example of the `HorizontalKana` and `VerticalKana` options of the `Style` feature.

ようこそ ワカヨタレソ
ようこそ ワカヨタレソ
ようこそ ワカヨタレソ

```
\fontspec{Hiragino Mincho Pro}
\kana    \\
{\addfontfeature{Style=HorizontalKana}
\kana } \\
{\addfontfeature{Style=VerticalKana}
\kana }
```

16.4 Diacritics

Specifies how combining diacritics should be placed. These will usually be controlled automatically according to the Script setting.

16.5 Kerning

Specifies how inter-glyph spacing should behave. Well-made fonts include information for how differing amounts of space should be inserted between separate character pairs. This kerning space is inserted automatically but in rare circumstances you may wish to turn it off.

As briefly mentioned previously at the end of Section 16.2 on page 36, the `Uppercase` option will add a small amount of tracking between uppercase letters, seen in Example 30, which uses the Romande fonts[8] (thanks to Clea F. Rees for the suggestion). The `Uppercase` option acts separately to the regular kerning controlled by the `On`/`Off` options.

16.6 Character width

Many Asian fonts are equipped with variously spaced characters for shoe-horning into their generally monospaced text. These are accessed through the `CharacterWidth` feature.

Japanese alphabetic glyphs (in Hiragana or Katakana) may be typeset proportionally, to better fit horizontal measures, or monospaced, to fit into the rigid grid imposed by ideographic typesetting. In this latter case, there are also half-width forms for squeezing more kana glyphs (which are less complex than the kanji they are amongst) into a given block of space. The same features are given to roman letters in Japanese fonts, for typesetting foreign words in the same style as the surrounding text.

The same situation occurs with numbers, which are provided in increasingly illegible compressed forms seen in Example 32.

Table 11: Options for the OpenType font feature 'Diacritics'.

Feature	Option	Tag	
Diacritics =	MarkToBase	`mark`	†
	MarkToMark	`mkmk`	†
	AboveBase	`abvm`	†
	BelowBase	`blwm`	†
	ResetAll		

† These feature options can be disabled with `..Off` variants, and reset to default state (neither explicitly on nor off) with `..Reset`.

Table 12: Options for the OpenType font feature 'Kerning'.

Feature	Option	Tag
Kerning =	On	`+kern`
	Off	`-kern`
	Reset	
	Uppercase `cpsp` †	
	ResetAll	

† These feature options can be disabled with `..Off` variants, and reset
to default state (neither explicitly on nor off) with `..Reset`.

Example 30: Adding extra kerning for uppercase letters. (The difference is usually very small.)

UPPERCASE EXAMPLE
UPPERCASE EXAMPLE

```
\fontspec{Romande ADF Std Bold}
 UPPERCASE EXAMPLE \\
\addfontfeature{Kerning=Uppercase}
 UPPERCASE EXAMPLE
```

Table 13: Options for the OpenType font feature 'CharacterWidth'.

Feature	Option	Tag
CharacterWidth =	Proportional	`pwid` †
	Full	`fwid` †
	Half	`hwid` †
	Third	`twid` †
	Quarter	`qwid` †
	AlternateProportional	`palt` †
	AlternateHalf	`halt` †
	ResetAll	

† These feature options can be disabled with `..Off` variants, and reset
to default state (neither explicitly on nor off) with `..Reset`.

Example 31: Proportional or fixed width forms.

ようこそ　　ワカヨタレソ　　abcdef
ようこそ　　ワ カ ヨ タ レ ソ　　a b c d e f
ようこそ　　ﾜｶﾖﾀﾚｿ　　abcdef

```
\def\test{\makebox[2cm][l]{\texta}%
        \makebox[2.5cm][l]{\textb}%
        \makebox[2.5cm][l]{abcdef}}
\fontspec{Hiragino Mincho Pro}
{\addfontfeature{CharacterWidth=Proportional}\test}\\
{\addfontfeature{CharacterWidth=Full}\test}\\
{\addfontfeature{CharacterWidth=Half}\test}
```

Example 32: Numbers can be compressed significantly.

—１２３２１—
-1234554321-
-123456787654321-
-1234567890098765432I-

```
\fontspec[Renderer=AAT]{Hiragino Mincho Pro}
{\addfontfeature{CharacterWidth=Full}
 ---12321---}\\
{\addfontfeature{CharacterWidth=Half}
 ---1234554321---}\\
{\addfontfeature{CharacterWidth=Third}
 ---123456787654321---}\\
{\addfontfeature{CharacterWidth=Quarter}
 ---1234567890098765432I---}
```

Table 14: Options for the OpenType font feature 'CJKShape'.

Feature	Option	Tag
CJKShape =	Traditional	trad
	Simplified	smpl
	JIS1978	jp78
	JIS1983	jp83
	JIS1990	jp90
	Expert	expt
	NLC	nlck

† These feature options can be disabled with `..Off` variants, and reset
to default state (neither explicitly on nor off) with `..Reset`.

16.6.1 CJK shape

There have been many standards for how CJK ideographic glyphs are 'supposed' to look. Some fonts will contain many alternate glyphs available in order to be able to display these gylphs correctly in whichever form is appropriate. Both ᴀᴀᴛ and OpenType fonts support the following `CJKShape` options: `Traditional`, `Simplified`, `JIS1978`, `JIS1983`, `JIS1990`, and `Expert`. OpenType also supports the `NLC` option.

16.7 Vertical typesetting

OpenType provides a plethora of features for accommodating the varieties of possibilities needed for vertical typesetting (CJK and others). No capabilities for achieving such vertical typesetting are provided by fontspec, however; please get in touch if there are improvements that could be made.

16.8 Numeric features

16.8.1 Stylistic Set variations — `ssNN`

This feature selects a 'Stylistic Set' variation, which usually corresponds to an alternate glyph style for a range of characters (usually an alphabet or subset thereof). This feature is specified numerically. These correspond to OpenType features `ss01`, `ss02`, etc.

Two demonstrations from the Junicode font[9] are shown in Example 34 and Example 35; thanks to Adam Buchbinder for the suggestion.

Multiple stylistic sets may be selected simultaneously by writing, e.g., `StylisticSet={1,2,3}`.

The `StylisticSet` feature is a synonym of the `Variant` feature for ᴀᴀᴛ fonts. See for a way to assign names to stylistic sets, which should be done on a per-font basis.

16.8.2 Character Variants — `cvNN`

Similar to the 'Stylistic Sets' above, 'Character Variations' are selected numerically to adjust the output of (usually) a single character for the particular font. These correspond to the OpenType features `cv01` to `cv99`.

---

[8] http://arkandis.tuxfamily.org/adffonts.html
[9] http://junicode.sf.net

Example 33: Different standards for CJK ideograph presentation.

啞噛躯 妍幷訝
啞噛躯 妍幷訝
啞噛軀 妍幷訝

```
\fontspec{Hiragino Mincho Pro}
{\addfontfeature{CJKShape=Traditional}
\text }                          \\
{\addfontfeature{CJKShape=NLC}
\text }                          \\
{\addfontfeature{CJKShape=Expert}
\text }
```

Table 15: Options for the OpenType font feature 'Vertical'.

Feature	Option	Tag
Vertical =	RotatedGlyphs	vrt2 †
	AlternatesForRotation	vrtr †
	Alternates	vert †
	KanaAlternates	vkna †
	Kerning	vkrn †
	AlternateMetrics	valt †
	HalfMetrics	vhal †
	ProportionalMetrics	vpal †
	ResetAll	

† These feature options can be disabled with `..Off` variants, and reset
to default state (neither explicitly on nor off) with `..Reset`.

Example 34: Insular letterforms, as used in medieval Northern Europe, for the Junicode font accessed with the `StylisticSet` feature.

Insular forms.
Inꞅulaꞃ ꝼoꞃmꞅ.

```
\fontspec{Junicode}
 Insular forms. \\
\addfontfeature{StylisticSet=2}
 Insular forms. \\
```

Example 35: Enlarged minuscules (capital letters remain unchanged) for the Junicode font, accessed with the `StylisticSet` feature.

ENLARGED Minuscules.
ENLARGED Minuscules.

```
\fontspec{Junicode}
 ENLARGED Minuscules. \\
\addfontfeature{StylisticSet=6}
 ENLARGED Minuscules. \\
```

For each character that can be varied, it is possible to select among possible options for that particular glyph. For example, in Example 36 a variety of glyphs for the character 'v' are selected, in which `5` corresponds to the character 'v' for this font feature, and the trailing `:⟨n⟩` corresponds to which variety to choose. Georg Duffner's open source Garamond revival font[10] is used in this example. Character variants are specifically designed not to conflict with each other, so you can enable them individually per character as shown in Example 37. (Unlike stylistic alternates, say.)

Note that the indexing starts from zero.

16.8.3 Alternates — `salt`

The `Alternate` feature, alias `StylisticAlternates`, is used to access alternate font glyphs when variations exist in the font, such as in Example 38. It uses a numerical selection, starting from zero, that will be different for each font. Note that the `Style=Alternate` option is equivalent to `Alternate=0` to access the default case.

Note that the indexing starts from zero. With the LuaTeX engine, `Alternate=Random` selects a random alternate.

See Section 23 on page 67 for a way to assign names to alternates if desired.

16.8.4 Annotation — `nalt`

Some fonts are equipped with an extensive range of numbers and numerals in different forms. These are accessed with the `Annotation` feature (OpenType feature `nalt`), selected numerically as shown in Example 39. Note that the indexing starts from zero.

16.8.5 Ornament — `ornm`

Ornaments are selected with the `Ornament` feature (OpenType feature `ornm`), selected numerically such as for the `Annotation` feature. If you know of an Open Source font that supports this feature, let me know and I'll add an example.

16.9 OpenType scripts and languages

Fonts that include glyphs for various scripts and languages may contain different font features for the different character sets and languages they support, and different font features may behave differently depending on the script or language chosen. When multilingual fonts are used, it is important to select which language they are being used for, and more importantly what script is being used.

The 'script' refers to the alphabet in use; for example, both English and French use the Latin script. Similarly, the Arabic script can be used to write in both the Arabic and Persian languages.

The `Script` and `Language` features are used to designate this information. The possible options are tabulated in Table 16 on page 53 and Table 17 on page 54, respectively. When a script or language is requested that is not supported by the current font, a warning is printed in the console output.

Because these font features can change which features are able to be selected for the font, they are automatically selected by fontspec before all others and, if XƎTEX is

---

[10]http://www.georgduffner.at/ebgaramond/

Example 36: The `CharacterVariant` feature showing off Georg Duffner's open source Garamond revival font.

very

very

very

very

```
\fontspec{EB Garamond 12 Italic}                        very \\
\fontspec{EB Garamond 12 Italic}[CharacterVariant=5]    very \\
\fontspec{EB Garamond 12 Italic}[CharacterVariant=5:0] very \\
\fontspec{EB Garamond 12 Italic}[CharacterVariant=5:1] very \\
\fontspec{EB Garamond 12 Italic}[CharacterVariant=5:2] very \\
\fontspec{EB Garamond 12 Italic}[CharacterVariant=5:3] very
```

Example 37: The `CharacterVariant` feature selecting multiple variants simultaneously.

& violet

& violet

& violet

& violet

```
\fontspec{EB Garamond 12 Italic}                            \& violet \\
\fontspec{EB Garamond 12 Italic}[CharacterVariant={4}]      \& violet \\
\fontspec{EB Garamond 12 Italic}[CharacterVariant={5:2}]    \& violet \\
\fontspec{EB Garamond 12 Italic}[CharacterVariant={4,5:2}] \& violet
```

Example 38: The `Alternate` feature.

A & h

A & h

```
\fontspec{LinLibertine_R.otf}
\textsc{a} \& h \\
\addfontfeature{Alternate=0}
\textsc{a} \& h
```

Example 39: Annotation forms for OpenType fonts.

```
1 2 3 4 5 6 7 8 9
(1) (2) (3) (4) (5) (6) (7) (8) (9)
(1 (2 (3 (4 (5 (6 (7 (8 (9
1) 2) 3) 4) 5) 6) 7) 8) 9)
① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨
❶ ❷ ❸ ❹ ❺ ❻ ❼ ❽ ❾
⒈ ⒉ ⒊ ⒋ ⒌ ⒍ ⒎ ⒏ ⒐
🯱 🯲 🯳 🯴 🯵 🯶 🯷 🯸 🯹
⑴ ⑵ ⑶ ⑷ ⑸ ⑹ ⑺ ⑻ ⑼
⑴ ⑵ ⑶ ⑷ ⑸ ⑹ ⑺ ⑻ ⑼
🯱 🯲 🯳 🯴 🯵 🯶 🯷 🯸 🯹
1. 2. 3. 4. 5. 6. 7. 8. 9.
```

```
\fontspec{Hiragino Maru Gothic Pro}
  1 2 3 4 5 6 7 8 9
\def\x#1{\\{\addfontfeature{Annotation=#1}
       1 2 3 4 5 6 7 8 9 }}
\x0\x1\x2\x3\x4\x5\x6\x7\x7\x8\x9
```

---

being used, will specifically select the `OpenType` renderer for this font, as described in Section 21.2 on page 61.

See Section 24 on page 68 for methods to create new `Script` or `Language` options if required.

16.9.1 `Script` and `Language` examples

In the examples shown in Example 40, the Code2000 font[11] is used to typeset various input texts with and without the OpenType Script applied for various alphabets. The text is only rendered correctly in the second case; many examples of incorrect diacritic spacing as well as a lack of contextual ligatures and rearrangement can be seen. Thanks to Jonathan Kew, Yves Codet and Gildas Hamel for their contributions towards these examples.

---

[11] http://www.code2000.net/

Example 40: An example of various Scripts and Languages.

ال‌ع‌ر‌بی   العربي

हन्‌िदी   हिन्दी

 লথে   লেখ

મર્યાદા-સૂચક નવિદન   મ‌ંયાદા-સૂચક નિવેદન

നമ്‌മുടെ പാരബര‌ൗ‌യ   നമ്‌മുടെ പാരബര‌ൗ‌യ

ਆਦਿ ਸਚੁ ਜੁਗਾਦਿ ਸਚੁ   ਆਦਿ ਸਚੁ ਜੁਗਾਦਿ ਸਚੁ

தமிழ் தடௌ‌ூ   தமிழ் தேடி

רִדְתָּה.   רִדְתָּה.

cấp số mỗi   cấp số mỗi

```
\testfeature{Script=Arabic}{\arabictext}
\testfeature{Script=Devanagari}{\devanagaritext}
\testfeature{Script=Bengali}{\bengalitext}
\testfeature{Script=Gujarati}{\gujaratitext}
\testfeature{Script=Malayalam}{\malayalamtext}
\testfeature{Script=Gurmukhi}{\gurmukhitext}
\testfeature{Script=Tamil}{\tamiltext}
\testfeature{Script=Hebrew}{\hebrewtext}
\def\examplefont{Doulos SIL}
\testfeature{Language=Vietnamese}{\vietnamesetext}
```

Table 16: Defined `Scripts` for OpenType fonts. Aliased names are shown in adjacent positions marked with red pilcrows (¶).

Arabic	Ethiopic	Limbu	Sumero-Akkadian
Armenian	Georgian	Linear B	Cuneiform
Balinese	Glagolitic	Malayalam	Syloti Nagri
Bengali	Gothic	¶Math	Syriac
Bopomofo	Greek	¶Maths	Tagalog
Braille	Gujarati	Mongolian	Tagbanwa
Buginese	Gurmukhi	Musical Symbols	Tai Le
Buhid	Hangul Jamo	Myanmar	Tai Lu
Byzantine Music	Hangul	N'ko	Tamil
Canadian Syllabics	Hanunoo	Ogham	Telugu
Cherokee	Hebrew	Old Italic	Thaana
¶CJK	¶Hiragana and Katakana	Old Persian Cuneiform	Thai
¶CJK Ideographic	¶Kana	Oriya	Tibetan
Coptic	Javanese	Osmanya	Tifinagh
Cypriot Syllabary	Kannada	Phags-pa	Ugaritic Cuneiform
Cyrillic	Kharosthi	Phoenician	Yi
Default	Khmer	Runic	
Deseret	Lao	Shavian	
Devanagari	Latin	Sinhala	

Table 17: Defined **Languages** for OpenType fonts. Aliased names are shown in adjacent positions marked with red pilcrows (¶).

Abaza	Default	Igbo	Koryak	Norway House Cree	Serer
Abkhazian	Dogri	Ijo	Ladin	Nisi	South Slavey
Adyghe	Divehi	Ilokano	Lahuli	Niuean	Southern Sami
Afrikaans	Djerma	Indonesian	Lak	Nkole	Suri
Afar	Dangme	Ingush	Lambani	N'ko	Svan
Agaw	Dinka	Inuktitut	Lao	Dutch	Swedish
Altai	Dungan	Irish	Latin	Nogai	Swadaya Aramaic
Amharic	Dzongkha	Irish Traditional	Laz	Norwegian	Swahili
Arabic	Ebira	Icelandic	L-Cree	Northern Sami	Swazi
Aari	Eastern Cree	Inari Sami	Ladakhi	Northern Tai	Sutu
Arakanese	Edo	Italian	Lezgi	Esperanto	Syriac
Assamese	Efik	Hebrew	Lingala	Nynorsk	Tabasaran
Athapaskan	Greek	Javanese	Low Mari	Oji-Cree	Tajiki
Avar	English	Yiddish	Limbu	Ojibway	Tamil
Awadhi	Erzya	Japanese	Lomwe	Oriya	Tatar
Aymara	Spanish	Judezmo	Lower Sorbian	Oromo	TH-Cree
Azeri	Estonian	Jula	Lule Sami	Ossetian	Telugu
Badaga	Basque	Kabardian	Lithuanian	Palestinian Aramaic	Tongan
Baghelkhandi	Evenki	Kachchi	Luba	Pali	Tigre
Balkar	Even	Kalenjin	Luganda	Punjabi	Tigrinya
Baule	Ewe	Kannada	Luhya	Palpa	Thai
Berber	French Antillean	Karachay	Luo	Pashto	Tahitian
Bench	¶Farsi	Georgian	Latvian	Polytonic Greek	Tibetan
Bible Cree	¶Parsi	Kazakh	Majang	Pilipino	Turkmen
Belarussian	¶Persian	Kebena	Makua	Palaung	Temne
Bemba	Finnish	Khutsuri Georgian	Malayalam	Polish	Tswana
Bengali	Fijian	Khakass	Traditional	Provencal	Tundra Nenets
Bulgarian	Flemish	Khanty-Kazim	Mansi	Portuguese	Tonga
Bhili	Forest Nenets	Khmer	Marathi	Chin	Todo
Bhojpuri	Fon	Khanty-Shurishkar	Marwari	Rajasthani	Turkish
Bikol	Faroese	Khanty-Vakhi	Mbundu	R-Cree	Tsonga
Bilen	French	Khowar	Manchu	Russian Buriat	Turoyo Aramaic
Blackfoot	Frisian	Kikuyu	Moose Cree	Riang	Tulu
Balochi	Friulian	Kirghiz	Mende	Rhaeto-Romanic	Tuvin
Balante	Futa	Kisii	Me'en	Romanian	Twi
Balti	Fulani	Kokni	Mizo	Romany	Udmurt
Bambara	Ga	Kalmyk	Macedonian	Rusyn	Ukrainian
Bamileke	Gaelic	Kamba	Male	Ruanda	Urdu
Breton	Gagauz	Kumaoni	Malagasy	Russian	Upper Sorbian
Brahui	Galician	Komo	Malinke	Sadri	Uyghur
Braj Bhasha	Garshuni	Komso	Malayalam	Sanskrit	Uzbek
Burmese	Garhwali	Kanuri	Reformed	Santali	Venda
Bashkir	Ge'ez	Kodagu	Malay	Sayisi	Vietnamese
Beti	Gilyak	Korean Old Hangul	Mandinka	Sekota	Wa
Catalan	Gumuz	Konkani	Mongolian	Selkup	Wagdi
Cebuano	Gondi	Kikongo	Manipuri	Sango	West-Cree
Chechen	Greenlandic	Komi-Permyak	Maninka	Shan	Welsh
Chaha Gurage	Garo	Korean	Manx Gaelic	Sibe	Wolof
Chattisgarhi	Guarani	Komi-Zyrian	Moksha	Sidamo	Tai Lue
Chichewa	Gujarati	Kpelle	Moldavian	Silte Gurage	Xhosa
Chukchi	Haitian	Krio	Mon	Skolt Sami	Yakut
Chipewyan	Halam	Karakalpak	Moroccan	Slovak	Yoruba
Cherokee	Harauti	Karelian	Maori	Slavey	Y-Cree
Chuvash	Hausa	Karaim	Maithili	Slovenian	Yi Classic
Comorian	Hawaiin	Karen	Maltese	Somali	Yi Modern
Coptic	Hammer-Banna	Koorete	Mundari	Samoan	Chinese Hong Kong
Cree	Hiligaynon	Kashmiri	Naga-Assamese	Sena	Chinese Phonetic
Carrier	Hindi	Khasi	Nanai	Sindhi	Chinese Simplified
Crimean Tatar	High Mari	Kildin Sami	Naskapi	Sinhalese	Chinese Traditional
Church Slavonic	Hindko	Kui	N-Cree	Soninke	Zande
Czech	Ho	Kulvi	Ndebele	Sodo Gurage	Zulu
Danish	Harari	Kumyk	Ndonga	Sotho	
Dargwa	Croatian	Kurdish	Nepali	Albanian	
Woods Cree	Hungarian	Kurukh	Newari	Serbian	
German	Armenian	Kuy	Nagari	Saraiki	

Part V

Commands for accents and symbols ('encodings')

The functionality described in this section is experimental.

In the pre-Unicode era, significant work was required by LaTeX to ensure that input characters in the source could be interpreted correctly depending on file encoding, and that glyphs in the output were selected correctly depending on the font encoding. With Unicode, we have the luxury of a single file and font encoding that is used for both input and output.

While this may provide some illusion that we could get away simply with typing Unicode text and receive correct output, this is not always the case. For a start, hyphenation in particular is language-specific, so tags should be used when switch between languages in a document. The babel and polyglossia packages both provide features for this.

Multilingual documents will often use different fonts for different languages, not just for style, but for the more pragmatic reason that fonts do not all contain the same glyphs. (In fact, only test fonts such as Code2000 provide anywhere near the full Unicode coverage.) Indeed, certain fonts may be perfect for a certain application but miss a handful of necessary diacritics or accented letters. In these cases, fontspec can leverage the font encoding technology built into LaTeX2 to provide on a per-font basis either provide fallback options or error messages when a desired accent or symbol is not available. However, at present these features can only be provided for input using LaTeX commands rather than Unicode input; for example, typing `\`e` instead of è or `\textcopyright` instead of © in the source file.

The most widely-used encoding in LaTeX 2_ε was `T1` with companion 'TS1' symbols provided by the textcomp package. These encodings provided glyphs to typeset text in a variety of western European languages. As with most legacy LaTeX 2_ε input methods, accents and symbols were input using encoding-dependent commands such as `\`e` as described above. As of 2017, in LaTeX $2_\varepsilon$ on X$_\exists$TeX and LuaTeX, the default encoding is `TU`, which uses Unicode for input and output. The `TU` encoding provides appropriate encoding-dependent definitions for input commands to match the coverage of the `T1+TS1` encodings. Wider coverage is not provided by default since (a) each font will provide different glyph coverage, and (b) it is expected that most users will be writing with direct Unicode input.

For those users who do need finer-grained control, fontspec provides an interface for a more extensible system.

17 A new Unicode-based encoding from scratch

Let's say you need to provide support for a document originally written with fonts in the `OT2` encoding, which contains encoding-dependent commands for Cyrillic letters. An example from the `OT2` encoding definition file (`ot2enc.def`) reads:

```
57  \DeclareTextSymbol{\CYRIE}{OT2}{5}
58  \DeclareTextSymbol{\CYRDJE}{OT2}{6}
59  \DeclareTextSymbol{\CYRTSHE}{OT2}{7}
60  \DeclareTextSymbol{\cyrnje}{OT2}{8}
61  \DeclareTextSymbol{\cyrlje}{OT2}{9}
62  \DeclareTextSymbol{\cyrdzhe}{OT2}{10}
```

To recreate this encoding in a form suitable for fontspec, create a new file named, say, `fontrange-cyr.def` and populate it with

```
...
\DeclareTextSymbol{\CYRIE}  {\LastDeclaredEncoding}{"0404}
\DeclareTextSymbol{\CYRDJE} {\LastDeclaredEncoding}{"0402}
\DeclareTextSymbol{\CYRTSHE}{\LastDeclaredEncoding}{"040B}
\DeclareTextSymbol{\cyrnje} {\LastDeclaredEncoding}{"045A}
\DeclareTextSymbol{\cyrlje} {\LastDeclaredEncoding}{"0459}
\DeclareTextSymbol{\cyrdzhe}{\LastDeclaredEncoding}{"045F}
...
```

The numbers `"0404`, `"0402`, …, are the Unicode slots (in hexadecimal) of each glyph respectively. The fontspec package provides a number of shorthands to simplify this style of input; in this case, you could also write

```
\EncodingSymbol{\CYRIE}{"0404}
...
```

To use this encoding in a fontspec font, you would first add this to your preamble:

```
\DeclareUnicodeEncoding{unicyr}{
  \input{fontrange-cyr.def}
}
```

Then follow it up with a font loading call such as

```
\setmainfont{...}[NFSSEncoding=unicyr]
```

The first argument `unicyr` is the name of the 'encoding' to use in the font family. (There's nothing special about the name chosen but it must be unique.) The second argument to `\DeclareUnicodeEncoding` also allows adjustments to be made for per-font changes. We'll cover this use case in the next section.

18 Adjusting a pre-existing encoding

There are three reasons to adjust a pre-existing encoding: to add, to remove, and to redefine some symbols, letters, and/or accents.

When adding symbols, etc., simply write

```
\DeclareUnicodeEncoding{unicyr}{
  \input{tuenc.def}
  \input{fontrange-cyr.def}
  \EncodingSymbol{\textruble}{"20BD}
}
```

56

Of course if you consistently add a number of symbols to an encoding it would be a good idea to create a new `fontrange-XX.def` file to suit your needs.

When removing symbols, use the `\UndeclareSymbol{⟨cmd⟩}` command. For example, if you a loading a font that you know is missing, say, the interrobang (not that unusual a situation), you might write:

```
\DeclareUnicodeEncoding{nobang}{
  \input{tuenc.def}
  \UndeclareSymbol\textinterrobang
}
```

Provided that you use the command `\textinterrobang` to typeset this symbol, it will appear in fonts with the default encoding, while in any font loaded with the `nobang` encoding an attempt to access the symbol will either use the default fallback definition or return an error, depending on the symbol being undeclared.

The third use case is to redefine a symbol or accent. The most common use case in this scenario is to adjust a specific accent command to either fine-tune its placement or to 'fake' it entirely. For example, the underdot diacritic is used in typeset Sanskrit, but it is not necessarily included as an accent symbol is all fonts. By default the underdot is defined in TU as:

```
\EncodingAccent{\d}{"0323}
```

For fonts with a missing (or poorly-spaced) `"0323` accent glyph, the 'traditional' TEX fake accent construction could be used instead:

```
\DeclareUnicodeEncoding{fakeacc}{
  \input{tuenc.def}
  \EncodingCommand{\d}[1]{%
    \hmode@bgroup
      \o@lign{\relax#1\crcr\hidewidth\ltx@sh@ft{-1ex}.\hidewidth}%
    \egroup
  }
}
```

This would be set up in a document as such:

```
\newfontfamily\sanskitfont{CharisSIL}
\newfontfamily\titlefont{Posterama}[NFSSEncoding=fakeacc]
```

Then later in the document, no additional work is needed:

```
...{\titlefont   kalita\d m}... % <- uses fake accent
...{\sanskitfont kalita\d m}... % <- uses real accent
```

To reiterate from above, typing this input with Unicode text ('kalitam') will *bypass* this encoding mechanism and you will receive only what is contained literally within the font.

19   Summary of commands

The LaTeX 2_ε kernel provides the following font encoding commands suitable for Unicode encodings:

> \DeclareTextCommand{⟨*command*⟩}{⟨*encoding*⟩}[⟨*num*⟩] [⟨*default*⟩]{⟨*code*⟩}
>
> \DeclareUnicodeAccent{⟨*command*⟩}{⟨*encoding*⟩}{⟨*slot*⟩}
>
> \DeclareTextSymbol{⟨*command*⟩}{⟨*encoding*⟩}{⟨*slot*⟩}
>
> \DeclareTextComposite{⟨*command*⟩}{⟨*encoding*⟩}{⟨*letter*⟩}{⟨*slot*⟩}
>
> \DeclareTextCompositeCommand{⟨*command*⟩}{⟨*encoding*⟩}{⟨*letter*⟩}{⟨*code*⟩}
>
> \UndeclareTextCommand{⟨*command*⟩}{⟨*encoding*⟩}

See `fntguide.pdf` for full documentation of these. As shown above, the following shorthands a provided by fontspec to simplify the process of defining Unicode font range encodings:

> \EncodingCommand{⟨*command*⟩}[⟨*num*⟩] [⟨*default*⟩]{⟨*code*⟩}
>
> \EncodingAccent{⟨*command*⟩}{⟨*code*⟩}
>
> \EncodingSymbol{⟨*command*⟩}{⟨*code*⟩}
>
> \EncodingComposite{⟨*command*⟩}{⟨*letter*⟩}{⟨*slot*⟩}
>
> \EncodingCompositeCommand{⟨*command*⟩}{⟨*letter*⟩}{⟨*code*⟩}
>
> \UndeclareSymbol{⟨*command*⟩}
>
> \UndeclareComposite{⟨*command*⟩}{⟨*letter*⟩}

Despite its name, \UndeclareSymbol can be used for commands defined by all three of \EncodingCommand, \EncodingAccent, and \EncodingSymbol.

Part VI
LuaTeX-only font features

20 Custom font features

Pre-2016, it was possible to load an OpenType font feature file to define new OpenType features for a selected font. This facility was particularly useful to implement custom substitutions, for example. As of TeXLive 2016, LuaTeX/luaotfload no longer supports this feature, but provides its own internal mechanisms for an equivalent interface.

Any documents using 'feature file' options will need to transition to the new interface. Figure 1 shows an example. Please refer to the LuaTeX/luaotfload documentation for more details.

Figure 1: An example of custom font features.

```
\documentclass{article}
\usepackage{fontspec}
\directlua{
    fonts.handlers.otf.addfeature {
        name = "oneb",
        type = "substitution",
        data = {
                ["1"] = "one.ss01",
        }
    }
}
\setmainfont{Vollkorn-Regular.otf}[RawFeature=+oneb]
\begin{document}
1234567890
\end{document}
```

Part VII
Fonts and features with X͟ƎT͟EX

21   X͟ƎT͟EX-only font features

The features described here are available for any font selected by fontspec.

21.1   Mapping

`Mapping` enables a X͟ƎT͟EX text-mapping scheme, shown in Example 41.

Only one mapping can be active at a time and a second call to `Mapping` will simply override the first. Using the `tex-text` mapping is also equivalent to writing `Ligatures=TeX`. The use of the latter syntax is recommended for better compatibility with LuaT͟EX documents.

21.2   Different font technologies: ᴀᴀᴛ and OpenType

X͟ƎT͟EX supports two rendering technologies for typesetting, selected with the `Renderer` font feature. The first, ᴀᴀᴛ, is that provided (only) by Mac OS X itself. The second, `OpenType`, is an open source OpenType interpreter.[12] It provides greater support for OpenType features, notably contextual arrangement, over ᴀᴀᴛ.

In general, this feature will not need to be explicitly called: for OpenType fonts, the `OpenType` renderer is used automatically, and for ᴀᴀᴛ fonts, ᴀᴀᴛ is chosen by default. Some fonts, however, will contain font tables for *both* rendering technologies, such as the Hiragino Japanese fonts distributed with Mac OS X, and in these cases the choice may be required.

Among some other font features only available through a specific renderer, `OpenType` provides for the `Script` and `Language` features, which allow different font behaviour for different alphabets and languages; see Section 16.9 on page 50 for the description of these features. *Because these font features can change which features are able to be selected for the font instance, they are selected by fontspec before all others and will automatically and without warning select the `OpenType` renderer.*

21.3   Optical font sizes

Multiple Master fonts are parameterised over orthogonal font axes, allowing continuous selection along such features as weight, width, and optical size. Whereas an Open-Type font will have only a few separate optical sizes, a Multiple Master font's optical

---

[12]v2.4: This was called 'ICU' in previous versions of X͟ƎT͟EX and fontspec. Backwards compatibility is preserved.

Example 41: X͟ƎT͟EX's `Mapping` feature.

"¡A small amount of—text!"	`\fontspec{Cochin}[Mapping=tex-text]` ` ``!`A small amount of---text!'' `

---

size can be specified over a continuous range. Unfortunately, this flexibility makes it harder to create an automatic interface through LaTeX, and the optical size for a Multiple Master font must always be specified explicitly.

```
\fontspec{Minion MM Roman}[OpticalSize=11]
 MM optical size test                    \\
\fontspec{Minion MM Roman}[OpticalSize=47]
 MM optical size test                    \\
\fontspec{Minion MM Roman}[OpticalSize=71]
 MM optical size test                    \\
```

22 Mac OS X's AAT fonts

Warning! XƎTEX's implementation on Mac OS X is currently in a state of flux and the information contained below may well be wrong from 2013 onwards. There is a good chance that the features described in this section will not be available any more as XƎTEX's completes its transition to a cross-platform–only application.

Mac OS X's font technology began life before the ubiquitous-OpenType era and revolved around the Apple-invented 'AAT' font format. This format had some advantages (and other disadvantages) but it never became widely popular in the font world.

Nonetheless, this is the font format that was first supported by XƎTEX (due to its pedigree on Mac OS X in the first place) and was the first font format supported by fontspec. A number of fonts distributed with Mac OS X are still in the AAT format, such as 'Skia'.

22.1 Ligatures

Ligatures refer to the replacement of two separate characters with a specially drawn glyph for functional or æsthetic reasons. For AAT fonts, you may choose from any combination of Required, Common, Rare (or Discretionary), Logos, Rebus, Diphthong, Squared, AbbrevSquared, and Icelandic.

Some other Apple AAT fonts have those 'Rare' ligatures contained in the Icelandic feature. Notice also that the old TEX trick of splitting up a ligature with an empty brace pair does not work in XƎTEX; you must use a 0 pt kern or \hbox (*e.g.*, \null) to split the characters up if you do not want a ligature to be performed (the usual examples for when this might be desired are words like 'shelffull').

22.2 Letters

The Letters feature specifies how the letters in the current font will look. For AAT fonts, you may choose from Normal, Uppercase, Lowercase, SmallCaps, and InitialCaps.

22.3 Numbers

The Numbers feature defines how numbers will look in the selected font. For AAT fonts, they may be a combination of Lining or OldStyle and Proportional or Monospaced

(the latter is good for tabular material). The synonyms `Uppercase` and `Lowercase` are equivalent to `Lining` and `OldStyle`, respectively. The differences have been shown previously in Section 10 on page 23.

22.4 Contextuals

This feature refers to glyph substitution that vary by their position; things like contextual swashes are implemented here. The options for AAT fonts are `WordInitial`, `WordFinal` (Example 42), `LineInitial`, `LineFinal`, and `Inner` (Example 43, also called 'non-final' sometimes). As non-exclusive selectors, like the ligatures, you can turn them off by prefixing their name with `No`.

22.5 Vertical position

The `VerticalPosition` feature is used to access things like subscript (`Inferior`) and superscript (`Superior`) numbers and letters (and a small amount of punctuation, sometimes). The `Ordinal` option is (supposed to be) contextually sensitive to only raise characters that appear directly after a number. These are shown in Example 44.

The realscripts package (also loaded by xltxtra) redefines the `\textsubscript` and `\textsuperscript` commands to use the above font features, including for use in footnote labels.

22.6 Fractions

Many fonts come with the capability to typeset various forms of fractional material. This is accessed in fontspec with the `Fractions` feature, which may be turned `On` or `Off` in both AAT and OpenType fonts.

In AAT fonts, the 'fraction slash' or solidus character, is to be used to create fractions. When `Fractions` are turned `On`, then only pre-drawn fractions will be used. See Example 45.

Using the `Diagonal` option (AAT only), the font will attempt to create the fraction from superscript and subscript characters.

Some (Asian fonts predominantly) also provide for the `Alternate` feature shown in Example 46.

22.7 Variants

The `Variant` feature takes a single numerical input for choosing different alphabetic shapes. Don't mind my fancy Example 47 :) I'm just looping through the nine (!) variants of Zapfino.

Example 42: Contextual glyph for the beginnings and ends of words.

---

where is all the vegemite

```
\newfontface\fancy{Hoefler Text Italic}[%
    Contextuals={WordInitial,WordFinal}]
\fancy where is all the vegemite
```

Example 43: A contextual feature for the 'long s' can be convenient as the character does not need to be marked up explicitly.

'Inner' fwaſhes can *ſometimes* contain the archaic long s.	``` \fontspec{Hoefler Text}[Contextuals=Inner] `Inner' swashes can \emph{sometimes} \\ contain the archaic long~s. ```

Example 44: Vertical position for AAT fonts.

Normal ^{superior} _{inferior} 1ˢᵗ 2ⁿᵈ 3ʳᵈ 4ᵗʰ 0ᵗʰ 8ᵃᵇᶜᵈᵉ	``` \fontspec{Skia} Normal \fontspec{Skia}[VerticalPosition=Superior] Superior \fontspec{Skia}[VerticalPosition=Inferior] Inferior \\ \fontspec{Skia}[VerticalPosition=Ordinal] 1st 2nd 3rd 4th 0th 8abcde ```

Example 45: Fractions in AAT fonts. The ˆˆˆˆ2044 glyph is the 'fraction slash' that may be typed in Mac OS X with OPT+SHIFT+1; not shown literally here due to font contraints.

½ 5/6 1/2 5/6 ¹³⁵⁷⁹⁄₂₄₆₈₀ 13579/24680	``` \fontspec[Fractions=On]{Skia} 1{^^^^2044}2 \quad 5{^^^^2044}6 \\ % fraction slash 1/2 \quad 5/6 % regular slash \fontspec[Fractions=Diagonal]{Skia} 13579{^^^^2044}24680 \\ % fraction slash \quad 13579/24680 % regular slash ```

Example 46: Alternate design of pre-composed fractions.

1/2 1/4 5/6 13579/24680 ½ ¼ ⅚ 13579/24680	``` \fontspec{Hiragino Maru Gothic Pro} 1/2 \quad 1/4 \quad 5/6 \quad 13579/24680 \\ \addfontfeature{Fractions=Alternate} 1/2 \quad 1/4 \quad 5/6 \quad 13579/24680 ```

64

<div style="text-align: center">Example 47: Nine variants of Zapfino.</div>

```
\newcounter{var}
\whiledo{\value{var}<9}{%
  \edef\1{%
  \noexpand\fontspec[Variant=\thevar,
    Color=0099\thevar\thevar]{Zapfino}}\1%
  \makebox[0.75\width]{d}%
  \stepcounter{var}}
\hspace*{2cm}
```

See for a way to assign names to variants, which should be done on a per-font basis.

22.8 Alternates

Selection of `Alternates` *again* must be done numerically; see Example 48. See for a way to assign names to alternates, which should be done on a per-font basis.

22.9 Style

The options of the `Style` feature are defined in AAT as one of the following: `Display`, `Engraved`, `IlluminatedCaps`, `Italic`, `Ruby`,[13] `TallCaps`, or `TitlingCaps`.

Typical examples for these features are shown in .

22.10 CJK shape

There have been many standards for how CJK ideographic glyphs are 'supposed' to look. Some fonts will contain many alternate glyphs in order to be able to display these gylphs correctly in whichever form is appropriate. Both AAT and OpenType fonts support the following `CJKShape` options: `Traditional`, `Simplified`, `JIS1978`, `JIS1983`, `JIS1990`, and `Expert`. OpenType also supports the NLC option.

---

[13] 'Ruby' refers to a small optical size, used in Japanese typography for annotations.

<div style="text-align: center">Example 48: Alternate shape selection must be numerical.</div>

Sphinx Of Black Quartz, Judge Mr Vow
Sphinx Of Black Quartz, Judge My Vow

```
\fontspec{Hoefler Text Italic}[Alternate=0]
 Sphinx Of Black Quartz, {\scshape Judge My Vow} \\
\fontspec{Hoefler Text Italic}[Alternate=1]
 Sphinx Of Black Quartz, {\scshape Judge My Vow}
```

22.11 Character width

See Section 16.6 on page 45 for relevant examples; the features are the same between OpenType and AAT fonts. AAT also allows `CharacterWidth=Default` to return to the original font settings.

22.12 Vertical typesetting

X”TEX provides for vertical typesetting simply with the ability to rotate the individual glyphs as a font is used for typesetting, as shown in Example 49.

No actual provision is made for typesetting top-to-bottom languages; for an example of how to do this, see the vertical Chinese example provided in the X”TEX documentation.

22.13 Diacritics

Diacritics are marks, such as the acute accent or the tilde, applied to letters; they usually indicate a change in pronunciation. In Arabic scripts, diacritics are used to indicate vowels. You may either choose to `Show`, `Hide` or `Decompose` them in AAT fonts. The `Hide` option is for scripts such as Arabic which may be displayed either with or without vowel markings. E.g., `\fontspec[Diacritics=Hide]{...}`

Some older fonts distributed with Mac OS X included 'O/' *etc.* as shorthand for writing 'Ø' under the label of the `Diacritics` feature. If you come across such fonts, you'll want to turn this feature off (imagine typing `hello/goodbye` and getting 'helløgoodbye' instead!) by decomposing the two characters in the diacritic into the ones you actually want. I recommend using the proper LATEX input conventions for obtaining such characters instead.

22.14 Annotation

Various Asian fonts are equipped with a more extensive range of numbers and numerals in different forms. These are accessed through the `Annotation` feature with the following options: `Off`, `Box`, `RoundedBox`, `Circle`, `BlackCircle`, `Parenthesis`, `Period`, `RomanNumerals`, `Diamond`, `BlackSquare`, `BlackRoundSquare`, and `DoubleCircle`.

Example 49: Vertical typesetting.

共産主義者は

共
産
主
義
者
は

```
\fontspec{Hiragino Mincho Pro}
\verttext

\fontspec{Hiragino Mincho Pro}[Renderer=AAT,Vertical=RotatedGlyphs]
\rotatebox{-90}{\verttext}% requires the graphicx package
```

Part VIII
Customisation and programming interface

This is the beginning of some work to provide some hooks that use fontspec for various macro programming purposes.

23   Defining new features

This package cannot hope to contain every possible font feature. Three commands are provided for selecting font features that are not provided for out of the box. If you are using them a lot, chances are I've left something out, so please let me know.

\newAATfeature   New AAT features may be created with this command:

$$\newAATfeature\{\langle feature\rangle\}\{\langle option\rangle\}\{\langle feature\ code\rangle\}\{\langle selector\ code\rangle\}$$

Use the X∃TEX file `AAT-info.tex` to obtain the code numbers. See Example 50.

\newopentypefeature   New OpenType features may be created with this command:

$$\newopentypefeature\{\langle feature\rangle\}\{\langle option\rangle\}\{\langle feature\ tag\rangle\}$$

The synonym `\newICUfeature` is deprecated.

Here's what it would look like in practise:

`\newopentypefeature{Style}{NoLocalForms}{-locl}`

\newfontfeature   In case the above commands do not accommodate the desired font feature (perhaps a new X∃TEX feature that fontspec hasn't been updated to support), a command is provided to pass arbitrary input into the font selection string:

$$\newfontfeature\{\langle name\rangle\}\{\langle input\ string\rangle\}$$

For example, Zapfino used to contain an AAT feature 'Avoid d-collisions'. To access it with this package, you could do some like the following:

```
\newfontfeature{AvoidD}  {Special= Avoid d-collisions}
\newfontfeature{NoAvoidD}{Special=!Avoid d-collisions}
\fontspec{Zapfino}[AvoidD,Variant=1]
 sockdolager rubdown                 \\
\fontspec{Zapfino}[NoAvoidD,Variant=1]
 sockdolager rubdown
```

The advantage to using the `\newAATfeature` and `\newopentypefeature` commands instead of `\newfontfeature` is that they check if the selected font actually

---

Example 50: Assigning new AAT features.

This is XeTeX by Jonathan Kew.

```
\newAATfeature{Alternate}{HoeflerSwash}{17}{1}
\fontspec{Hoefler Text Italic}[Alternate=HoeflerSwash]
 This is XeTeX by Jonathan Kew.
```

contains the desired font feature at load time. By contrast, \newfontfeature will not give a warning for improper input.

24 Defining new scripts and languages

\newfontscript
\newfontlanguage

While the scripts and languages listed in Table 16 and Table 17 are intended to be comprehensive, there may be some missing; alternatively, you might wish to use different names to access scripts/languages that are already listed. Adding scripts and languages can be performed with the \newfontscript and \newfontlanguage commands. For example,

```
\newfontscript{Arabic}{arab}
\newfontlanguage{Zulu}{ZUL}
```

The first argument is the fontspec name, the second the OpenType tag. The advantage to using these commands rather than \newfontfeature (see Section 23 on the preceding page) is the error-checking that is performed when the script or language is requested.

25 Going behind fontspec's back

Expert users may wish not to use fontspec's feature handling at all, while still taking advantage of its LaTeX font selection conveniences. The RawFeature font feature allows font feature selection using a literal feature selection string if you happen to have the OpenType feature tag memorised.

Multiple features can either be included in a single declaration:

$$[\text{RawFeature=+smcp;+onum}]$$

or with multiple declarations:

$$[\text{RawFeature=+smcp, RawFeature=+onum}]$$

26 Renaming existing features & options

\aliasfontfeature

If you don't like the name of a particular font feature, it may be aliased to another with the \aliasfontfeature{⟨*existing name*⟩}{⟨*new name*⟩} command, such as shown in Example 52.

Spaces in feature (and option names, see below) *are* allowed. (You may have noticed this already in the lists of OpenType scripts and languages).

\aliasfontfeatureoption

If you wish to change the name of a font feature option, it can be aliased to another

---

Example 51: Using raw font features directly.

\fontspec{texgyrepagella-regular.otf}[RawFeature=+smcp]

PAGELLA SMALL CAPS   Pagella small caps

	Example 52: Renaming font features.

	`\aliasfontfeature{ItalicFeatures}{IF}`
	`\fontspec{Hoefler Text}[IF = {Alternate=1}]`
Roman Letters *And Swash*	`Roman Letters \itshape And Swash`

	Example 53: Renaming font feature options.

	`\aliasfontfeature{VerticalPosition}{Vert Pos}`
	`\aliasfontfeatureoption{VerticalPosition}{ScientificInferior}{Sci Inf}`
	`\fontspec{LinLibertine_R.otf}[Vert Pos=Sci Inf]`
S$_{cientific}$ I$_{nferior}$: 12345	`Scientific Inferior: 12345`

with the command `\aliasfontfeatureoption{`⟨*font feature*⟩`}{`⟨*existing name*⟩`}{`⟨*new name*⟩`}`, such as shown in Example 53.

This example demonstrates an important point: when aliasing the feature options, the *original* feature name must be used when declaring to which feature the option belongs.

Only feature options that exist as sets of fixed strings may be altered in this way. That is, `Proportional` can be aliased to `Prop` in the `Letters` feature, but `550099BB` cannot be substituted for `Purple` in a `Color` specification. For this type of thing, the `\newfontfeature` command should be used to declare a new, *e.g.*, `PurpleColor` feature:

   `\newfontfeature{PurpleColor}{color=550099BB}`

Except that this example was written before support for named colours was implemented. But you get the idea.

27   Programming interface

27.1   Variables

`\l_fontspec_family_tl`
`\l_fontspec_font`

In some cases, it is useful to know what the LaTeX font family of a specific fontspec font is. After a `\fontspec`-like command, this is stored inside the `\l_fontspec_family_tl` macro. Otherwise, LaTeX's own `\f@family` macro can be useful here, too. The raw TeX font that is defined from the 'base' font in the family is stored in `\l_fontspec_font`.

`\g_fontspec_encoding_tl`

Package authors who need to load fonts with legacy LaTeX NFSS commands may also need to know what the default font encoding is. Since this has changed from EU1/EU2 to TU, it is best to use the variables `\g_fontspec_encoding_tl` or `\UTFencname` instead.

27.2   Functions for loading new fonts and families

`\fontspec_set_family:Nnn`   `#1` : LaTeX family

#2 : fontspec features

#3 : font name

Defines a new nfss family from given ⟨*features*⟩ and ⟨*font*⟩, and stores the family name in the variable ⟨*family*⟩. This font family can then be selected with standard LᴬTᴇX commands \fontfamily{⟨*family*⟩}\selectfont. See the standard fontspec user commands for applications of this function.

\fontspec_set_fontface:NNnn   #1 : primitive font

#2 : LᴬTᴇX family

#3 : fontspec features

#4 : font name

Variant of the above in which the primitive TᴇX font command is stored in the variable ⟨*primitive font*⟩. If a family is loaded (with bold and italic shapes) the primitive font command will only select the regular face. This feature is designed for LᴬTᴇX programmers who need to perform subsequent font-related tests on the ⟨*primitive font*⟩.

27.3   Conditionals

The following functions in expl3 syntax may be used for writing code that interfaces with fontspec-loaded fonts. The following conditionals are all provided in TF, T, and F forms.

27.3.1   Querying font families

\fontspec_font_if_exist:nTF   Test whether the 'font name' (#1) exists or is loadable. The syntax of #1 is a restricted/simplified version of fontspec's usual font loading syntax; fonts to be loaded by filename are detected by the presence of an appropriate extension (.otf, etc.), and paths should be included inline. E.g.:

```
\fontspec_font_if_exist:nTF {cmr10}{T}{F}
\fontspec_font_if_exist:nTF {Times~ New~ Roman}{T}{F}
\fontspec_font_if_exist:nTF {texgyrepagella-regular.otf}{T}{F}
\fontspec_font_if_exist:nTF {/Users/will/Library/Fonts/CODE2000.TTF}{T}{F}
```

The synonym \IfFontExistsTF is provided for 'document authors'.

\fontspec_if_fontspec_font:TF   Test whether the currently selected font has been loaded by fontspec.

\fontspec_if_opentype:TF   Test whether the currently selected font is an OpenType font. Always true for LuaTᴇX fonts.

\fontspec_if_small_caps:TF   Test whether the currently selected font has a 'small caps' face to be selected with \scshape or similar. Note that testing whether the font has the Letters=SmallCaps font feature is sufficient but not necessary for this command to return true, since small caps can also be loaded from separate font files. The logic of this command is complicated by the fact that fontspec will merge shapes together (for italic small caps, etc.).

27.3.2   Availability of features

`\fontspec_if_aat_feature:nnTF` Test whether the currently selected font contains the AAT feature (#1,#2).

`\fontspec_if_feature:nTF` Test whether the currently selected font contains the raw OpenType feature #1. E.g.: `\fontspec_if_feature:nTF {pnum} {True} {False}`. Returns false if the font is not loaded by fontspec or is not an OpenType font.

`\fontspec_if_feature:nnnTF` Test whether the currently selected font with raw OpenType script tag #1 and raw OpenType language tag #2 contains the raw OpenType feature tag #3. E.g.: `\fontspec_if_feature:nnnTF {` Returns false if the font is not loaded by fontspec or is not an OpenType font.

`\fontspec_if_script:nTF` Test whether the currently selected font contains the raw OpenType script #1. E.g.: `\fontspec_if_script:nTF {latn} {True} {False}`. Returns false if the font is not loaded by fontspec or is not an OpenType font.

`\fontspec_if_language:nTF` Test whether the currently selected font contains the raw OpenType language tag #1. E.g.: `\fontspec_if_language:nTF {ROM} {True} {False}`. Returns false if the font is not loaded by fontspec or is not an OpenType font.

`\fontspec_if_language:nnTF` Test whether the currently selected font contains the raw OpenType language tag #2 in script #1. E.g.: `\fontspec_if_language:nnTF {cyrl} {SRB} {True} {False}`. Returns false if the font is not loaded by fontspec or is not an OpenType font.

27.3.3   Currently selected features

`\fontspec_if_current_feature:nTF` Test whether the currently loaded font is using the specified raw OpenType feature tag #1. The tag string #1 should be prefixed with + to query an active feature, and with a – (hyphen) to query a disabled feature.

`\fontspec_if_current_script:nTF` Test whether the currently loaded font is using the specified raw OpenType script tag #1.

`\fontspec_if_current_language:nTF` Test whether the currently loaded font is using the specified raw OpenType language tag #1.

Part IX
Implementation

28 Loading

The expl3 module is `fontspec`.

```
1 ⟨@@=fontspec⟩
```

Check engine and load specific modules. For LuaTeX, load luaotfload.

```
2 ⟨*load⟩
3 \sys_if_engine_luatex:T
4   { \RequirePackage{luaotfload}
5     \directlua{require("fontspec")}
6     \RequirePackageWithOptions{fontspec-luatex} \endinput }
7 \sys_if_engine_xetex:T
8   { \RequirePackageWithOptions{fontspec-xetex}  \endinput }
```

If not one of the above, error:

```
9 \msg_new:nnn {fontspec} {cannot-use-pdftex}
10 {
11   The~ fontspec~ package~ requires~ either~ XeTeX~ or~ LuaTeX.\\\\
12   You~ must~ change~ your~ typesetting~ engine~ to,~ e.g.,~ "xelatex"~ or~ "lualatex" instead~
13 }
14 \msg_fatal:nn {fontspec} {cannot-use-pdftex}
15 \endinput
16 ⟨/load⟩
```

29 Declaration of variables and functions

```
17 ⟨*fontspec⟩
```

Booleans

firsttime   As `\keys_set:nn` is run multiple times, some of its information storing only occurs once while we decide if the font family has been defined or not. When the later processing is occuring per-shape this no longer needs to happen; this is indicated by the 'firsttime' conditional.

```
18 \bool_new:N \l_@@_firsttime_bool
```

```
19 \bool_new:N \l_@@_nobf_bool
20 \bool_new:N \l_@@_noit_bool
21 \bool_new:N \l_@@_nosc_bool
```

These strange set functions are to simplify returning code from LuaTeX:

```
22 \bool_new:N \l_@@_check_bool
23 \cs_new:Npn \FontspecSetCheckBoolTrue  { \bool_set_true:N  \l_@@_check_bool }
24 \cs_new:Npn \FontspecSetCheckBoolFalse { \bool_set_false:N \l_@@_check_bool }
```

```
25 \bool_new:N \l_@@_tfm_bool
26 \bool_new:N \l_@@_atsui_bool
```

```
27 \bool_new:N \l_@@_ot_bool
28 \bool_new:N \l_@@_mm_bool
29 \bool_new:N \l_@@_graphite_bool
```

For dealing with legacy maths:

```
30 \bool_new:N \g_@@_math_euler_bool
31 \bool_new:N \g_@@_math_lucida_bool
32 \bool_new:N \g_@@_pkg_euler_loaded_bool
```

For package options:

```
33 \bool_new:N \g_@@_cfg_bool
34 \bool_new:N \g_@@_math_bool
35 \bool_new:N \g_@@_euenc_bool

36 \bool_new:N \l_@@_disable_defaults_bool
37 \bool_new:N \l_@@_alias_bool
38 \bool_new:N \l_@@_external_bool
39 \bool_new:N \l_@@_never_check_bool
40 \bool_new:N \l_@@_defining_encoding_bool
41 \bool_new:N \l_@@_script_exist_bool
42 \bool_new:N \g_@@_em_normalise_slant_bool
```

Counters

```
43 \int_new:N \l_@@_script_int
44 \int_new:N \l_@@_language_int
45 \int_new:N \l_@@_strnum_int
46 \int_new:N \l_@@_tmp_int
47 \int_new:N \l_@@_em_int
48 \int_new:N \l_@@_emdef_int
49 \int_new:N \l_@@_strong_int
50 \int_new:N \l_@@_strongdef_int
```

Floating point

```
51 \fp_new:N \l_@@_tmpa_fp
52 \fp_new:N \l_@@_tmpb_fp
```

Dimensions

```
53 \dim_new:N \l_@@_tmpa_dim
54 \dim_new:N \l_@@_tmpb_dim
55 \dim_new:N \l_@@_tmpc_dim
56 \seq_new:N \g_@@_bf_series_seq
```

Comma lists

```
57 \clist_new:N \g_@@_default_fontopts_clist
58 \clist_new:N \g_@@_all_keyval_modules_clist
59 \clist_set:Nn \l_@@_sizefeat_clist {Size={-}}
```

Property lists

```
60 \prop_new:N \g_@@_fontopts_prop
61 \prop_new:N \l_@@_nfss_prop
62 \prop_new:N \l_@@_nfssfont_prop
63 \prop_new:N \g_@@_OT_features_prop
64 \prop_new:N \g_@@_all_opentype_feature_names_prop
65 \prop_new:N \g_@@_em_prop
```

Token lists

```
66 \tl_new:N \g_@@_mathrm_tl
67 \tl_new:N \g_@@_bfmathrm_tl
68 \tl_new:N \g_@@_mathsf_tl
69 \tl_new:N \g_@@_mathtt_tl

70 \tl_new:N \l_@@_family_label_tl
71 \tl_new:N \l_@@_fake_slant_tl
72 \tl_new:N \l_@@_fake_embolden_tl

73 \tl_new:N \l_@@_fontname_up_tl
74 \tl_new:N \l_@@_fontname_bf_tl
75 \tl_new:N \l_@@_fontname_it_tl
76 \tl_new:N \l_@@_fontname_bfit_tl
77 \tl_new:N \l_@@_fontname_sl_tl
78 \tl_new:N \l_@@_fontname_bfsl_tl
79 \tl_new:N \l_@@_fontname_sc_tl

80 \tl_new:N \l_@@_fontfeat_up_clist
81 \tl_new:N \l_@@_fontfeat_bf_clist
82 \tl_new:N \l_@@_fontfeat_it_clist
83 \tl_new:N \l_@@_fontfeat_bfit_clist
84 \tl_new:N \l_@@_fontfeat_sl_clist
85 \tl_new:N \l_@@_fontfeat_bfsl_clist
86 \tl_new:N \l_@@_fontfeat_sc_clist

87 \tl_new:N \l_@@_script_name_tl
88 \tl_new:N \l_fontspec_script_tl
89 \tl_new:N \l_@@_lang_name_tl
90 \tl_new:N \l_fontspec_lang_tl

91 \tl_new:N  \l_@@_mapping_tl
92 \tl_new:N  \g_@@_hexcol_tl
93 \tl_new:N  \g_@@_opacity_tl
94 \tl_set:Nn \g_@@_hexcol_tl {000000}
95 \tl_set:Nn \g_@@_opacity_tl {FF~}
96 \tl_set:Nn \g_@@_postadjust_tl { \l_@@_wordspace_adjust_tl \l_@@_punctspace_adjust_tl }
```

29.1   Generic functions

\@@_keys_set_known:nnN

```
97 \cs_new:Nn \@@_keys_set_known:nnN
98   {
99 ⟨debug⟩   \typeout{:::: Keys~set:~{#1}~{#2} }
100     \keys_set_known:nnN {#1} {#2} #3
```

```
101 ⟨debug⟩   \typeout{:::: Leftover:~{#3} }
102   }
103 \cs_generate_variant:Nn \@@_keys_set_known:nnN {nx}
```

\@@_head_ii:n   Expands to the first two ⟨*items*⟩ of #1.

```
104 \cs_set:Npn \@@_head_ii:n #1 { \@@_head_ii:w #1 *** \q_stop}
105 \cs_set:Npn \@@_head_ii:w #1#2#3 \q_stop { #1#2 }
106 \cs_generate_variant:Nn \@@_head_ii:n {o}
```

\@@_int_mult_truncate:Nn   Missing in expl3, IMO.

```
107 \cs_new:Nn \@@_int_mult_truncate:Nn
108   {
109     \int_set:Nn #1 { \__dim_eval:w #2 #1 \__dim_eval_end: }
110   }
```

29.2   expl3 variants

```
111 \cs_generate_variant:Nn \int_set:Nn {Nv}
112 \cs_generate_variant:Nn \keys_set:nn {nx}
113 \cs_generate_variant:Nn \keys_set_known:nnN {nx}
114 \cs_generate_variant:Nn \prop_put:Nnn {Nxx}
115 \cs_generate_variant:Nn \prop_put:Nnn {NxV}
116 \cs_generate_variant:Nn \prop_gput_if_new:Nnn   {NxV}
117 \cs_generate_variant:Nn \prop_gput:Nnn   {Nxn}
118 \cs_generate_variant:Nn \prop_get:NnNT   {NxN}
119 \cs_generate_variant:Nn \prop_get:NnNTF {NxN}
120 \cs_generate_variant:Nn \str_if_eq:nnTF {nv}
121 \cs_generate_variant:Nn \tl_if_empty:nTF {x}
122 \cs_generate_variant:Nn \tl_if_empty:nF {x}
123 \cs_generate_variant:Nn \tl_if_empty:nF {f}
124 \cs_generate_variant:Nn \tl_if_eq:nnT {ox}
125 \cs_generate_variant:Nn \tl_replace_all:Nnn {Nnx}
```

```
126 ⟨/fontspec⟩
```

30   Error/warning/info messages

```
127 ⟨*fontspec⟩
```

Shorthands for messages:
```
128 \cs_new:Npn \@@_error:n     { \msg_error:nn     {fontspec} }
129 \cs_new:Npn \@@_error:nn    { \msg_error:nnn    {fontspec} }
130 \cs_new:Npn \@@_error:nx    { \msg_error:nnx    {fontspec} }
131 \cs_new:Npn \@@_warning:n   { \msg_warning:nn   {fontspec} }
132 \cs_new:Npn \@@_warning:nx  { \msg_warning:nnx  {fontspec} }
133 \cs_new:Npn \@@_warning:nxx { \msg_warning:nnxx {fontspec} }
134 \cs_new:Npn \@@_info:n      { \msg_info:nn      {fontspec} }
135 \cs_new:Npn \@@_info:nx     { \msg_info:nnx     {fontspec} }
136 \cs_new:Npn \@@_info:nxx    { \msg_info:nnxx    {fontspec} }
137 \cs_new:Npn \@@_trace:n     { \msg_trace:nn     {fontspec} }
```

Allow messages to be written with spaces acting as normal:
```
138 \cs_generate_variant:Nn \msg_new:nnn   {nnx}
```

```
139 \cs_generate_variant:Nn \msg_new:nnnn {nnxx}
140 \cs_new:Nn \@@_msg_new:nnn
141   { \msg_new:nnx {#1} {#2} { \tl_trim_spaces:n {#3} } }
142 \cs_new:Nn \@@_msg_new:nnnn
143   { \msg_new:nnxx {#1} {#2} { \tl_trim_spaces:n {#3} } { \tl_trim_spaces:n {#4} } }
144 \char_set_catcode_space:n {32}
```

30.1   Errors

```
145 \@@_msg_new:nnn {fontspec} {only-inside-encdef}
146 {
147   \exp_not:N#1can only be used in the second argument
148   to \string\DeclareUnicodeEncoding.
149 }
150 \@@_msg_new:nnn {fontspec} {only-import-tu}
151 {
152   The "\string\ImportEncoding" command can only take "TU" as an argument at this stage.
153 }
154 \@@_msg_new:nnn {fontspec} {no-size-info}
155 {
156   Size information must be supplied.\\
157   For example, SizeFeatures={Size={8-12},...}.
158 }
159 \@@_msg_new:nnnn {fontspec} {font-not-found}
160 {
161   The font "#1" cannot be found.
162 }
163 {
164   A font might not be found for many reasons.\\
165   Check the spelling, where the font is installed etc. etc.\\\\
166   When in doubt, ask someone for help!
167 }
168 \@@_msg_new:nnnn {fontspec} {rename-feature-not-exist}
169 {
170   The feature #1 doesn't appear to be defined.
171 }
172 {
173   It looks like you're trying to rename a feature that doesn't exist.
174 }
175 \@@_msg_new:nnn {fontspec} {no-glyph}
176 {
177   '\l_fontspec_fontname_tl' does not contain glyph #1.
178 }
179 \@@_msg_new:nnnn {fontspec} {euler-too-late}
180 {
181   The euler package must be loaded BEFORE fontspec.
182 }
183 {
184   fontspec only overwrites euler's attempt to
185   define the maths text fonts if fontspec is
186   loaded after euler. Type <return> to proceed
187   with incorrect \string\mathit, \string\mathbf, etc.
```

```
188 }
189 \@@_msg_new:nnnn {fontspec} {no-xcolor}
190 {
191   Cannot load named colours without the xcolor package.
192 }
193 {
194   Sorry, I can't do anything to help. Instead of loading
195   the color package, use xcolor instead.
196 }
197 \@@_msg_new:nnnn {fontspec} {unknown-color-model}
198 {
199   Error loading colour `#1'; unknown colour model.
200 }
201 {
202   Sorry, I can't do anything to help. Please report this error
203   to my developer with a minimal example that causes the problem.
204 }
205 \@@_msg_new:nnnn {fontspec} {not-in-addfontfeatures}
206 {
207   The "#1" font feature cannot be used in \string\addfontfeatures.
208 }
209 {
210   This is due to how TeX loads fonts; such settings
211   are global so adding them mid-document within a group causes
212   confusion. You'll need to define multiple font families to achieve
213   what you want.
214 }
```

30.2 Warnings

```
215 \@@_msg_new:nnn {fontspec} {tu-clash}
216 {
217   I have found the tuenc.def encoding definition file but the TU encoding is not
218   defined by the LaTeX2e kernel; attempting to correct but you really should update
219   to the latest version of LaTeX2e.
220 }
221 \@@_msg_new:nnn {fontspec} {tu-missing}
222 {
223   The TU encoding seems to be missing; please update to the latest version of LaTeX2e.
224 }
225 \@@_msg_new:nnn {fontspec} {addfontfeatures-ignored}
226 {
227   \string\addfontfeature (s) ignored \msg_line_context:;
228   it cannot be used with a font that wasn't selected by a fontspec command.\\
229   \\
230   The current font is "\use:c{font@name}".\\
231   \int_compare:nTF { \clist_count:n {#1} = 1 }
232     { The requested feature is "#1". }
233     { The requested features are "#1". }
234 }
235 \@@_msg_new:nnn {fontspec} {feature-option-overwrite}
236 {
```

```
237  Option '#2' of font feature '#1' overwritten.
238  }
239 \@@_msg_new:nnn {fontspec} {script-not-exist-latn}
240  {
241   Font '\l_fontspec_fontname_tl' does not contain script '#1'.\\
242   'Latin' script used instead.
243  }
244 \@@_msg_new:nnn {fontspec} {script-not-exist}
245  {
246   Font '\l_fontspec_fontname_tl' does not contain script '#1'.
247  }
248 \@@_msg_new:nnn {fontspec} {aat-feature-not-exist}
249  {
250   '\l_keys_key_tl=\l_keys_value_tl' feature not supported
251   for AAT font '\l_fontspec_fontname_tl'.
252  }
253 \@@_msg_new:nnn {fontspec} {aat-feature-not-exist-in-font}
254  {
255   AAT feature '\l_keys_key_tl=\l_keys_value_tl' (#1) not available
256   in font '\l_fontspec_fontname_tl'.
257  }
258 \@@_msg_new:nnn {fontspec} {icu-feature-not-exist}
259  {
260   '\l_keys_key_tl=\l_keys_value_tl' feature not supported
261   for OpenType font '\l_fontspec_fontname_tl'
262  }
263 \@@_msg_new:nnn {fontspec} {icu-feature-not-exist-in-font}
264  {
265   OpenType feature '\l_keys_key_tl=\l_keys_value_tl' (#1) not available
266   for font '\l_fontspec_fontname_tl'
267   with script '\l_@@_script_name_tl' and language '\l_@@_lang_name_tl'.
268  }
269 \@@_msg_new:nnn {fontspec} {no-opticals}
270  {
271   '\l_fontspec_fontname_tl' doesn't appear to have an Optical Size axis.
272  }
273 \@@_msg_new:nnn {fontspec} {language-not-exist}
274  {
275   Language '#1' not available
276   for font '\l_fontspec_fontname_tl'
277   with script '\l_@@_script_name_tl'.\\
278   'Default' language used instead.
279  }
280 \@@_msg_new:nnn {fontspec} {only-xetex-feature}
281  {
282   Ignored XeTeX only feature: '#1'.
283  }
284 \@@_msg_new:nnn {fontspec} {only-luatex-feature}
285  {
286   Ignored LuaTeX only feature: '#1'.
287  }
```

```
288 \@@_msg_new:nnn {fontspec} {no-mapping}
289 {
290   Input mapping not (yet?) supported in LuaTeX.
291 }
292 \@@_msg_new:nnn {fontspec} {no-mapping-ligtex}
293 {
294   Input mapping not (yet?) supported in LuaTeX.\\
295   Use "Ligatures=TeX" instead of "Mapping=tex-text".
296 }
297 \@@_msg_new:nnn {fontspec} {cm-default-obsolete}
298 {
299   The "cm-default" package option is obsolete.
300 }
301 \@@_msg_new:nnn {fontspec} {fakebold-only-xetex}
302 {
303   The "FakeBold" and "AutoFakeBold" options are only available with XeLaTeX.\\
304   Option ignored.
305 }
306 \@@_msg_new:nnn {fontspec} {font-index-needs-ttc}
307 {
308   The "FontIndex" feature is only supported by TTC (TrueType Collection) fonts.\\
309   Feature ignored.
310 }
311 \@@_msg_new:nnn {fontspec} {feat-cannot-remove}
312 {
313   The "#1" feature cannot be deactivated. Request ignored.
314 }
```

30.3 Info messages

```
315 \@@_msg_new:nnn {fontspec} {defining-font}
316 {
317   Font family '\l_fontspec_family_tl' created for font '#2'
318   with options [\l_@@_all_features_clist].\\
319   \\
320   This font family consists of the following NFSS series/shapes:\\
321   \l_fontspec_defined_shapes_tl
322 }
323 \@@_msg_new:nnn {fontspec} {no-font-shape}
324 {
325   Could not resolve font "#1" (it probably doesn't exist).
326 }
327 \@@_msg_new:nnn {fontspec} {set-scale}
328 {
329   \l_fontspec_fontname_tl\space scale = \l_@@_scale_tl.
330 }
331 \@@_msg_new:nnn {fontspec} {setup-math}
332 {
333   Adjusting the maths setup (use [no-math] to avoid this).
334 }
335 \@@_msg_new:nnn {fontspec} {no-scripts}
336 {
```

```
337  Font "\l_fontspec_fontname_tl" does not contain any OpenType `Script' information.
338 }
339 \@@_msg_new:nnn {fontspec} {opa-twice}
340 {
341   Opacity set twice, in both Colour and Opacity.\\
342   Using specification "Opacity=#1".
343 }
344 \@@_msg_new:nnn {fontspec} {opa-twice-col}
345 {
346   Opacity set twice, in both Opacity and Colour.\\
347   Using an opacity specification in hex of "#1/FF".
348 }
349 \@@_msg_new:nnn {fontspec} {bad-colour}
350 {
351   Bad colour declaration "#1".
352   Colour must be one of:\\
353   * a named xcolor colour\\
354   * a six-digit hex colour RRGGBB\\
355   * an eight-digit hex colour RRGGBBTT with opacity
356 }
```

Reset 'space' behaviour:

```
357 \char_set_catcode_ignore:n {32}
358 ⟨/fontspec⟩
```

31   Opening code

31.1   Package options

```
359 \DeclareOption{cm-default}
360 { \@@_warning:n {cm-default-obsolete} }
361 \DeclareOption{math}{\bool_set_true:N \g_@@_math_bool}
362 \DeclareOption{no-math}{\bool_set_false:N \g_@@_math_bool}
363 \DeclareOption{config}{\bool_set_true:N \g_@@_cfg_bool}
364 \DeclareOption{no-config}{\bool_set_false:N \g_@@_cfg_bool}
365 \DeclareOption{euenc}{\bool_set_true:N  \g_@@_euenc_bool}
366 \DeclareOption{tuenc}{\bool_set_false:N \g_@@_euenc_bool}
367 \DeclareOption{quiet}
368 {
369   \msg_redirect_module:nnn { fontspec } { warning } { info }
370   \msg_redirect_module:nnn { fontspec } { info } { none }
371 }
372 \DeclareOption{silent}
373 {
374   \msg_redirect_module:nnn { fontspec } { warning } { none }
375   \msg_redirect_module:nnn { fontspec } { info } { none }
376 }
377 \ExecuteOptions{config,math,tuenc}
378 \ProcessOptions*
```

31.2   Encodings

Soon to be the default, with a just-in-case check:

```
379 \bool_if:NF \g_@@_euenc_bool
380   {
381     \file_if_exist:nTF {tuenc.def}
382       {
383         \cs_if_exist:cF {T@TU}
384           {
385             \@@_warning:n {tu-clash}
386             \DeclareFontEncoding{TU}{}{}
387             \DeclareFontSubstitution{TU}{lmr}{m}{n}
388           }
389       }
390       {
391         \@@_warning:n {tu-missing}
392         \bool_set_true:N \g_@@_euenc_bool
393       }
394   }
395 \bool_if:NTF \g_@@_euenc_bool
396   {
397 ⟨xetexx⟩     \tl_set:Nn \g_fontspec_encoding_tl {EU1}
398 ⟨luatex⟩     \tl_set:Nn \g_fontspec_encoding_tl {EU2}
399   }
400   { \tl_set:Nn \g_fontspec_encoding_tl { TU } }

401 \tl_set:Nn \rmdefault {lmr}
402 \tl_set:Nn \sfdefault {lmss}
403 \tl_set:Nn \ttdefault {lmtt}
404 \RequirePackage[\g_fontspec_encoding_tl]{fontenc}
405 \tl_set_eq:NN \UTFencname \g_fontspec_encoding_tl % for xunicode if needed
```

To overcome the encoding changing the current font size, but only if a class has been loaded first:

```
406 \tl_if_in:NnT \@filelist {.cls} { \normalsize }
```

Dealing with a couple of the problems introduced by babel:

```
407 \tl_set_eq:NN \cyrillicencoding \g_fontspec_encoding_tl
408 \tl_set_eq:NN \latinencoding    \g_fontspec_encoding_tl
409 \AtBeginDocument
410 {
411   \tl_set_eq:NN \cyrillicencoding \g_fontspec_encoding_tl
412   \tl_set_eq:NN \latinencoding    \g_fontspec_encoding_tl
413 }
```

That latin encoding definition is repeated to suppress font warnings. Something to do with \select@language ending up in the .aux file which is read at the beginning of the document.

```
414 \bool_if:NT \g_@@_euenc_bool
415   {
416 ⟨luatex⟩     \cs_set_eq:NN \fontspec_tmp: \XeTeXpicfile
417 ⟨luatex⟩     \cs_set:Npn \XeTeXpicfile {}
418     \RequirePackage{xunicode}
419 ⟨luatex⟩     \cs_set_eq:NN \XeTeXpicfile \fontspec_tmp:
420   }
```

32 expl3 interface for primitive font loading

```
421 \cs_set:Npn \@@_primitive_font_set:Nnn #1#2#3
422   {
423     \font #1 = #2 ~at~ #3 \scan_stop:
424   }
425 \cs_set:Npn \@@_primitive_font_gset:Nnn #1#2#3
426   {
427     \global \font #1 = #2 ~at~ #3 \scan_stop:
428   }
```

```
429 \cs_set:Npn \@@_font_suppress_not_found_error:
430   {
431     \int_set_eq:NN \xetex_suppressfontnotfounderror:D \c_one
432   }
```

[pTF]@_primitive_font_if_null:N

```
433 \prg_set_conditional:Nnn \@@_primitive_font_if_null:N {p,TF,T,F}
434   {
435     \ifx #1 \nullfont
436       \prg_return_true:
437     \else
438       \prg_return_false:
439     \fi
440   }
```

[TF]@_primitive_font_if_exist:n

```
441 \prg_set_conditional:Nnn \@@_primitive_font_if_exist:n {TF,T,F}
442   {
443     \group_begin:
444       \@@_font_suppress_not_found_error:
445       \@@_primitive_font_set:Nnn \l_@@_primitive_font {#1} {10pt}
446       \@@_primitive_font_if_null:NTF \l_@@_primitive_font
447         { \group_end: \prg_return_false: }
448         { \group_end: \prg_return_true:  }
449   }
```

```
450 \prg_new_conditional:Nnn \@@_primitive_font_glyph_if_exist:Nn {p,TF,T,F}
451   {
452     \etex_iffontchar:D #1 #2 \scan_stop:
453       \prg_return_true:
454     \else:
455       \prg_return_false:
456     \fi:
457   }
```

33 User commands

This section contains the definitions of the commands detailed in the user documentation. Only the 'top level' definitions of the commands are contained herein; they all use or define macros which are defined or used later on in .

33.0.1 Font selection

\fontspec This is the main command of the package that selects fonts with various features. It takes two arguments: the font name and the optional requested features of that font. Then this new font family is selected.

```
458 \NewDocumentCommand \fontspec { O{} m O{} }
459  {
460    \@@_main_fontspec:nnn {#1} {#2} {#3}
461  }
462 \cs_set:Nn \@@_main_fontspec:nnn
463  {
464    \fontspec_set_family:Nnn \f@family {#1,#3} {#2}
465    \fontencoding { \l_@@_nfss_enc_tl }
466    \selectfont
467    \ignorespaces
468  }
```

\setmainfont The following three macros perform equivalent operations setting the default font for a particular family: 'roman', sans serif, or typewriter (monospaced). I end them with \normalfont so that if they're used in the document, the change registers immediately.

```
469 \DeclareDocumentCommand \setmainfont { O{} m O{} }
470  {
471    \@@_main_setmainfont:nnn {#1} {#2} {#3}
472  }
473 \cs_set:Nn \@@_main_setmainfont:nnn
474  {
475    \fontspec_set_family:Nnn \g_@@_rmfamily_family {#1,#3} {#2}
476    \tl_set_eq:NN \rmdefault \g_@@_rmfamily_family
477    \use:x { \exp_not:n { \DeclareRobustCommand \rmfamily }
478    {
479      \exp_not:N \fontencoding { \l_@@_nfss_enc_tl }
480      \exp_not:N \fontfamily { \g_@@_rmfamily_family }
481      \exp_not:N \selectfont
482    }
483  }
484    \str_if_eq_x:nnT {\familydefault} {\rmdefault}
485      { \tl_set_eq:NN \encodingdefault \l_@@_nfss_enc_tl }
486    \normalfont
487    \ignorespaces
488  }
```

\setsansfont

```
489 \DeclareDocumentCommand \setsansfont { O{} m O{} }
```

83

```
490 {
491   \@@_main_setsansfont:nnn {#1} {#2} {#3}
492 }
493 \cs_set:Nn \@@_main_setsansfont:nnn
494 {
495   \fontspec_set_family:Nnn \g_@@_sffamily_family {#1,#3} {#2}
496   \tl_set_eq:NN \sfdefault \g_@@_sffamily_family
497   \use:x { \exp_not:n { \DeclareRobustCommand \sffamily }
498     {
499     \exp_not:N \fontencoding { \l_@@_nfss_enc_tl }
500     \exp_not:N \fontfamily { \g_@@_sffamily_family }
501     \exp_not:N \selectfont
502     }
503   }
504   \str_if_eq_x:nnT {\familydefault} {\sfdefault}
505     { \tl_set_eq:NN \encodingdefault \l_@@_nfss_enc_tl }
506   \normalfont
507   \ignorespaces
508 }
```

\setmonofont

```
509 \DeclareDocumentCommand \setmonofont { O{} m O{} }
510 {
511   \@@_main_setmonofont:nnn {#1} {#2} {#3}
512 }
513 \cs_set:Nn \@@_main_setmonofont:nnn
514 {
515   \fontspec_set_family:Nnn \g_@@_ttfamily_family {#1,#3} {#2}
516   \tl_set_eq:NN \ttdefault \g_@@_ttfamily_family
517   \use:x { \exp_not:n { \DeclareRobustCommand \ttfamily }
518     {
519     \exp_not:N \fontencoding { \l_@@_nfss_enc_tl }
520     \exp_not:N \fontfamily { \g_@@_ttfamily_family }
521     \exp_not:N \selectfont
522     }
523   }
524   \str_if_eq_x:nnT {\familydefault} {\ttdefault}
525     { \tl_set_eq:NN \encodingdefault \l_@@_nfss_enc_tl }
526   \normalfont
527   \ignorespaces
528 }
```

\setromanfont   This is the old name for \setmainfont, retained *ad infinitum* for backwards compatibility. It was deprecated in 2010.

```
529 \DeclareDocumentCommand \setromanfont { O{} m O{} }
530 {
531   \@@_main_setmainfont:nnn {#1} {#2} {#3}
532 }
```

\setmathrm
\setmathsf
\setboldmathrm
\setmathtt   These commands are analogous to \setmainfont and others, but for selecting the font used for \mathrm, *etc*. They can only be used in the preamble of the document.

84

`\setboldmathrm` is used for specifying which fonts should be used in `\boldmath`.

```
533 \DeclareDocumentCommand \setmathrm { O{} m O{} }
534   {
535      \@@_main_setmathrm:nnn {#1} {#2} {#3}
536   }

537 \cs_set:Nn \@@_main_setmathrm:nnn
538 {
539   \fontspec_set_family:Nnn \g_@@_mathrm_tl {#1} {#2}
540 }

541 \DeclareDocumentCommand \setboldmathrm { O{} m O{} }
542   {
543      \@@_main_setboldmathrm:nnn {#1} {#2} {#3}
544   }

545 \cs_set:Nn \@@_main_setboldmathrm:nnn
546 {
547   \fontspec_set_family:Nnn \g_@@_bfmathrm_tl {#1} {#2}
548 }

549 \DeclareDocumentCommand \setmathsf { O{} m O{} }
550   {
551      \@@_main_setmathsf:nnn {#1} {#2} {#3}
552   }

553 \cs_set:Nn \@@_main_setmathsf:nnn
554 {
555   \fontspec_set_family:Nnn \g_@@_mathsf_tl {#1} {#2}
556 }

557 \DeclareDocumentCommand \setmathtt { O{} m O{} }
558   {
559      \@@_main_setmathtt:nnn {#1} {#2} {#3}
560   }

561 \cs_set:Nn \@@_main_setmathtt:nnn
562 {
563   \fontspec_set_family:Nnn \g_@@_mathtt_tl {#1} {#2}
564 }

565 \@onlypreamble\setmathrm
566 \@onlypreamble\setboldmathrm
567 \@onlypreamble\setmathsf
568 \@onlypreamble\setmathtt
```

If the commands above are not executed, then `\rmdefault` (*etc.*) will be used.

```
569 \tl_set:Nn \g_@@_mathrm_tl {\rmdefault}
570 \tl_set:Nn \g_@@_mathsf_tl {\sfdefault}
571 \tl_set:Nn \g_@@_mathtt_tl {\ttdefault}
```

`\newfontfamily` This macro takes the arguments of `\fontspec` with a prepended ⟨*instance cmd*⟩. This command is used when a specific font instance needs to be referred to repetitively (*e.g.*, in a section heading) since continuously calling `\fontspec_select:nn` is inefficient because it must parse the option arguments every time.

85

\fontspec_select:nn defines a font family and saves its name in \l_fontspec_family_tl.
This family is then used in a typical NFSS \fontfamily declaration, saved in the macro
name specified.

```
572 \DeclareDocumentCommand \newfontfamily { m O{} m O{} }
573   {
574     \@@_main_newfontfamily:nnnn {#1} {#2} {#3} {#4}
575   }
576 \cs_set:Nn \@@_main_newfontfamily:nnnn
577   {
578     \fontspec_set_family:cnn { g_@@_ \cs_to_str:N #1 _family } {#2,#4} {#3}
579     \use:x
580       {
581         \exp_not:N \DeclareRobustCommand \exp_not:N #1
582           {
583             \exp_not:N \fontfamily { \use:c {g_@@_ \cs_to_str:N #1 _family} }
584             \exp_not:N \fontencoding { \l_@@_nfss_enc_tl }
585             \exp_not:N \selectfont
586           }
587       }
588   }
```

\newfontface   \newfontface uses the fact that if the argument to BoldFont, etc., is empty (*i.e.*,
BoldFont={}), then no bold font is searched for.

```
589 \DeclareDocumentCommand \newfontface { m O{} m O{} }
590   {
591     \@@_main_newfontface:nnnn {#1} {#2} {#3} {#4}
592   }
593 \cs_set:Nn \@@_main_newfontface:nnnn
594 {
595   \newfontfamily #1 [ BoldFont={},ItalicFont={},SmallCapsFont={},#2,#4 ] {#3}
596 }
```

33.0.2 Font feature selection

\defaultfontfeatures   This macro takes one argument that consists of all of feature options that will be ap-
plied by default to all subsequent \fontspec, et al., commands. It stores its value in
\g_fontspec_default_fontopts_tl (initialised empty), which is concatenated with
the individual macro choices in the [...] macro.

```
597 \DeclareDocumentCommand \defaultfontfeatures { t+ o m }
598   {
599     \IfNoValueTF {#2}
600       { \@@_set_default_features:nn {#1} {#3} }
601       { \@@_set_font_default_features:nnn {#1} {#2} {#3} }
602     \ignorespaces
603   }
604 \cs_new:Nn \@@_set_default_features:nn
605   {
606     \IfBooleanTF {#1} \clist_put_right:Nn \clist_set:Nn
607       \g_@@_default_fontopts_clist {#2}
608   }
```

The optional argument specifies a font identifier. Branch for either (a) single token input such as \rmdefault, or (b) otherwise assume its a fontname. In that case, strip spaces and file extensions and lower-case to ensure consistency.

```
609 \cs_new:Nn \@@_set_font_default_features:nnn
610 {
611   \clist_map_inline:nn {#2}
612     {
613     \tl_if_single:nTF {##1}
614       { \tl_set:No \l_@@_tmp_tl { \cs:w g_@@_ \cs_to_str:N ##1 _family\cs_end: } }
615       { \@@_sanitise_fontname:Nn \l_@@_tmp_tl {##1} }
616
617     \IfBooleanTF {#1}
618       {
619       \prop_get:NVNF \g_@@_fontopts_prop \l_@@_tmp_tl \l_@@_tmpb_tl
620         { \tl_clear:N \l_@@_tmpb_tl }
621       \tl_put_right:Nn \l_@@_tmpb_tl {#3,}
622       \prop_gput:NVV   \g_@@_fontopts_prop \l_@@_tmp_tl \l_@@_tmpb_tl
623       }
624       {
625       \tl_if_empty:nTF {#3}
626         { \prop_gremove:NV \g_@@_fontopts_prop \l_@@_tmp_tl }
627         { \prop_put:NVn    \g_@@_fontopts_prop \l_@@_tmp_tl {#3,} }
628       }
629     }
630 }
```

\addfontfeatures In order to be able to extend the feature selection of a given font, two things need to be known: the currently selected features, and the currently selected font. Every time a font family is created, this information is saved inside a control sequence with the name of the font family itself.

This macro extracts this information, then appends the requested font features to add to the already existing ones, and calls the font again with the top level \fontspec command.

The default options are *not* applied (which is why \g_fontspec_default_fontopts_tl is emptied inside the group; this is allowed as \l_fontspec_family_tl is globally defined in \@@_select_font_family:nn), so this means that the only added features to the font are strictly those specified by this command.

\addfontfeature is defined as an alias, as I found that I often typed this instead when adding only a single font feature.

```
631 \DeclareDocumentCommand \addfontfeatures {m}
632   {
633     \@@_main_addfontfeatures:n {#1}
634   }

635 \cs_set:Nn \@@_main_addfontfeatures:n
636 {
637 ⟨debug⟩   \typeout{^^J::::::::::::::::::::::::::::::::::::^^J: addfontfeatures}
638   \fontspec_if_fontspec_font:TF
639     {
640     \group_begin:
641       \keys_set_known:nnN {fontspec-addfeatures} {#1} \l_@@_tmp_tl
```

```
642        \prop_get:cnN {g_@@_ \f@family _prop} {options} \l_@@_options_tl
643        \prop_get:cnN {g_@@_ \f@family _prop} {fontname} \l_@@_fontname_tl
644        \bool_set_true:N \l_@@_disable_defaults_bool
645 ⟨debug⟩           \typeout{ \@@_select_font_family:nn { \l_@@_options_tl , #1 } {\l_@@_fontname
646      \use:x
647      {
648       \@@_select_font_family:nn
649          { \l_@@_options_tl , #1 } {\l_@@_fontname_tl}
650      }
651    \group_end:
652    \fontfamily\l_fontspec_family_tl\selectfont
653   }
654   {
655    \@@_warning:nx {addfontfeatures-ignored} {#1}
656   }
657  \ignorespaces
658 }
659 \cs_set_eq:NN \addfontfeature \addfontfeatures
```

33.0.3 Defining new font features

\newfontfeature   \newfontfeature takes two arguments: the name of the feature tag by which to ref-
erence it, and the string that is used to select the font feature.

```
660 \DeclareDocumentCommand \newfontfeature {mm}
661   {
662     \@@_main_newfontfeature:nn {#1} {#2}
663   }

664 \cs_set:Nn \@@_main_newfontfeature:nn
665 {
666   \keys_define:nn { fontspec }
667   {
668    #1 .code:n =
669      {
670        \@@_update_featstr:n {#2}
671      }
672   }
673 }
```

\newAATfeature   This command assigns a new AAT feature by its code (#2,#3) to a new name (#1).
Better than \newfontfeature because it checks if the feature exists in the font it's
being used for.

```
674 \DeclareDocumentCommand \newAATfeature {mmmm}
675   {
676     \@@_main_newAATfeature:nnnn {#1} {#2} {#3} {#4}
677   }

678 \cs_set:Nn \@@_main_newAATfeature:nnnn
679 {
680   \keys_if_exist:nnF { fontspec } {#1}
681     { \@@_define_aat_feature_group:n {#1} }
682
```

```
683     \keys_if_choice_exist:nnnT {fontspec} {#1} {#2}
684       { \@@_warning:nxx {feature-option-overwrite} {#1} {#2} }
685
686     \@@_define_aat_feature:nnnn {#1}{#2}{#3}{#4}
687   }
```

\newopentypefeature This command assigns a new OpenType feature by its abbreviation (#2) to a new name (#1). Better than \newfontfeature because it checks if the feature exists in the font it's being used for.

```
688 \DeclareDocumentCommand \newopentypefeature {mmm}
689   {
690     \@@_main_newopentypefeature:nnn {#1} {#2} {#3}
691   }

692 \cs_set:Nn \@@_main_newopentypefeature:nnn
693   {
694     \keys_if_exist:nnF { fontspec / options } {#1}
695       { \@@_define_opentype_feature_group:n {#1} }
696
697     \keys_if_choice_exist:nnnT {fontspec} {#1} {#2}
698       { \@@_warning:nxx {feature-option-overwrite} {#1} {#2} }
699
700     \exp_args:Nnnx \@@_define_opentype_feature:nnnnn
701       {#1} {#2} { \@@_strip_plus_minus:n {#3} } {#3} {}
702   }

703 \cs_new:Nn \@@_strip_plus_minus:n { \@@_strip_plus_minus_aux:Nq #1 \q_nil }
704 \cs_new:Npn \@@_strip_plus_minus_aux:Nq #1#2 \q_nil
705   {
706     \str_case:nnF {#1} { {+} {#2} {-} {#2} } {#1#2}
707   }
```

\newICUfeature Deprecated.

```
708 \DeclareDocumentCommand \newICUfeature {mmm}
709   {
710     \@@_main_newopentypefeature:nnn {#1} {#2} {#3}
711   }
```

\aliasfontfeature User commands for renaming font features and font feature options.

```
712 \DeclareDocumentCommand \aliasfontfeature {mm}
713   {
714     \@@_main_aliasfontfeature:nn {#1} {#2}
715   }

716 \cs_set:Nn \@@_main_aliasfontfeature:nn
717   {
718 ⟨debug⟩ \typeout{:::::::::::::::::::::^^J:: aliasfontfeature{#1}{#2}}
719     \bool_set_false:N \l_@@_alias_bool
720
721     \clist_map_inline:Nn \g_@@_all_keyval_modules_clist
722       {
723         \keys_if_exist:nnT {##1} {#1}
724           {
```

```
725 ⟨debug⟩ \typeout{::::~Key~exists~##1~/~#1}
726         \bool_set_true:N \l_@@_alias_bool
727         \keys_define:nn {##1}
728           { #2 .code:n = { \keys_set:nn {##1} { #1 = {####1} } } }
729       }
730   }
731
732   \bool_if:NF \l_@@_alias_bool
733     { \@@_warning:nx {rename-feature-not-exist} {#1} }
734 }
```

```
735 \DeclareDocumentCommand \aliasfontfeatureoption {mmm}
736 {
737    \@@_main_aliasfontfeatureoption:nnn {#1} {#2} {#3}
738 }
739 \cs_set:Nn \@@_main_aliasfontfeatureoption:nnn
740 {
741   \bool_set_false:N \l_@@_alias_bool
742
743   \clist_map_inline:Nn \g_@@_all_keyval_modules_clist
744     {
745       \keys_if_exist:nnT { ##1 / #1 } {#2}
746         {
747 ⟨debug⟩ \typeout{::::~Keyval~exists~##1~/~#1~=~#2}
748           \bool_set_true:N \l_@@_alias_bool
749           \keys_define:nn { ##1 / #1 }
750             { #3 .code:n = { \keys_set:nn {##1} { #1 = {#2} } } } }
751         }
752
753       \keys_if_exist:nnT { ##1 / #1 } {#2Reset}
754         {
755 ⟨debug⟩ \typeout{::::~Keyval~exists~##1~/~#1~=~#2Reset}
756           \keys_define:nn { ##1 / #1 }
757             { #3Reset .code:n = { \keys_set:nn {##1} { #1 = {#2Reset} } } } }
758         }
759
760       \keys_if_exist:nnT { ##1 / #1 } {#2Off}
761         {
762 ⟨debug⟩ \typeout{::::~Keyval~exists~##1~/~#1~=~#2Off}
763           \keys_define:nn { ##1 / #1 }
764             { #3Off .code:n = { \keys_set:nn {##1} { #1 = {#2Off} } } } }
765         }
766     }
767
768   \bool_if:NF \l_@@_alias_bool
769     { \@@_warning:nx {rename-feature-not-exist} {#1/#2} }
770 }
```

Mostly used internally, but also possibly useful for users, to define new OpenType 'scripts', mapping logical names to OpenType script tags.

```
771 \DeclareDocumentCommand \newfontscript {mm}
772 {
773   \fontspec_new_script:nn {#1} {#2}
774 }
```

\newfontlanguage   Mostly used internally, but also possibly useful for users, to define new OpenType
                    'languages', mapping logical names to OpenType language tags.

```
775 \DeclareDocumentCommand \newfontlanguage {mm}
776 {
777   \fontspec_new_lang:nn {#1} {#2}
778 }
```

\DeclareFontsExtensions   dfont would never be uppercase, right?

```
779 \DeclareDocumentCommand \DeclareFontsExtensions {m}
780  {
781     \@@_main_DeclareFontsExtensions:n {#1}
782  }

783 \cs_set:Nn \@@_main_DeclareFontsExtensions:n
784 {
785   \clist_set:Nn \l_@@_extensions_clist { #1 }
786   \tl_remove_all:Nn \l_@@_extensions_clist {~}
787 }
788 \DeclareFontsExtensions{.otf,.ttf,.OTF,.TTF,.ttc,.TTC,.dfont}
```

\IfFontFeatureActiveTF

```
789 \DeclareDocumentCommand \IfFontFeatureActiveTF {mmm}
790  {
791     \@@_main_IfFontFeatureActiveTF:nnn {#1} {#2} {#3}
792  }

793 \cs_set:Nn \@@_main_IfFontFeatureActiveTF:nnn
794 {
795 ⟨debug⟩     \typeout{^^J:::::::::::::::::::::::::::::::::::::::::::::::}
796 ⟨debug⟩     \typeout{:IfFontFeatureActiveTF \exp_not:n{{#1}{#2}{#3}}}
797   \@@_if_font_feature:nTF {#1} {#2} {#3}
798 }

799 \prg_new_conditional:Nnn \@@_if_font_feature:n {TF}
800 {
801   \tl_gclear:N \g_@@_single_feat_tl
802   \group_begin:
803     \@@_font_suppress_not_found_error:
804     \@@_init:
805     \bool_set_true:N \l_@@_ot_bool
806     \bool_set_true:N \l_@@_never_check_bool
807     \bool_set_false:N \l_@@_firsttime_bool
808     \clist_clear:N \l_@@_fontfeat_clist
809     \@@_get_features:Nn \l_@@_rawfeatures_sclist {#1}
810   \group_end:
811
812 ⟨debug⟩     \typeout{:::> \exp_not:N\l_@@_rawfeatures_sclist->~{\l_@@_rawfeatures_sclist}}
813 ⟨debug⟩     \typeout{:::> \exp_not:N\g_@@_single_feat_tl->~{\g_@@_single_feat_tl}}
```

```
814
815    \tl_if_empty:NTF \g_@@_single_feat_tl { \prg_return_false: }
816      {
817        \exp_args:NV \fontspec_if_current_feature:nTF \g_@@_single_feat_tl
818          { \prg_return_true: } { \prg_return_false: }
819      }
820  }
```

34 Programmer's interface

These functions are not used directly by fontspec when defining fonts; they are designed to be used by other packages who wish to do font-related things on top of fontspec itself.

Because I haven't fully explored how these functions will behave in practise, I am not giving them user-level names. As it becomes more clear which of these should be accessible by document writers, I'll open them up a little more.

All functions are defined assuming that the font to be queried is currently selected as a fontspec font. (I.e., via `\fontspec` or from a `\newfontfamily` macro or from `\setmainfont` and so on.)

`\fontspec_if_fontspec_font:TF` Test whether the currently selected font has been loaded by fontspec.

```
821 \prg_new_conditional:Nnn \fontspec_if_fontspec_font: {TF,T,F}
822 {
823   \cs_if_exist:cTF {g_@@_ \f@family _prop} \prg_return_true: \prg_return_false:
824 }
```

`\fontspec_if_aat_feature:nnTF` Conditional to test if the currently selected font contains the AAT feature (#1,#2).

```
825 \prg_new_conditional:Nnn \fontspec_if_aat_feature:nn {TF,T,F}
826 {
827   \fontspec_if_fontspec_font:TF
828     {
829       \prop_get:cnN {g_@@_ \f@family _prop} {fontdef} \l_@@_fontdef_tl
830       \@@_primitive_font_set:Nnn \l_fontspec_font {\l_@@_fontdef_tl} {\f@size pt}
831       \bool_if:NTF \l_@@_atsui_bool
832         {
833           \@@_make_AAT_feature_string:nnTF {#1}{#2}
834             \prg_return_true: \prg_return_false:
835         }
836         {
837           \prg_return_false:
838         }
839     }
840     {
841       \prg_return_false:
842     }
843 }
```

`\fontspec_if_opentype:TF` Test whether the currently selected font is an OpenType font. Always true for LuaTeX fonts.

```
844 \prg_new_conditional:Nnn \fontspec_if_opentype: {TF,T,F}
```

```
845  {
846    \fontspec_if_fontspec_font:TF
847      {
848      \prop_get:cnN {g_@@_ \f@family _prop} {fontdef} \l_@@_fontdef_tl
849      \@@_primitive_font_set:Nnn \l_fontspec_font {\l_@@_fontdef_tl} {\f@size pt}
850      \@@_set_font_type:
851      \bool_if:NTF \l_@@_ot_bool \prg_return_true: \prg_return_false:
852      }
853      {
854      \prg_return_false:
855      }
856  }
```

\fontspec_if_feature:nTF Test whether the currently selected font contains the raw OpenType feature #1. E.g.:
\fontspec_if_feature:nTF {pnum} {True} {False} Returns false if the font is
not loaded by fontspec or is not an OpenType font.

```
857 \prg_new_conditional:Nnn \fontspec_if_feature:n {TF,T,F}
858 {
859   \fontspec_if_fontspec_font:TF
860     {
861     \prop_get:cnN {g_@@_ \f@family _prop} {fontdef} \l_@@_fontdef_tl
862     \@@_primitive_font_set:Nnn \l_fontspec_font {\l_@@_fontdef_tl} {\f@size pt}
863     \@@_set_font_type:
864     \bool_if:NTF \l_@@_ot_bool
865       {
866       \prop_get:cnN {g_@@_ \f@family _prop} {script-num} \l_@@_tmp_tl
867       \int_set:Nn \l_@@_script_int {\l_@@_tmp_tl}
868
869       \prop_get:cnN {g_@@_ \f@family _prop} {lang-num} \l_@@_tmp_tl
870       \int_set:Nn \l_@@_language_int {\l_@@_tmp_tl}
871
872       \prop_get:cnN {g_@@_ \f@family _prop} {script-tag}  \l_fontspec_script_tl
873       \prop_get:cnN {g_@@_ \f@family _prop} {lang-tag}  \l_fontspec_lang_tl
874
875       \@@_check_ot_feat:nTF {#1} {\prg_return_true:} {\prg_return_false:}
876       }
877       {
878       \prg_return_false:
879       }
880     }
881     {
882     \prg_return_false:
883     }
884 }
```

\fontspec_if_feature:nnnTF Test whether the currently selected font with raw OpenType script tag #1 and raw
OpenType language tag #2 contains the raw OpenType feature tag #3. E.g.: \fontspec_if_feature:nTF {la
Returns false if the font is not loaded by fontspec or is not an OpenType font.

```
885 \prg_new_conditional:Nnn \fontspec_if_feature:nnn {TF,T,F}
886 {
887   \fontspec_if_fontspec_font:TF
```

```
888    {
889      \prop_get:cnN {g_@@_ \f@family _prop} {fontdef} \l_@@_fontdef_tl
890      \@@_primitive_font_set:Nnn \l_fontspec_font {\l_@@_fontdef_tl} {\f@size pt}
891      \@@_set_font_type:
892      \bool_if:NTF \l_@@_ot_bool
893        {
894          \@@_iv_str_to_num:Nn \l_@@_script_int {#1}
895          \@@_iv_str_to_num:Nn \l_@@_language_int {#2}
896          \@@_check_ot_feat:nTF {#3} \prg_return_true: \prg_return_false:
897        }
898        { \prg_return_false: }
899    }
900    { \prg_return_false: }
901  }
```

`\fontspec_if_script:nTF` Test whether the currently selected font contains the raw OpenType script #1. E.g.:
`\fontspec_if_script:nTF {latn} {True} {False}` Returns false if the font is
not loaded by fontspec or is not an OpenType font.

```
902 \prg_new_conditional:Nnn \fontspec_if_script:n {TF,T,F}
903 {
904   \fontspec_if_fontspec_font:TF
905     {
906       \prop_get:cnN {g_@@_ \f@family _prop} {fontdef} \l_@@_fontdef_tl
907       \@@_primitive_font_set:Nnn \l_fontspec_font {\l_@@_fontdef_tl} {\f@size pt}
908       \@@_set_font_type:
909       \bool_if:NTF \l_@@_ot_bool
910         {
911           \@@_check_script:nTF {#1} \prg_return_true: \prg_return_false:
912         }
913         { \prg_return_false: }
914     }
915     { \prg_return_false: }
916 }
```

`\fontspec_if_language:nTF` Test whether the currently selected font contains the raw OpenType language tag #1.
E.g.: `\fontspec_if_language:nTF {ROM} {True} {False}`. Returns false if the
font is not loaded by fontspec or is not an OpenType font.

```
917 \prg_new_conditional:Nnn \fontspec_if_language:n {TF,T,F}
918 {
919   \fontspec_if_fontspec_font:TF
920     {
921       \prop_get:cnN {g_@@_ \f@family _prop} {fontdef} \l_@@_fontdef_tl
922       \@@_primitive_font_set:Nnn \l_fontspec_font {\l_@@_fontdef_tl} {\f@size pt}
923       \@@_set_font_type:
924       \bool_if:NTF \l_@@_ot_bool
925         {
926           \prop_get:cnN {g_@@_ \f@family _prop} {script-num} \l_@@_tmp_tl
927           \int_set:Nn \l_@@_script_int {\l_@@_tmp_tl}
928           \prop_get:cnN {g_@@_ \f@family _prop} {script-tag}  \l_fontspec_script_tl
929
930           \@@_check_lang:nTF {#1} \prg_return_true: \prg_return_false:
```

94

```
931      }
932    { \prg_return_false: }
933    }
934    { \prg_return_false: }
935  }
```

\fontspec_if_language:nnTF   Test whether the currently selected font contains the raw OpenType language tag #2 in script #1. E.g.: \fontspec_if_language:nnTF {cyrl} {SRB} {True} {False}. Returns false if the font is not loaded by fontspec or is not an OpenType font.

```
936 \prg_new_conditional:Nnn \fontspec_if_language:nn {TF,T,F}
937 {
938   \fontspec_if_fontspec_font:TF
939     {
940     \prop_get:cnN {g_@@_ \f@family _prop} {fontdef} \l_@@_fontdef_tl
941     \@@_primitive_font_set:Nnn \l_fontspec_font {\l_@@_fontdef_tl} {\f@size pt}
942     \@@_set_font_type:
943     \bool_if:NTF \l_@@_ot_bool
944       {
945       \tl_set:Nn \l_fontspec_script_tl {#1}
946       \@@_iv_str_to_num:Nn \l_@@_script_int {#1}
947       \@@_check_lang:nTF {#2} \prg_return_true: \prg_return_false:
948       }
949     { \prg_return_false: }
950   }
951   { \prg_return_false: }
952 }
```

\fontspec_if_current_script:nTF   Test whether the currently loaded font is using the specified raw OpenType script tag #1.

```
953 \prg_new_conditional:Nnn \fontspec_if_current_script:n {TF,T,F}
954 {
955   \fontspec_if_fontspec_font:TF
956     {
957     \prop_get:cnN {g_@@_ \f@family _prop} {fontdef} \l_@@_fontdef_tl
958     \@@_primitive_font_set:Nnn \l_fontspec_font {\l_@@_fontdef_tl} {\f@size pt}
959     \@@_set_font_type:
960     \bool_if:NTF \l_@@_ot_bool
961       {
962       \prop_get:cnN {g_@@_ \f@family _prop} {script-tag}  \l_@@_tmp_tl
963       \str_if_eq:nVTF {#1}  \l_@@_tmp_tl
964         {\prg_return_true:} {\prg_return_false:}
965       }
966     { \prg_return_false: }
967   }
968   { \prg_return_false: }
969 }
```

\fontspec_if_current_language:nTF   Test whether the currently loaded font is using the specified raw OpenType language tag #1.

```
970 \prg_new_conditional:Nnn \fontspec_if_current_language:n {TF,T,F}
971 {
```

```
972   \fontspec_if_fontspec_font:TF
973     {
974       \prop_get:cnN {g_@@_ \f@family _prop} {fontdef} \l_@@_fontdef_tl
975       \@@_primitive_font_set:Nnn \l_fontspec_font {\l_@@_fontdef_tl} {\f@size pt}
976       \@@_set_font_type:
977       \bool_if:NTF \l_@@_ot_bool
978         {
979           \prop_get:cnN {g_@@_ \f@family _prop} {lang-tag}  \l_@@_tmp_tl
980           \str_if_eq:nVTF {#1} \l_@@_tmp_tl
981             {\prg_return_true:} {\prg_return_false:}
982         }
983       { \prg_return_false: }
984     }
985   { \prg_return_false: }
986 }
```

\fontspec_set_family:Nnn #1 : family
                          #2 : fontspec features
                          #3 : font name

Defines a new font family from given ⟨features⟩ and ⟨font⟩, and stores the name in the variable ⟨family⟩. See the standard fontspec user commands for applications of this function.

We want to store the actual name of the font family within the ⟨family⟩ variable because the actual LaTeX family name is automatically generated by fontspec and it's easier to keep it that way.

Please use \fontspec_set_family:Nnn instead of \@@_select_font_family:nn, which may change in the future.

```
987 \cs_new:Nn \fontspec_set_family:Nnn
988 {
989   \tl_set:Nn \l_@@_family_label_tl { #1 }
990   \@@_select_font_family:nn {#2}{#3}
991   \tl_set_eq:NN #1 \l_fontspec_family_tl
992 }
993 \cs_generate_variant:Nn \fontspec_set_family:Nnn {c}
```

\fontspec_set_fontface:NNnn

```
994 \cs_new:Nn \fontspec_set_fontface:NNnn
995 {
996   \tl_set:Nn \l_@@_family_label_tl { #1 }
997   \@@_select_font_family:nn {#3}{#4}
998   \tl_set_eq:NN #1 \l_fontspec_font
999   \tl_set_eq:NN #2 \l_fontspec_family_tl
1000 }
```

\fontspec_font_if_exist:n

```
1001 \prg_new_conditional:Nnn \fontspec_font_if_exist:n {TF,T,F}
1002 {
1003   \group_begin:
1004     \@@_init:
1005     \@@_if_detect_external:nT {#1} { \@@_font_is_file: }
```

96

```
1006          \@@_primitive_font_if_exist:nTF { \@@_construct_font_call:nn {#1} {} }
1007              { \group_end: \prg_return_true: }
1008              { \group_end: \prg_return_false:  }
1009      }
1010 \cs_set_eq:NN \IfFontExistsTF \fontspec_font_if_exist:nTF
```

ntspec_if_current_feature:nTF   Test whether the currently loaded font is using the specified raw OpenType feature tag #1.

```
1011 \prg_new_conditional:Nnn \fontspec_if_current_feature:n {TF,T,F}
1012   {
1013     \exp_args:Nxx \tl_if_in:nnTF
1014       { \fontname\font } { \tl_to_str:n {#1} }
1015       { \prg_return_true: } { \prg_return_false: }
1016   }
```

\fontspec_if_small_caps:TF

```
1017 \prg_new_conditional:Nnn \fontspec_if_small_caps: {TF,T,F}
1018   {
1019     \@@_if_merge_shape:nTF {sc}
1020       {
1021         \tl_set_eq:Nc \l_@@_smcp_shape_tl { \@@_shape_merge:nn {\f@shape} {sc} }
1022       }
1023       {
1024         \tl_set:Nn \l_@@_smcp_shape_tl {sc}
1025       }
1026
1027     \cs_if_exist:cTF { \f@encoding/\f@family/\f@series/\l_@@_smcp_shape_tl }
1028       {
1029         \tl_if_eq:ccTF
1030           { \f@encoding/\f@family/\f@series/\l_@@_smcp_shape_tl }
1031           { \f@encoding/\f@family/\f@series/\updefault }
1032           { \prg_return_false: }
1033           { \prg_return_true:  }
1034       }
1035       { \prg_return_false: }
1036   }
```

35   Internals

35.1   The main function for setting fonts

\@@_select_font_family:nn   This is the command that defines font families for use, the underlying procedure of all \fontspec-like commands. Given a list of font features (#1) for a requested font (#2), it will define an NFSS family for that font and put the family name (globally) into \l_fontspec_family_tl. The TeX '\font' command is (globally) stored in \l_fontspec_font.

This macro does its processing inside a group to attempt to restrict the scope of its internal processing. This works to some degree to insulate the internal commands from having to be manually cleared.

Some often-used variables to know about:

- `\l_fontspec_fontname_tl` is used as the generic name of the font being defined.

- `\l_@@_fontid_tl` is the unique identifier of the font with all its features.

- `\l_@@_fontname_up_tl` is the font specifically to be used as the upright font.

- `\l_@@_basename_tl` is the (immutable) original argument used for *-replacing.

- `\l_fontspec_font` is the plain TEX font of the upright font requested.

```
1037 \cs_new_protected:Nn \@@_select_font_family:nn
1038 {
1039 ⟨debug⟩\typeout{^^J^^J::::::::::::::::::::::::::::::::::^^J:: fontspec_select:nn~ {#1}~ {#2} }
1040   \group_begin:
1041   \@@_font_suppress_not_found_error:
1042   \@@_init:
1043
1044   \@@_sanitise_fontname:Nn \l_fontspec_fontname_tl    {#2}
1045   \@@_sanitise_fontname:Nn \l_@@_fontname_up_tl {#2}
1046   \@@_sanitise_fontname:Nn \l_@@_basename_tl         {#2}
1047
1048   \@@_if_detect_external:nT {#2}
1049     { \keys_set:nn {fontspec-preparse-external} {Path} }
1050
1051   \@@_init_ttc:n {#2}
1052   \@@_load_external_fontoptions:Nn \l_fontspec_fontname_tl {#2}
1053
1054   \@@_extract_all_features:n {#1}
1055   \tl_set:Nx \l_@@_fontid_tl { \tl_to_str:N \l_fontspec_fontname_tl-:-\tl_to_str:N \l_@@_all_f
1056
1057 ⟨debug⟩\typeout{fontid: \l_@@_fontid_tl}
1058
1059   \@@_preparse_features:
1060   \@@_load_font:
1061   \@@_set_scriptlang:
1062   \@@_get_features:Nn \l_@@_rawfeatures_sclist {}
1063   \bool_set_false:N \l_@@_firsttime_bool
1064
1065   \@@_save_family_needed:nTF {#2}
1066     {
1067       \@@_save_family:nn {#1} {#2}
1068 ⟨debug⟩  \@@_warning:nxx {defining-font} {#1} {#2}
1069     }
1070     {
1071 ⟨debug⟩  \typeout{Font~ family~ already~ defined.}
1072     }
1073   \group_end:
1074 }
```

`\fontspec_select:nn` This old name has been used by 3rd party packages so for compatibility:

```
1075 \cs_set_eq:NN \fontspec_select:nn \@@_select_font_family:nn
```

`\@@_sanitise_fontname:Nn` Assigns font name #2 to token list variable #1 and strips extension(s) from it in the case of an external font. We strip spaces for luatex for consistency with luaotfload, although I'm not sure this is necessary any more. At one stage this also lowercased the name, but this step has been removed unless someone can remind me why it was necessary.

```
1076 \cs_new:Nn \@@_sanitise_fontname:Nn
1077 {
1078   \tl_set:Nx #1 {#2}
1079 ⟨luatex⟩   \tl_remove_all:Nn #1 {~}
1080   \clist_map_inline:Nn \l_@@_extensions_clist
1081     {
1082       \tl_if_in:NnT #1 {##1}
1083         {
1084           \tl_remove_once:Nn #1 {##1}
1085           \tl_set:Nn \l_@@_extension_tl {##1}
1086           \clist_map_break:
1087         }
1088     }
1089 }
```

`\@@_if_detect_external:nT` Check if either the fontname ends with a known font extension.

```
1090 \prg_new_conditional:Nnn \@@_if_detect_external:n {T}
1091 {
1092 ⟨debug⟩   \typeout{:: @@_if_detect_external:n  { \exp_not:n {#1} } }
1093   \clist_map_inline:Nn \l_@@_extensions_clist
1094     {
1095       \bool_set_false:N \l_@@_tmpa_bool
1096       \exp_args:Nx % <- this should be handled earlier
1097       \tl_if_in:nnT {#1 <= end_of_string} {##1 <= end_of_string}
1098         { \bool_set_true:N \l_@@_tmpa_bool \clist_map_break: }
1099     }
1100   \bool_if:NTF \l_@@_tmpa_bool \prg_return_true: \prg_return_false:
1101 }
```

`\@@_init_ttc:n` For TTC fonts we assume they will be loading the italic/bold fonts from the same file, so prepopulate the fontnames to avoid needing to do it manually.

```
1102 \cs_new:Nn \@@_init_ttc:n
1103 {
1104   \str_if_eq_x:nnT { \str_lower_case:f {\l_@@_extension_tl} } {.ttc}
1105     {
1106       \@@_sanitise_fontname:Nn \l_@@_fontname_it_tl    {#1}
1107       \@@_sanitise_fontname:Nn \l_@@_fontname_bf_tl    {#1}
1108       \@@_sanitise_fontname:Nn \l_@@_fontname_bfit_tl {#1}
1109     }
1110 }
```

`_load_external_fontoptions:Nn` Load a possible `.fontspec` font configuration file. This file could set font-specific options for the font about to be loaded.

```
1111 \cs_new:Nn \@@_load_external_fontoptions:Nn
1112 {
1113 ⟨debug⟩   \typeout{:: @@_load_external_fontoptions:Nn \exp_not:N #1 {#2} }
```

```
1114    \@@_sanitise_fontname:Nn #1 {#2}
1115    \tl_set:Nx \l_@@_ext_filename_tl {#1.fontspec}
1116    \tl_remove_all:Nn \l_@@_ext_filename_tl {~}
1117    \prop_if_in:NVF \g_@@_fontopts_prop #1
1118      {
1119        \exp_args:No \file_if_exist:nT { \l_@@_ext_filename_tl }
1120          { \file_input:n { \l_@@_ext_filename_tl } }
1121      }
1122  }
```

\@@_extract_all_features:

```
1123 \cs_new:Nn \@@_extract_all_features:n
1124 {
1125 ⟨debug⟩   \typeout{:: @@_extract_all_features:n { \unexpanded {#1} } }
1126    \bool_if:NTF \l_@@_disable_defaults_bool
1127      {
1128        \clist_set:Nx \l_@@_all_features_clist {#1}
1129      }
1130      {
1131        \prop_get:NVNF \g_@@_fontopts_prop \l_fontspec_fontname_tl \l_@@_fontopts_clist
1132          { \clist_clear:N \l_@@_fontopts_clist }
1133
1134        \prop_get:NVNF \g_@@_fontopts_prop \l_@@_family_label_tl \l_@@_family_fontopts_clist
1135          { \clist_clear:N \l_@@_family_fontopts_clist }
1136        \tl_clear:N \l_@@_family_label_tl
1137
1138        \clist_set:Nx \l_@@_all_features_clist
1139          {
1140            \g_@@_default_fontopts_clist,
1141            \l_@@_family_fontopts_clist,
1142            \l_@@_fontopts_clist,
1143            #1
1144          }
1145      }
1146 }
```

\@@_preparse_features: #1 : feature options

#2 : font name

Perform the (multi-step) feature parsing process.

Convert the requested features to font definition strings. First the features are parsed for information about font loading (whether it's a named font or external font, etc.), and then information is extracted for the names of the other shape fonts.

```
1147 \cs_new:Nn \@@_preparse_features:
1148 {
1149 ⟨debug⟩   \typeout{:: @@_preparse_features:}
```

Detect if external fonts are to be used, possibly automatically, and parse fontspec features for bold/italic fonts and their features.

```
1150
1151    \@@_keys_set_known:nxN {fontspec-preparse-external}
1152      { \l_@@_all_features_clist }
```

```
1153     \l_@@_keys_leftover_clist
1154
```

When \l_fontspec_fontname_tl is augmented with a prefix or whatever to create the name of the upright font (\l_@@_fontname_up_tl), this latter is the new 'general font name' to use.

```
1155   \tl_set_eq:NN \l_fontspec_fontname_tl \l_@@_fontname_up_tl
1156   \@@_keys_set_known:nxN {fontspec-renderer} {\l_@@_keys_leftover_clist}
1157     \l_@@_keys_leftover_clist
1158   \@@_keys_set_known:nxN {fontspec-preparse} {\l_@@_keys_leftover_clist}
1159     \l_@@_fontfeat_clist
1160 }
```

\@@_load_font:

```
1161 \cs_new:Nn \@@_load_font:
1162 {
1163 ⟨debug⟩\typeout{:: @@_load_font}
1164 ⟨debug⟩\typeout{Set~ base~ font~ for~ preliminary~ analysis: \@@_construct_font_call:nn { \l_@
1165   \@@_primitive_font_set:Nnn \l_fontspec_font
1166     { \@@_construct_font_call:nn { \l_@@_fontname_up_tl } {} } {\f@size pt}
1167   \@@_primitive_font_if_null:NT \l_fontspec_font { \@@_error:nx {font-not-found} {\l_@@_fontna
1168   \@@_set_font_type:
1169 ⟨debug⟩\typeout{Set~ base~ font~ properly: \@@_construct_font_call:nn { \l_@@_fontname_up_tl }
1170   \@@_primitive_font_gset:Nnn \l_fontspec_font
1171     { \@@_construct_font_call:nn { \l_@@_fontname_up_tl } {} } {\f@size pt}
1172   \l_fontspec_font % this is necessary for LuaLaTeX to check the scripts properly
1173 }
```

\@@_construct_font_call:nn   Constructs the complete font invocation. #1 : Base name
#2 : Extension
#3 : TTC Index
#4 : Renderer
#5 : Optical size
#6 : Font features
   We check if ⟨Font features⟩ are empty and if so don't add in the separator colon.

```
1174 \cs_set:Nn \@@_construct_font_call:nnnnnn
1175 {
1176 ⟨xetex⟩  " \@@_fontname_wrap:n { #1 #2 #3 }
1177 ⟨luatex⟩  " \@@_fontname_wrap:n { #1 #2 } #3
1178     #4 #5
1179     \str_if_eq_x:nnF {#6}{} {:#6} "
1180 }
```

In practice, we don't use the six-argument version, since most arguments are constructed on-the-fly:

```
1181 \cs_set:Nn \@@_construct_font_call:nn
1182 {
1183   \@@_construct_font_call:nnnnnn
1184     {#1}
1185     \l_@@_extension_tl
1186     \l_@@_ttc_index_tl
```

```
1187      \l_fontspec_renderer_tl
1188      \l_@@_optical_size_tl
1189      {#2}
1190  }
```

`nt_is_file:,\@@_font_is_name:` The `\@@_fontname_wrap:n` command takes the font name and either passes it through unchanged or wraps it in the syntax for loading a font 'by filename'. X∃TEX's syntax is followed since luaotfload provides compatibility.

```
1191 \cs_new:Nn \@@_font_is_name:
1192  {
1193      \cs_set_eq:NN \@@_fontname_wrap:n \use:n
1194  }
1195 \cs_new:Nn \@@_font_is_file:
1196  {
1197      \cs_set:Npn \@@_fontname_wrap:n ##1 { [ \l_@@_font_path_tl ##1 ] }
1198  }
```

`\@@_set_scriptlang:` Only necessary for OpenType fonts. First check if the font supports scripts, then apply defaults if none are explicitly requested. Similarly with the language settings.

```
1199 \cs_new:Nn \@@_set_scriptlang:
1200  {
1201    \bool_if:NT \l_@@_firsttime_bool
1202      {
1203      \tl_if_empty:NTF \l_@@_script_name_tl
1204        {
1205        \@@_check_script:nTF {latn}
1206          {
1207          \tl_set:Nn \l_@@_script_name_tl {Latin}
1208          \tl_if_empty:NT \l_@@_lang_name_tl
1209            {
1210            \tl_set:Nn \l_@@_lang_name_tl {Default}
1211            }
1212          \keys_set:nx {fontspec-opentype} {Script=\l_@@_script_name_tl}
1213          \keys_set:nx {fontspec-opentype} {Language=\l_@@_lang_name_tl}
1214          }
1215          {
1216          \@@_info:n {no-scripts}
1217          }
1218        }
1219        {
1220        \tl_if_empty:NT \l_@@_lang_name_tl
1221          {
1222          \tl_set:Nn \l_@@_lang_name_tl {Default}
1223          }
1224        \keys_set:nx {fontspec-opentype} {Script=\l_@@_script_name_tl}
1225        \keys_set:nx {fontspec-opentype} {Language=\l_@@_lang_name_tl}
1226        }
1227      }
1228  }
```

`\@@_get_features:Nn` This macro is a wrapper for `\keys_set:nn` which expands and adds a default specification to the original passed options. It begins by initialising the commands used to

hold font-feature specific strings. Its argument is any additional features to prepend to the default.

Do not set the colour if not explicitly spec'd else \color (using specials) will not work.

```
1229 \cs_set:Nn \@@_get_features:Nn
1230 {
1231 ⟨debug⟩   \typeout{:: @@_get_features:Nn \exp_not:N #1 { \exp_not:n {#2} } }
1232   \@@_init_fontface:
1233   \@@_keys_set_known:nxN {fontspec-renderer} {\l_@@_fontfeat_clist,#2}
1234     \l_@@_keys_leftover_clist
1235   \@@_keys_set_known:nxN {fontspec} {\l_@@_keys_leftover_clist} \l_@@_keys_leftover_clist
1236 ⟨*xetexx⟩
1237   \bool_if:NTF \l_@@_ot_bool
1238     {
1239 ⟨debug⟩   \typeout{::: Setting~ keys~ for~ OpenType~ font~ features:~"\l_@@_keys_leftover_clist
1240     %  \tracingall
1241       \keys_set:nV {fontspec-opentype} \l_@@_keys_leftover_clist
1242     %  \EROROR
1243     }
1244     {
1245 ⟨debug⟩   \typeout{::: Setting~ keys~ for~ AAT~ font~ features:~"\l_@@_keys_leftover_clist"}
1246       \bool_if:NT \l_@@_atsui_bool
1247         { \keys_set:nV {fontspec-aat} \l_@@_keys_leftover_clist }
1248     }
1249 ⟨/xetexx⟩
1250 ⟨*luatex⟩
1251 ⟨debug⟩   \typeout{::: Setting~ keys~ for~ OpenType~ font~ features:~"\l_@@_keys_leftover_clist
1252   \keys_set:nV {fontspec-opentype} \l_@@_keys_leftover_clist
1253 ⟨/luatex⟩
1254
1255   \tl_if_empty:NF \l_@@_mapping_tl
1256     { \@@_update_featstr:n { mapping = \l_@@_mapping_tl } }
1257
1258   \str_if_eq_x:nnF { \l_@@_hexcol_tl \l_@@_opacity_tl }
1259                    { \g_@@_hexcol_tl \g_@@_opacity_tl }
1260     { \@@_update_featstr:n { color = \l_@@_hexcol_tl\l_@@_opacity_tl } }
1261
1262   \tl_set_eq:NN #1 \l_@@_rawfeatures_sclist
1263 }
```

\@@_save_family_needed:nTF Check if the family is unique and, if so, save its information. (\addfontfeature and other macros use this data.) Then the font family and its shapes are defined in the NFSS.

Now we have a unique (in fact, too unique!) string that contains the family name and every option in abbreviated form. This is used with a counter to create a simple NFSS family name for the font we're selecting.

```
1264 \prg_new_conditional:Nnn \@@_save_family_needed:n {TF}
1265 {
1266
1267 ⟨debug⟩   \typeout{save~ family:~ #1}
```

```
1268 ⟨debug⟩   \typeout{== fontid_tl: "\l_@@_fontid_tl".}
1269
1270   \cs_if_exist:NT \l_@@_nfss_fam_tl
1271     {
1272       \cs_set_eq:cN {g_@@_UID_\l_@@_fontid_tl} \l_@@_nfss_fam_tl
1273     }
1274   \cs_if_exist:cF {g_@@_UID_\l_@@_fontid_tl}
1275     {
1276     % The font name is fully expanded, in case it's defined in terms of macros, before having
1277       \tl_set:Nx \l_@@_tmp_tl {#1}
1278       \tl_remove_all:Nn \l_@@_tmp_tl {~}
1279
1280       \cs_if_exist:cTF {g_@@_family_ \l_@@_tmp_tl _int}
1281         { \int_gincr:c   {g_@@_family_ \l_@@_tmp_tl _int} }
1282         { \int_new:c     {g_@@_family_ \l_@@_tmp_tl _int} }
1283
1284       \tl_gset:cx {g_@@_UID_\l_@@_fontid_tl}
1285         {
1286           \l_@@_tmp_tl ( \int_use:c {g_@@_family_ \l_@@_tmp_tl _int} )
1287         }
1288     }
1289   \tl_gset:Nv \l_fontspec_family_tl {g_@@_UID_\l_@@_fontid_tl}
1290   \cs_if_exist:cTF {g_@@_ \l_fontspec_family_tl _prop}
1291     \prg_return_false: \prg_return_true:
1292 }
```

\@@_save_family:nn   Saves the relevant font information for future processing.

```
1293 \cs_new:Nn \@@_save_family:nn
1294   {
1295     \@@_save_fontinfo:n {#2}
1296     \@@_find_autofonts:
1297     \DeclareFontFamily{\l_@@_nfss_enc_tl}{\l_fontspec_family_tl}{}
1298     \@@_set_faces:
1299     \@@_info:nxx {defining-font} {#1} {#2}
1300   }
```

\@@_save_fontinfo:n   Saves the relevant font information for future processing.

```
1301 \cs_new:Nn \@@_save_fontinfo:n
1302 {
1303   \prop_new:c {g_@@_ \l_fontspec_family_tl _prop}
1304   \prop_gput:cnx {g_@@_ \l_fontspec_family_tl _prop} {fontname} { #1 }
1305   \prop_gput:cnx {g_@@_ \l_fontspec_family_tl _prop} {options}  { \l_@@_all_features_clist }
1306   \prop_gput:cnx {g_@@_ \l_fontspec_family_tl _prop} {fontdef}
1307     {
1308       \@@_construct_font_call:nn {\l_fontspec_fontname_tl}
1309         { \l_@@_pre_feat_sclist \l_@@_rawfeatures_sclist }
1310     }
1311   \prop_gput:cnV {g_@@_ \l_fontspec_family_tl _prop} {script-num} \l_@@_script_int
1312   \prop_gput:cnV {g_@@_ \l_fontspec_family_tl _prop} {lang-num} \l_@@_language_int
1313   \prop_gput:cnV {g_@@_ \l_fontspec_family_tl _prop} {script-tag} \l_fontspec_script_tl
1314   \prop_gput:cnV {g_@@_ \l_fontspec_family_tl _prop} {lang-tag} \l_fontspec_lang_tl
1315 }
```

35.2 Setting font shapes in a family

All NFSS specifications take their default values, so if any of them are redefined, the shapes will be selected to fit in with the current state. For example, if \bfdefault is redefined to b, all bold shapes defined by this package will also be assigned to b.

   The combination shapes are searched first because they use information that may be redefined in the single cases. E.g., if no bold font is specified then set_autofont will attempt to set it. This has subtle/small ramifications on the logic of choosing the bold italic font.

\@@_find_autofonts:

```
1316 \cs_new:Nn \@@_find_autofonts:
1317 {
1318   \bool_if:nF {\l_@@_noit_bool || \l_@@_nobf_bool}
1319     {
1320       \@@_set_autofont:Nnn \l_@@_fontname_bfit_tl {\l_@@_fontname_it_tl} {/B}
1321       \@@_set_autofont:Nnn \l_@@_fontname_bfit_tl {\l_@@_fontname_bf_tl} {/I}
1322       \@@_set_autofont:Nnn \l_@@_fontname_bfit_tl {\l_fontspec_fontname_tl} {/BI}
1323     }
1324
1325   \bool_if:NF \l_@@_nobf_bool
1326     {
1327       \@@_set_autofont:Nnn \l_@@_fontname_bf_tl {\l_fontspec_fontname_tl} {/B}
1328     }
1329
1330   \bool_if:NF \l_@@_noit_bool
1331     {
1332       \@@_set_autofont:Nnn \l_@@_fontname_it_tl {\l_fontspec_fontname_tl} {/I}
1333     }
1334
1335   \@@_set_autofont:Nnn \l_@@_fontname_bfsl_tl {\l_@@_fontname_sl_tl} {/B}
1336 }
```

\@@_set_faces:

```
1337 \cs_new:Nn \@@_set_faces:
1338 {
1339   \@@_add_nfssfont:nnnn \mddefault \updefault \l_fontspec_fontname_tl      \l_@@_fontfeat_up_c
1340   \@@_add_nfssfont:nnnn \bfdefault \updefault \l_@@_fontname_bf_tl   \l_@@_fontfeat_bf_clist
1341   \@@_add_nfssfont:nnnn \mddefault \itdefault \l_@@_fontname_it_tl   \l_@@_fontfeat_it_clist
1342   \@@_add_nfssfont:nnnn \mddefault \sldefault \l_@@_fontname_sl_tl   \l_@@_fontfeat_sl_clist
1343   \@@_add_nfssfont:nnnn \bfdefault \itdefault \l_@@_fontname_bfit_tl \l_@@_fontfeat_bfit_clist
1344   \@@_add_nfssfont:nnnn \bfdefault \sldefault \l_@@_fontname_bfsl_tl \l_@@_fontfeat_bfsl_clist
1345
1346   \prop_map_inline:Nn \l_@@_nfssfont_prop { \@@_set_faces_aux:nnnnn ##2 }
1347 }
1348 \cs_new:Nn \@@_set_faces_aux:nnnnn
1349 {
1350   \fontspec_complete_fontname:Nn \l_@@_curr_fontname_tl {#3}
1351   \@@_make_font_shapes:Nnnnn \l_@@_curr_fontname_tl {#1} {#2} {#4} {#5}
1352 }
```

`fontspec_complete_fontname:Nn` This macro defines #1 as the input with any * tokens of its input replaced by the font name. This lets us define supplementary fonts in full (˝`Baskerville Semibold`˝) or in abbreviation (˝`* Semibold`˝).

```
1353 \cs_set:Nn \fontspec_complete_fontname:Nn
1354 {
1355   \tl_set:Nx #1 {#2}
1356   \tl_replace_all:Nnx #1 {*} {\l_@@_basename_tl}
1357 ⟨luatex⟩   \tl_remove_all:Nn #1 {~}
1358 }
```

`\@@_add_nfssfont:nnnn` #1 : series
#2 : shape
#3 : fontname
#4 : fontspec features

```
1359 \cs_new:Nn \@@_add_nfssfont:nnnn
1360 {
1361   \tl_set:Nx \l_@@_this_font_tl {#3}
1362
1363   \tl_if_empty:xTF {#4}
1364     { \clist_set:Nn \l_@@_sizefeat_clist {Size={-}} }
1365     { \@@_keys_set_known:nxN {fontspec-preparse-nested} {#4} \l_@@_tmp_tl }
1366
1367   \tl_if_empty:NF \l_@@_this_font_tl
1368     {
1369       \prop_put:Nxx \l_@@_nfssfont_prop {#1/#2}
1370         { {#1}{#2}{\l_@@_this_font_tl}{#4}{\l_@@_sizefeat_clist} }
1371     }
1372 }
```

35.2.1 Fonts

`\@@_set_font_type:` Now check if the font is to be rendered with ATSUI or Harfbuzz. This will either be automatic (based on the font type), or specified by the user via a font feature.

This macro sets booleans accordingly depending if the font in `\l_fontspec_font` is an AAT font or an OpenType font or a font with feature axes (either AAT or Multiple Master), respectively.

```
1373 \cs_new:Nn \@@_set_font_type:
1374 {
1375 ⟨debug⟩   \typeout{:: @@_set_font_type:}
1376 ⟨*xetexx⟩
1377   \bool_set_false:N \l_@@_tfm_bool
1378   \bool_set_false:N \l_@@_atsui_bool
1379   \bool_set_false:N \l_@@_ot_bool
1380   \bool_set_false:N \l_@@_mm_bool
1381   \bool_set_false:N \l_@@_graphite_bool
1382   \ifcase\XeTeXfonttype\l_fontspec_font
1383     \bool_set_true:N \l_@@_tfm_bool
1384   \or
1385     \bool_set_true:N \l_@@_atsui_bool
1386     \ifnum\XeTeXcountvariations\l_fontspec_font > \c_zero
```

```
1387        \bool_set_true:N \l_@@_mm_bool
1388      \fi
1389   \or
1390      \bool_set_true:N \l_@@_ot_bool
1391   \fi
```

If automatic, the `\l_fontspec_renderer_tl` token list will still be empty (other suf-
fices that could be added will be later in the feature processing), and if it is indeed still
empty, assign it a value so that the other weights of the font are specifically loaded
with the same renderer.

```
1392   \tl_if_empty:NT \l_fontspec_renderer_tl
1393     {
1394      \bool_if:NTF \l_@@_atsui_bool
1395        { \tl_set:Nn \l_fontspec_renderer_tl {/AAT} }
1396        {
1397          \bool_if:NT \l_@@_ot_bool
1398            { \tl_set:Nn \l_fontspec_renderer_tl {/OT} }
1399        }
1400     }
1401 ⟨/xetexx⟩
1402 ⟨*luatex⟩
1403   \bool_set_true:N \l_@@_ot_bool
1404 ⟨/luatex⟩
1405 }
```

\@@_set_autofont:Nnn   #1 : Font name tl
#2 : Base font name
#3 : Font name modifier

This function looks for font with ⟨*name*⟩ and ⟨*modifier*⟩ #2#3, and if found (i.e.,
different to font with name #2) stores it in tl #1. A modifier is something like /B to
look for a bold font, for example.

We can't match external fonts in this way (in X𝖤TEX anyway; todo: test with Lua-
TeX). If ⟨*font name tl*⟩ is not empty, then it's already been specified by the user so abort.
If ⟨*Base font name*⟩ is not given, we also abort for obvious reasons.

If ⟨*font name tl*⟩ is empty, then proceed. If not found, ⟨*font name tl*⟩ remains empty.
Otherwise, we have a match.

```
1406 \cs_new:Nn \@@_set_autofont:Nnn
1407 {
1408   \bool_if:NF \l_@@_external_bool
1409     {
1410   \tl_if_empty:xF {#2}
1411     {
1412     \tl_if_empty:NT #1
1413       {
1414       \@@_if_autofont:nnTF {#2} {#3}
1415         { \tl_set:Nx #1 {#2#3} }
1416         { \@@_info:nx {no-font-shape} {#2#3} }
1417       }
1418     }
1419   }
1420 }
```

107

```
1421
1422 \prg_new_conditional:Nnn \@@_if_autofont:nn {T,TF}
1423 {
1424   \@@_primitive_font_set:Nnn \l_tmpa_font { \@@_construct_font_call:nn {#1} {}  } {\f@size pt}
1425   \@@_primitive_font_set:Nnn \l_tmpb_font { \@@_construct_font_call:nn {#1#2} {} } {\f@size pt}
1426   \str_if_eq_x:nnTF { \fontname \l_tmpa_font } { \fontname \l_tmpb_font }
1427     { \prg_return_false: }
1428     { \prg_return_true: }
1429 }
```

\@@_make_font_shapes:Nnnnn #1 : Font name
                            #2 : Font series
                            #3 : Font shape
                            #4 : Font features
                            #5 : Size features

This macro eventually uses \DeclareFontShape to define the font shape in question.

```
1430 \cs_new:Nn \@@_make_font_shapes:Nnnnn
1431 {
1432   \group_begin:
1433     \@@_keys_set_known:nxN {fontspec-preparse-external} { #4 } \l_@@_leftover_clist
1434     \@@_load_fontname:n {#1}
1435     \@@_declare_shape:nnxx {#2} {#3} { \l_@@_fontopts_clist, \l_@@_leftover_clist } {#5}
1436   \group_end:
1437 }
1438
1439 \cs_new:Nn \@@_load_fontname:n
1440 {
1441 ⟨debug⟩    \typeout{:: @@_load_fontname:n {#1} }
1442     \@@_load_external_fontoptions:Nn \l_fontspec_fontname_tl {#1}
1443     \prop_get:NVNF \g_@@_fontopts_prop \l_fontspec_fontname_tl \l_@@_fontopts_clist
1444       { \clist_clear:N \l_@@_fontopts_clist }
1445     \@@_primitive_font_set:Nnn \l_fontspec_font { \@@_construct_font_call:nn {\l_fontspec_font
1446     \@@_primitive_font_if_null:NT \l_fontspec_font { \@@_error:nx {font-not-found} {#1} }
1447 }
```

\@@_declare_shape:nnnn #1 : Font series
                        #2 : Font shape
                        #3 : Font features
                        #4 : Size features

Wrapper for \DeclareFontShape. And finally the actual font shape declaration using \l_@@_nfss_tl defined above. \l_@@_postadjust_tl is defined in various places to deal with things like the hyphenation character and interword spacing.

The main part is to loop through SizeFeatures arguments, which are of the form

SizeFeatures={{<one>},{<two>},{<three>}}.

```
1448 \cs_new:Nn \@@_declare_shape:nnnn
1449 {
1450 ⟨debug⟩\typeout{=~ declare_shape:~{\l_fontspec_fontname_tl}~{#1}~{#2}}
1451   \tl_clear:N \l_@@_nfss_tl
1452   \tl_clear:N \l_@@_nfss_sc_tl
```

108

```
1453    \tl_set_eq:NN \l_@@_saved_fontname_tl \l_fontspec_fontname_tl
1454
1455    \exp_args:Nx \clist_map_inline:nn {#4} { \@@_setup_single_size:nn {#3} {##1} }
1456
1457    \@@_declare_shapes_normal:nn {#1} {#2}
1458    \@@_declare_shapes_smcaps:nn {#1} {#2}
1459    \@@_declare_shape_slanted:nn {#1} {#2}
1460    \@@_declare_shape_loginfo:nn {#1} {#2}
1461  }
1462 \cs_generate_variant:Nn \@@_declare_shape:nnnn {nnxx}
```

\@@_setup_single_size:nn

```
1463 \cs_new:Nn \@@_setup_single_size:nn
1464  {
1465    \tl_clear:N \l_@@_size_tl
1466    \tl_set_eq:NN \l_@@_sizedfont_tl \l_@@_saved_fontname_tl % in case not spec'ed
1467
1468    \keys_set_known:nxN {fontspec-sizing} { \exp_after:wN \use:n #2 }
1469      \l_@@_sizing_leftover_clist
1470    \tl_if_empty:NT \l_@@_size_tl { \@@_error:n {no-size-info} }
1471 ⟨debug⟩\typeout{==~ size:~\l_@@_size_tl}
1472
1473    % "normal"
1474    \@@_load_fontname:n {\l_@@_sizedfont_tl}
1475    \@@_setup_nfss:Nnnn \l_@@_nfss_tl {#1} {\l_@@_sizing_leftover_clist} {}
1476 ⟨debug⟩    \typeout{===~ sized~ font:~ \l_@@_sizedfont_tl}
1477
1478    % small caps
1479    \clist_set_eq:NN \l_@@_fontfeat_curr_clist \l_@@_fontfeat_sc_clist
1480
1481    \bool_if:NF \l_@@_nosc_bool
1482      {
1483      \tl_if_empty:NTF \l_@@_fontname_sc_tl
1484        {
1485        \@@_make_smallcaps:TF
1486          {
1487 ⟨debug⟩\typeout{====~Small~ caps~ found.}
1488            \clist_put_left:Nn \l_@@_fontfeat_curr_clist {Letters=SmallCaps}
1489          }
1490          {
1491 ⟨debug⟩\typeout{====~Small~ caps~ not~ found.}
1492            \bool_set_true:N \l_@@_nosc_bool
1493          }
1494        }
1495        { \@@_load_fontname:n {\l_@@_fontname_sc_tl} }% local for each size
1496      }
1497
1498    \bool_if:NF \l_@@_nosc_bool
1499      {
1500      \@@_setup_nfss:Nnnn \l_@@_nfss_sc_tl
1501        {#1} {\l_@@_sizing_leftover_clist} {\l_@@_fontfeat_curr_clist}
1502      }
```

```
1503   }
```

`\@@_setup_nfss:Nnnn`

```
1504 \cs_new:Nn \@@_setup_nfss:Nnnn
1505   {
1506 ⟨debug⟩\typeout{====~Setup~NFSS~shape:~<\l_@@_size_tl>~\l_fontspec_fontname_tl}
1507
1508     \@@_get_features:Nn \l_@@_rawfeatures_sclist { #2 , #3 , #4 }
1509 ⟨debug⟩\typeout{====~Gathered~features:~\l_@@_rawfeatures_sclist}
1510
1511     \tl_put_right:Nx #1
1512       {
1513       <\l_@@_size_tl> \l_@@_scale_tl
1514         \@@_construct_font_call:nn { \l_fontspec_fontname_tl }
1515           { \l_@@_pre_feat_sclist \l_@@_rawfeatures_sclist }
1516       }
1517   }
```

`\@@_declare_shapes_normal:nn`

```
1518 \cs_new:Nn \@@_declare_shapes_normal:nn
1519   {
1520     \@@_DeclareFontShape:xxxxxx {\l_@@_nfss_enc_tl} {\l_fontspec_family_tl}
1521       {#1} {#2} {\l_@@_nfss_tl}{\l_@@_postadjust_tl}
1522   }
```

`\@@_declare_shapes_smcaps:nn`

```
1523 \cs_new:Nn \@@_declare_shapes_smcaps:nn
1524   {
1525     \tl_if_empty:NF \l_@@_nfss_sc_tl
1526       {
1527       \@@_DeclareFontShape:xxxxxx {\l_@@_nfss_enc_tl} {\l_fontspec_family_tl} {#1}
1528         { \@@_combo_sc_shape:n {#2} } {\l_@@_nfss_sc_tl} {\l_@@_postadjust_tl}
1529       }
1530   }
1531
1532 \cs_new:Nn \@@_combo_sc_shape:n
1533   {
1534     \tl_if_exist:cTF { \@@_shape_merge:nn {#1} {\scdefault} }
1535         { \tl_use:c { \@@_shape_merge:nn {#1} {\scdefault} } }
1536         { \scdefault }
1537   }
```

`\@@_DeclareFontShape:nnnnnn`

```
1538 \cs_new:Nn \@@_DeclareFontShape:nnnnnn
1539   {
1540 ⟨debug⟩\typeout{DeclareFontShape:~{#1}{#2}{#3}{#4}...}
1541   \group_begin:
1542     \normalsize
1543     \cs_undefine:c {#1/#2/#3/#4/\f@size}
1544   \group_end:
1545   \DeclareFontShape{#1}{#2}{#3}{#4}{#5}{#6}
```

\@@_declare_shape_slanted:nn This extra stuff for the slanted shape substitution is a little bit awkward. We define the slanted shape to be a synonym for it when (a) we're defining an italic font, but also (b) when the default slanted shape isn't 'it'. (Presumably this turned up once in a test and I realised it caused problems. I doubt this would happen much.)

We should test when a slanted font has been specified and not run this code if so, but the `\@@_set_slanted:` code will overwrite this anyway if necessary.

```
1548 \cs_new:Nn \@@_declare_shape_slanted:nn
1549 {
1550   \bool_if:nT
1551     {
1552       \str_if_eq_x_p:nn {#2} {\itdefault}  &&
1553       !(\str_if_eq_x_p:nn {\itdefault} {\sldefault})
1554     }
1555     {
1556       \@@_DeclareFontShape:xxxxxx {\l_@@_nfss_enc_tl}{\l_fontspec_family_tl}{#1}{\sldefault}
1557         {<->ssub*\l_fontspec_family_tl/#1/\itdefault}{\l_@@_postadjust_tl}
1558     }
1559 }
```

\@@_declare_shape_loginfo:nn Lastly some informative messaging.

```
1560 \cs_new:Nn \@@_declare_shape_loginfo:nn
1561 {
1562   \tl_gput_right:Nx \l_fontspec_defined_shapes_tl
1563     {
1564       \exp_not:n { \\ }
1565       -~ \exp_not:N \str_case:nn {#1/#2}
1566         {
1567           {\mddefault/\updefault} {'normal'~}
1568           {\bfdefault/\updefault} {'bold'~}
1569           {\mddefault/\itdefault} {'italic'~}
1570           {\mddefault/\sldefault} {'slanted'~}
1571           {\bfdefault/\itdefault} {'bold~ italic'~}
1572           {\bfdefault/\sldefault} {'bold~ slanted'~}
1573         } (#1/#2)~
1574       with~ NFSS~ spec.:~
1575       \l_@@_nfss_tl
1576       \exp_not:n { \\ }
1577       -~ \exp_not:N \str_case:nn { #1 / \@@_combo_sc_shape:n {#2} }
1578         {
1579           {\mddefault/\scdefault} {'small~ caps'~}
1580           {\bfdefault/\scdefault} {'bold~ small~ caps'~}
1581           {\mddefault/\itscdefault} {'italic~ small~ caps'~}
1582           {\bfdefault/\itscdefault} {'bold~ italic~ small~ caps'~}
1583           {\mddefault/\slscdefault} {'slanted~ small~ caps'~}
1584           {\bfdefault/\slscdefault} {'bold~ slanted~ small~ caps'~}
1585         }~( #1 / \@@_combo_sc_shape:n {#2} )~
1586       with~ NFSS~ spec.:~
1587       \l_@@_nfss_sc_tl
```

```
1588    \tl_if_empty:fF {\l_@@_postadjust_tl}
1589      {
1590        \exp_not:N \\ and~ font~ adjustment~ code: \exp_not:N \\ \l_@@_postadjust_tl
1591      }
1592    }
1593 }
```

Maybe \str_if_eq_x:nnF would be better?

35.2.2   Features

\l_@@_pre_feat_sclist   These are the features always applied to a font selection before other features.

```
1594 \tl_set:Nn \l_@@_pre_feat_sclist
1595 ⟨*xetexx⟩
1596 {
1597   \bool_if:NT \l_@@_ot_bool
1598     {
1599     \tl_if_empty:NF \l_fontspec_script_tl
1600       {
1601       script   = \l_fontspec_script_tl ;
1602       language = \l_fontspec_lang_tl   ;
1603       }
1604     }
1605 }
1606 ⟨/xetexx⟩
1607 ⟨*luatex⟩
1608 {
1609   mode     = \l_fontspec_mode_tl   ;
1610   \tl_if_empty:NF \l_fontspec_script_tl
1611     {
1612     script   = \l_fontspec_script_tl ;
1613     language = \l_fontspec_lang_tl   ;
1614     }
1615 }
1616 ⟨/luatex⟩
```

\@@_make_ot_smallcaps:TF   This macro checks if the font contains small caps.

```
1617 ⟨luatex⟩\cs_set:Nn \@@_make_smallcaps:TF
1618 ⟨xetexx⟩\cs_set:Nn \@@_make_ot_smallcaps:TF
1619 {
1620   \@@_check_ot_feat:nTF {smcp} {#1} {#2}
1621 }
1622 ⟨*xetexx⟩
1623 \cs_set:Nn \@@_make_smallcaps:TF
1624 {
1625   \bool_if:NTF \l_@@_ot_bool
1626     { \@@_make_ot_smallcaps:TF {#1} {#2} }
1627     {
1628     \bool_if:NT \l_@@_atsui_bool
1629       { \@@_make_AAT_feature_string:nnTF {3}{3} {#1} {#2} }
1630     }
1631 }
```

`\@@_update_featstr:n` `\l_@@_rawfeatures_sclist` is the string used to define the list of specific font fea-
tures. Each time another font feature is requested, this macro is used to add that feature
to the list. Font features are separated by semicolons.

```
1633 \cs_new:Nn \@@_update_featstr:n
1634   {
1635 ⟨debug⟩            \typeout{:::: @@_update_featstr:n {#1}}
1636     \bool_if:NF \l_@@_firsttime_bool
1637       {
1638         \tl_gset:Nx \g_@@_single_feat_tl { #1 }
1639 ⟨debug⟩                \typeout{::::~ Adding~ feature.}
1640         \tl_gput_right:Nx  \l_@@_rawfeatures_sclist {#1;}
1641       }
1642   }
```

`\@@_remove_clashing_featstr:n`

```
1643 \cs_new:Nn \@@_remove_clashing_featstr:n
1644   {
1645 ⟨debug⟩     \typeout{:::: @@_remove_clashing_featstr:n {#1}}
1646     \clist_map_inline:nn {#1}
1647       {
1648 ⟨debug⟩            \typeout{::::~ Removing~ feature~ "##1;"}
1649         \tl_gremove_all:Nn \l_@@_rawfeatures_sclist {##1;}
1650       }
1651   }
```

35.3 Initialisation

`\@@_init:` Initialisations that need to occur once per fontspec font invocation. (Some of these
may be redundant. Check whether they're assigned to globally or not.)

```
1652 \cs_set:Npn \@@_init:
1653 {
1654 ⟨debug⟩  \typeout{:: @@_init:}
1655   \bool_set_false:N \l_@@_ot_bool
1656   \bool_set_true:N \l_@@_firsttime_bool
1657   \@@_font_is_name:
1658   \tl_clear:N \l_@@_font_path_tl
1659   \tl_clear:N \l_@@_optical_size_tl
1660   \tl_clear:N \l_@@_ttc_index_tl
1661   \tl_clear:N \l_fontspec_renderer_tl
1662   \tl_clear:N \l_fontspec_defined_shapes_tl
1663   \tl_clear:N \g_@@_curr_series_tl
1664   \tl_gset_eq:NN \l_@@_nfss_enc_tl \g_fontspec_encoding_tl
1665
1666 ⟨*luatex⟩
1667   \tl_set:Nn \l_fontspec_mode_tl {node}
1668   \int_set:Nn \luatex_prehyphenchar:D { `\- } % fixme
1669   \int_zero:N \luatex_posthyphenchar:D        % fixme
1670   \int_zero:N \luatex_preexhyphenchar:D       % fixme
1671   \int_zero:N \luatex_postexhyphenchar:D      % fixme
```

1673 }

\@@_init_fontface: Executed in \@@_get_features:Nn.

```
1674 \cs_new:Nn \@@_init_fontface:
1675   {
1676     \tl_clear:N \l_@@_rawfeatures_sclist
1677     \tl_clear:N \l_@@_scale_tl
1678     \tl_set_eq:NN \l_@@_opacity_tl \g_@@_opacity_tl
1679     \tl_set_eq:NN \l_@@_hexcol_tl \g_@@_hexcol_tl
1680     \tl_set_eq:NN \l_@@_postadjust_tl \g_@@_postadjust_tl
1681     \tl_clear:N \l_@@_wordspace_adjust_tl
1682     \tl_clear:N \l_@@_punctspace_adjust_tl
1683   }
```

35.4 Miscellaneous

\@@_iv_str_to_num:Nn   This macro takes a four character string and converts it to the numerical representation required for X∃TEX OpenType script/language/feature purposes. The output is stored in #1.

   The reason it's ugly is because the input can be of the form of any of these: 'abcd', 'abc', 'abc ', 'ab', 'ab   ', *etc.* (It is assumed the first two chars are *always* not spaces.) So this macro reads in the string, delimited by a space; this input is padded with \@empty s and anything beyond four chars is snipped. The \@empty s then are used to reconstruct the spaces in the string to number calculation.

```
1684 \cs_set:Nn \@@_iv_str_to_num:Nn
1685 {
1686   \@@_iv_str_to_num:w #1 \q_nil #2 \c_empty_tl \c_empty_tl \q_nil
1687 }
1688 \cs_set:Npn \@@_iv_str_to_num:w #1 \q_nil #2#3#4#5#6 \q_nil
1689 {
1690   \int_set:Nn #1
1691     {
1692         `#2 * "1000000
1693       + `#3 * "10000
1694       + \ifx \c_empty_tl #4 32 \else `#4 \fi * "100
1695       + \ifx \c_empty_tl #5 32 \else `#5 \fi
1696     }
1697 }
1698 \cs_generate_variant:Nn \@@_iv_str_to_num:Nn {No}
```

36 OpenType definitions code

fine_opentype_feature_group:n

```
1699 \cs_new:Nn \@@_define_opentype_feature_group:n
1700   {
1701     \keys_define:nn {fontspec-opentype} { #1 .multichoice: }
1702   }
```

define_opentype_feature:nnnnn
#1 : Feature key
#2 : Feature option val
#3 : Check feature — leave empty for no check
#4 : Exact tag string to activate — leave empty for disable only
#5 : Tags to remove (clist)

```
1703 \cs_new:Nn \@@_feat_prop_add:nn
1704   {
1705     \tl_if_empty:nF {#1}
1706       {
1707         \prop_if_in:NnF \g_@@_OT_features_prop {#1}
1708           {
1709             \prop_gput:Nnn \g_@@_OT_features_prop {#1} {#2}
1710           }
1711       }
1712   }
1713 \cs_new:Nn \@@_define_opentype_feature:nnnnn
1714   {
1715     \@@_feat_prop_add:nn {#3} {#1\,=\,#2}
1716       \tl_if_empty:nTF {#4}
1717         {
1718           \keys_define:nn {fontspec-opentype}
1719             {
1720               #1/#2 .code:n =
1721                 { \@@_remove_clashing_featstr:n {#5} }
1722             }
1723         }
1724         {
1725           \keys_define:nn {fontspec-opentype}
1726             {
1727               #1/#2 .code:n =
1728                 {
1729 ⟨debug⟩            \typeout{:::::::::fontspec-opentype~#1/#2~=~#3/#4/#5}
1730                   \@@_make_OT_feature:nnn {#3} {#4} {#5}
1731                 }
1732             }
1733         }
1734   }
```

ine_opentype_onoffreset:nnnnn
#1 : Feature key
#2 : Feature option val
#3 : Check feature
#4 : Tag prefix to activate: +#4 = on, -#4 = off.
#5 : Tags to remove in the on case (clist)

```
1735 \cs_new:Nn \@@_feat_off:n {#1Off}
1736 \cs_new:Nn \@@_feat_reset:n {#1Reset}

1737 \cs_new:Nn \@@_define_opentype_onoffreset:nnnnn
1738 {
1739   \exp_args:Nnx \@@_define_opentype_feature:nnnnn {#1} {#2} {#3} {+#4} {#5}
1740   \exp_args:Nnx \@@_define_opentype_feature:nnnnn {#1} { \@@_feat_off:n   {#2} } {#3} {-#4} {}
1741   \exp_args:Nnx \@@_define_opentype_feature:nnnnn {#1} { \@@_feat_reset:n {#2} } {} {} {+#4,-#
```

```
1742 }
```

`define_opentype_onreset:nnnnn` #1 : Feature key
#2 : Feature option val
#3 : Check feature
#4 : Exact tag string to activate
#5 : Tags to remove (clist)

```
1743 \cs_new:Nn \@@_define_opentype_onreset:nnnnn
1744 {
1745   \exp_args:Nnx \@@_define_opentype_feature:nnnnn {#1} {#2} {#3} {#4} {#5}
1746   \exp_args:Nnx \@@_define_opentype_feature:nnnnn {#1} { \@@_feat_reset:n {#2} } {} {} {#4}
1747 }
```

36.1 Adding features when loading fonts

When remove clashing features,

1. remove the feature being added (to avoid duplicates);

2. remove the inverse of the feature (to avoid cancellation);

3. finally remove all clashing features.

```
1748 \cs_new:Nn \@@_make_OT_feature:nnn
1749   {
1750 ⟨debug⟩   \typeout{:: @@_make_OT_feature:nnn \exp_not:n { {#1}{#2}{#3} } }
1751
1752     \bool_set_true:N \l_@@_proceed_bool
1753     \bool_set_true:N  \l_@@_check_feat_bool
1754
1755     \tl_if_empty:nT {#1} { \bool_set_false:N \l_@@_check_feat_bool }
1756     \bool_if:NT \l_@@_check_feat_bool
1757       {
1758         \@@_check_ot_feat:nF {#1}
1759           {
1760             \@@_warning:nx {icu-feature-not-exist-in-font} {#1}
1761             \bool_set_false:N \l_@@_proceed_bool
1762           }
1763       }
1764
1765     \bool_if:NT \l_@@_proceed_bool
1766       {
1767         \exp_args:Nx \@@_remove_clashing_featstr:n
1768           { #2 , \@@_swap_plus_minus:n {#2} , #3 }
1769
1770         \@@_update_featstr:n {#2}
1771       }
1772   }
1773 \cs_generate_variant:Nn \@@_make_OT_feature:nnn {xxx}

1774 \cs_new:Nn \@@_swap_plus_minus:n { \@@_swap_plus_minus_aux:Nq #1 \q_nil }
1775 \cs_new:Npn \@@_swap_plus_minus_aux:Nq #1#2 \q_nil
1776   { \str_case:nn {#1} { {+} {-#2} {-} {+#2} } }
```

`\@@_check_script:nTF`   This macro takes an OpenType script tag and checks if it exists in the current font. The output boolean is `\@tempswatrue`. `\l_@@_script_int` is used to store the number corresponding to the script tag string.

```
1777 \prg_new_conditional:Nnn \@@_check_script:n {TF}
1778   {
1779     \bool_if:NTF \l_@@_never_check_bool
1780       { \prg_return_true: }
1781 ⟨*xetexx⟩
1782 {
1783   \@@_iv_str_to_num:Nn \l_@@_strnum_int {#1}
1784   \int_set:Nn \l_tmpb_int { \XeTeXOTcountscripts \l_fontspec_font }
1785   \int_zero:N \l_tmpa_int
1786   \bool_set_false:N \l__fontspec_check_bool
1787   \bool_until_do:nn { \int_compare_p:nNn \l_tmpa_int = \l_tmpb_int }
1788     {
1789     \ifnum \XeTeXOTscripttag\l_fontspec_font \l_tmpa_int = \l_@@_strnum_int
1790       \bool_set_true:N \l__fontspec_check_bool
1791       \int_set:Nn \l_tmpa_int {\l_tmpb_int}
1792     \else
1793       \int_incr:N \l_tmpa_int
1794     \fi
1795     }
1796   \bool_if:NTF \l__fontspec_check_bool \prg_return_true: \prg_return_false:
1797 }
1798 ⟨/xetexx⟩
1799 ⟨*luatex⟩
1800 {
1801   \directlua{fontspec.check_ot_script("l_fontspec_font", "#1")}
1802   \bool_if:NTF \l__fontspec_check_bool \prg_return_true: \prg_return_false:
1803 }
1804 ⟨/luatex⟩
1805 }
```

`\@@_check_lang:nTF`   This macro takes an OpenType language tag and checks if it exists in the current font/script. The output boolean is `\@tempswatrue`. `\l_@@_language_int` is used to store the number corresponding to the language tag string. The script used is whatever's held in `\l_@@_script_int`. By default, that's the number corresponding to 'latn'.

```
1806 \prg_new_conditional:Nnn \@@_check_lang:n {TF}
1807   {
1808     \bool_if:NTF \l_@@_never_check_bool
1809       { \prg_return_true: }
1810 ⟨*xetexx⟩
1811 {
1812   \@@_iv_str_to_num:Nn \l_@@_strnum_int {#1}
1813   \int_set:Nn \l_tmpb_int
1814     { \XeTeXOTcountlanguages \l_fontspec_font \l_@@_script_int }
1815   \int_zero:N \l_tmpa_int
1816   \bool_set_false:N \l__fontspec_check_bool
1817   \bool_until_do:nn { \int_compare_p:nNn \l_tmpa_int = \l_tmpb_int }
1818     {
```

117

```
1819      \ifnum\XeTeXOTlanguagetag\l_fontspec_font\l_@@_script_int \l_tmpa_int =\l_@@_strnum_int
1820        \bool_set_true:N \l__fontspec_check_bool
1821        \int_set:Nn \l_tmpa_int {\l_tmpb_int}
1822      \else
1823        \int_incr:N \l_tmpa_int
1824      \fi
1825    }
1826    \bool_if:NTF \l__fontspec_check_bool \prg_return_true: \prg_return_false:
1827  }
1828 ⟨/xetexx⟩
1829 ⟨*luatex⟩
1830  {
1831    \directlua
1832      {
1833      fontspec.check_ot_lang( "l_fontspec_font", "#1", "\l_fontspec_script_tl" )
1834      }
1835    \bool_if:NTF \l__fontspec_check_bool \prg_return_true: \prg_return_false:
1836  }
1837 ⟨/luatex⟩
1838    }
```

\@@_check_ot_feat:nTF   This macro takes an OpenType feature tag and checks if it exists in the current font/script/language. \l_@@_strnum_int is used to store the number corresponding to the feature tag string. The script used is whatever's held in \l_@@_script_int. By default, that's the number corresponding to 'latn'. The language used is \l_@@_language_int, by default ₀, the 'default language'.

```
1839 \prg_new_conditional:Nnn \@@_check_ot_feat:n {TF,F}
1840   {
1841      \bool_if:NTF \l_@@_never_check_bool
1842        { \prg_return_true: }
1843 ⟨*xetexx⟩
1844  {
1845 ⟨debug⟩\typeout{::~ fontspec_check_ot_feat:n~ {#1}}
1846    \int_set:Nn \l_tmpb_int
1847      {
1848      \XeTeXOTcountfeatures \l_fontspec_font
1849                            \l_@@_script_int
1850                            \l_@@_language_int
1851      }
1852    \@@_iv_str_to_num:Nn \l_@@_strnum_int {#1}
1853    \int_zero:N \l_tmpa_int
1854    \bool_set_false:N \l_@@_check_bool
1855    \bool_until_do:nn { \int_compare_p:nNn \l_tmpa_int = \l_tmpb_int }
1856    {
1857    \ifnum\XeTeXOTfeaturetag\l_fontspec_font\l_@@_script_int\l_@@_language_int
1858         \l_tmpa_int =\l_@@_strnum_int
1859      \bool_set_true:N \l_@@_check_bool
1860      \int_set:Nn \l_tmpa_int {\l_tmpb_int}
1861    \else
1862      \int_incr:N \l_tmpa_int
1863    \fi
```

```
1864    }
1865    \bool_if:NTF \l_@@_check_bool \prg_return_true: \prg_return_false:
1866  }
1867 ⟨/xetexx⟩
1868 ⟨*luatex⟩
1869  {
1870 ⟨debug⟩\typeout{::~ fontspec_check_ot_feat:n~ {#1}}
1871    \directlua
1872      {
1873       fontspec.check_ot_feat(
1874                          "l_fontspec_font", "#1",
1875                          "\l_fontspec_lang_tl", "\l_fontspec_script_tl"
1876                        )
1877      }
1878    \bool_if:NTF \l_@@_check_bool \prg_return_true: \prg_return_false:
1879  }
1880 ⟨/luatex⟩
1881    }
```

36.2   OpenType feature information

```
1882 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {aalt}{Access~All~Alternates}
1883 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {abvf}{Above-base~Forms}
1884 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {abvm}{Above-base~Mark~Positioning}
1885 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {abvs}{Above-base~Substitutions}
1886 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {afrc}{Alternative~Fractions}
1887 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {akhn}{Akhands}
1888 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {blwf}{Below-base~Forms}
1889 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {blwm}{Below-base~Mark~Positioning}
1890 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {blws}{Below-base~Substitutions}
1891 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {calt}{Contextual~Alternates}
1892 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {case}{Case-Sensitive~Forms}
1893 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {ccmp}{Glyph~Composition~/~Decomposition}
1894 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {cfar}{Conjunct~Form~After~Ro}
1895 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {cjct}{Conjunct~Forms}
1896 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {clig}{Contextual~Ligatures}
1897 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {cpct}{Centered~CJK~Punctuation}
1898 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {cpsp}{Capital~Spacing}
1899 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {cswh}{Contextual~Swash}
1900 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {curs}{Cursive~Positioning}
1901 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {cvNN}{Character~Variant~$N$}
1902 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {c2pc}{Petite~Capitals~From~Capitals}
1903 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {c2sc}{Small~Capitals~From~Capitals}
1904 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {dist}{Distances}
1905 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {dlig}{Discretionary~Ligatures}
1906 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {dnom}{Denominators}
1907 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {dtls}{Dotless~Forms}
1908 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {expt}{Expert~Forms}
1909 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {falt}{Final~Glyph~on~Line~Alternates}
1910 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {fin2}{Terminal~Forms~\#2}
1911 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {fin3}{Terminal~Forms~\#3}
```

```
1912 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {fina}{Terminal~Forms}
1913 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {flac}{Flattened~accent~forms}
1914 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {frac}{Fractions}
1915 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {fwid}{Full~Widths}
1916 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {half}{Half~Forms}
1917 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {haln}{Halant~Forms}
1918 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {halt}{Alternate~Half~Widths}
1919 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {hist}{Historical~Forms}
1920 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {hkna}{Horizontal~Kana~Alternates}
1921 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {hlig}{Historical~Ligatures}
1922 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {hngl}{Hangul}
1923 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {hojo}{Hojo~Kanji~Forms}
1924 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {hwid}{Half~Widths}
1925 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {init}{Initial~Forms}
1926 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {isol}{Isolated~Forms}
1927 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {ital}{Italics}
1928 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {jalt}{Justification~Alternates}
1929 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {jp78}{JIS78~Forms}
1930 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {jp83}{JIS83~Forms}
1931 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {jp90}{JIS90~Forms}
1932 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {jp04}{JIS2004~Forms}
1933 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {kern}{Kerning}
1934 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {lfbd}{Left~Bounds}
1935 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {liga}{Standard~Ligatures}
1936 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {ljmo}{Leading~Jamo~Forms}
1937 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {lnum}{Lining~Figures}
1938 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {locl}{Localized~Forms}
1939 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {ltra}{Left-to-right~alternates}
1940 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {ltrm}{Left-to-right~mirrored~forms}
1941 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {mark}{Mark~Positioning}
1942 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {med2}{Medial~Forms~\#2}
1943 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {medi}{Medial~Forms}
1944 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {mgrk}{Mathematical~Greek}
1945 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {mkmk}{Mark~to~Mark~Positioning}
1946 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {mset}{Mark~Positioning~via~Substitution}
1947 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {nalt}{Alternate~Annotation~Forms}
1948 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {nlck}{NLC~Kanji~Forms}
1949 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {nukt}{Nukta~Forms}
1950 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {numr}{Numerators}
1951 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {onum}{Oldstyle~Figures}
1952 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {opbd}{Optical~Bounds}
1953 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {ordn}{Ordinals}
1954 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {ornm}{Ornaments}
1955 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {palt}{Proportional~Alternate~Widths}
1956 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {pcap}{Petite~Capitals}
1957 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {pkna}{Proportional~Kana}
1958 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {pnum}{Proportional~Figures}
1959 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {pref}{Pre-Base~Forms}
1960 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {pres}{Pre-base~Substitutions}
1961 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {pstf}{Post-base~Forms}
1962 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {psts}{Post-base~Substitutions}
```

```
1963 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {pwid}{Proportional~Widths}
1964 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {qwid}{Quarter~Widths}
1965 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {rand}{Randomize}
1966 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {rclt}{Required~Contextual~Alternates}
1967 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {rkrf}{Rakar~Forms}
1968 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {rlig}{Required~Ligatures}
1969 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {rphf}{Reph~Forms}
1970 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {rtbd}{Right~Bounds}
1971 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {rtla}{Right-to-left~alternates}
1972 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {rtlm}{Right-to-left~mirrored~forms}
1973 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {ruby}{Ruby~Notation~Forms}
1974 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {rvrn}{Required~Variation~Alternates}
1975 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {salt}{Stylistic~Alternates}
1976 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {sinf}{Scientific~Inferiors}
1977 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {size}{Optical~size}
1978 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {smcp}{Small~Capitals}
1979 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {smpl}{Simplified~Forms}
1980 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {ssNN}{Stylistic~Set~$N$}
1981 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {ssty}{Math~script~style~alternates}
1982 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {stch}{Stretching~Glyph~Decomposition}
1983 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {subs}{Subscript}
1984 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {sups}{Superscript}
1985 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {swsh}{Swash}
1986 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {titl}{Titling}
1987 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {tjmo}{Trailing~Jamo~Forms}
1988 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {tnam}{Traditional~Name~Forms}
1989 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {tnum}{Tabular~Figures}
1990 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {trad}{Traditional~Forms}
1991 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {twid}{Third~Widths}
1992 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {unic}{Unicase}
1993 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {valt}{Alternate~Vertical~Metrics}
1994 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {vatu}{Vattu~Variants}
1995 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {vert}{Vertical~Writing}
1996 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {vhal}{Alternate~Vertical~Half~Metrics}
1997 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {vjmo}{Vowel~Jamo~Forms}
1998 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {vkna}{Vertical~Kana~Alternates}
1999 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {vkrn}{Vertical~Kerning}
2000 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {vpal}{Proportional~Alternate~Vertical~Me
2001 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {vrt2}{Vertical~Alternates~and~Rotation}
2002 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {vrtr}{Vertical~Alternates~for~Rotation}
2003 \prop_gput:Nnn \g_@@_all_opentype_feature_names_prop {zero}{Slashed~Zero}
```

37 Graphite/AAT code

\@@_define_aat_feature_group:n

```
2004 \cs_new:Nn \@@_define_aat_feature_group:n
2005   { \keys_define:nn {fontspec-aat} { #1 .multichoice: } }
```

\@@_define_aat_feature:nnnn

```
2006 \cs_new:Nn \@@_define_aat_feature:nnnn
2007   {
```

```
2008  \keys_define:nn {fontspec-aat}
2009    {
2010      #1/#2 .code:n = { \@@_make_AAT_feature:nn {#3}{#4} }
2011    }
2012  }
```

```
2013 \cs_new:Nn \@@_make_AAT_feature:nn
2014 {
2015   \tl_if_empty:nTF {#1}
2016     { \@@_warning:n {aat-feature-not-exist} }
2017     {
2018       \@@_make_AAT_feature_string:nnTF {#1}{#2}
2019         {
2020           \@@_update_featstr:n {\l_fontspec_feature_string_tl}
2021         }
2022         { \@@_warning:nx {aat-feature-not-exist-in-font} {#1,#2} }
2023     }
2024 }
```

This macro takes the numerical codes for a font feature and creates a specified macro containing the string required in the font definition to turn that feature on or off. Used primarily in [...], but also used to check if small caps exists in the requested font (see page 112).

For exclusive selectors, it's easy; just grab the string: For *non*-exclusive selectors, it's a little more complex. If the selector is even, it corresponds to switching the feature on. If the selector is *odd*, it corresponds to switching the feature off. But X꯱TEX doesn't return a selector string for this number, since the feature is defined for the 'switching on' value. So we need to check the selector of the previous number, and then prefix the feature string with ! to denote the switch.

Finally, save out the complete feature string in \l_fontspec_feature_string_tl.

```
2025 \prg_new_conditional:Nnn \@@_make_AAT_feature_string:nn {TF,T,F}
2026 {
2027   \tl_set:Nx \l_tmpa_tl { \XeTeXfeaturename \l_fontspec_font #1 }
2028   \tl_if_empty:NTF \l_tmpa_tl
2029     { \prg_return_false: }
2030     {
2031       \int_compare:nTF { \XeTeXisexclusivefeature\l_fontspec_font #1 > 0 }
2032         {
2033           \tl_set:Nx \l_tmpb_tl {\XeTeXselectorname\l_fontspec_font #1\space #2}
2034         }
2035         {
2036           \int_if_even:nTF {#2}
2037             {
2038               \tl_set:Nx \l_tmpb_tl {\XeTeXselectorname\l_fontspec_font #1\space #2}
2039             }
2040             {
2041               \tl_set:Nx \l_tmpb_tl
2042                 {
2043                   \XeTeXselectorname\l_fontspec_font #1\space \numexpr#2-1\relax
2044                 }
```

```
2045        \tl_if_empty:NF \l_tmpb_tl { \tl_put_left:Nn \l_tmpb_tl {!} }
2046        }
2047      }
2048    \tl_if_empty:NTF \l_tmpb_tl
2049      { \prg_return_false: }
2050      {
2051      \tl_set:Nx \l_fontspec_feature_string_tl { \l_tmpa_tl = \l_tmpb_tl }
2052      \prg_return_true:
2053      }
2054    }
2055 }
```

38   Font loading (keyval) definitions

This is the tedious section where we correlate all possible (eventually) font feature
requests with their X∃TEX representations.

```
2056 \clist_set:Nn \g_@@_all_keyval_modules_clist
2057   {
2058     fontspec, fontspec-opentype, fontspec-aat,
2059     fontspec-preparse, fontspec-preparse-external, fontspec-preparse-nested,
2060     fontspec-renderer
2061   }
2062 \cs_new:Nn \@@_keys_define_code:nnn
2063   {
2064   \keys_define:nn {#1} { #2 .code:n = {#3} }
2065   }
```

For catching features that cannot be used in \addfontfeatures:

```
2066 \cs_new:Nn \@@_aff_error:n
2067   {
2068     \@@_keys_define_code:nnn {fontspec-addfeatures} {#1}
2069       { \@@_error:nx {not-in-addfontfeatures} {#1} }
2070   }
```

38.0.1   Pre-parsing naming information

These features are extracted from the font feature list before all others.

Path   For fonts that aren't installed in the system. If no argument is given, the font is located
with kpsewhich; it's either in the current directory or the TEX tree. Otherwise, the
argument given defines the file path of the font.

```
2071 \@@_keys_define_code:nnn {fontspec-preparse-external} {Path}
2072 {
2073   \bool_set_true:N \l_@@_nobf_bool
2074   \bool_set_true:N \l_@@_noit_bool
2075   \bool_set_true:N \l_@@_external_bool
2076   \tl_set:Nn \l_@@_font_path_tl {#1}
2077   \@@_font_is_file:
2078 ⟨*xetex⟩
2079   \keys_set:nn {fontspec-renderer} {Renderer=OpenType}
```

```
2080 ⟨/xetexx⟩
2081 }
2082 \aliasfontfeature{Path}{ExternalLocation}
2083 \@@_keys_define_code:nnn {fontspec} {Path} {}
```

Extension   For fonts that aren't installed in the system. Specifies the font extension
to use.

```
2084 \@@_keys_define_code:nnn {fontspec-preparse-external} {Extension}
2085 {
2086   \tl_set:Nn \l_@@_extension_tl {#1}
2087   \bool_if:NF \l_@@_external_bool
2088     {
2089       \keys_set:nn {fontspec-preparse-external} {Path}
2090     }
2091 }
2092 \tl_clear:N \l_@@_extension_tl
2093 \@@_keys_define_code:nnn {fontspec} {Extension} {}
```

38.0.2   Pre-parsed features

After the font name(s) have been sorted out, now need to extract any renderer/font
configuration features that need to be processed before all other font features.

Renderer   This feature must be processed before all others (the other font shape and
features options are also pre-parsed for convenience) because the renderer determines
the format of the features and even whether certain features are available.

```
2094 \keys_define:nn {fontspec-renderer}
2095 {
2096   Renderer .choices:nn =
2097     {AAT,ICU,OpenType,Graphite,Full,Basic}
2098     {
2099       \int_compare:nTF {\l_keys_choice_int <= 4} {
2100 ⟨*xetexx⟩
2101         \tl_set:Nv \l_fontspec_renderer_tl
2102           { g_fontspec_renderer_tag_ \l_keys_choice_tl }
2103         \tl_gset:Nx \g_@@_single_feat_tl { \l_fontspec_renderer_tl }
2104 ⟨/xetexx⟩
2105 ⟨*luatex⟩
2106         \@@_warning:nx {only-xetex-feature} {Renderer=AAT/OpenType/Graphite}
2107 ⟨/luatex⟩
2108       }
2109       {
2110 ⟨*xetexx⟩
2111         \@@_warning:nx {only-luatex-feature} {Renderer=Full/Basic}
2112 ⟨/xetexx⟩
2113 ⟨*luatex⟩
2114         \tl_set:Nv \l_fontspec_mode_tl
2115           { g_fontspec_mode_tag_ \l_keys_choice_tl }
2116         \tl_gset:Nx \g_@@_single_feat_tl { mode=\l_fontspec_mode_tl }
2117 ⟨/luatex⟩
```

```
2118        }
2119    }
2120 }
2121 \tl_set:cn {g_fontspec_renderer_tag_AAT} {/AAT}
2122 \tl_set:cn {g_fontspec_renderer_tag_ICU} {/OT}
2123 \tl_set:cn {g_fontspec_renderer_tag_OpenType} {/OT}
2124 \tl_set:cn {g_fontspec_renderer_tag_Graphite} {/GR}
2125 \tl_set:cn {g_fontspec_mode_tag_Full}  {node}
2126 \tl_set:cn {g_fontspec_mode_tag_Basic} {base}
```

OpenType script/language   See later for the resolutions from fontspec features to OpenType definitions.

```
2127 \@@_keys_define_code:nnn {fontspec-preparse} {Script}
2128 {
2129 ⟨xetexx⟩    \keys_set:nn {fontspec-renderer} {Renderer=OpenType}
2130   \tl_set:Nn \l_@@_script_name_tl {#1}
2131 }
```

Exactly the same:

```
2132 \@@_keys_define_code:nnn {fontspec-preparse} {Language}
2133 {
2134 ⟨xetexx⟩    \keys_set:nn {fontspec-renderer} {Renderer=OpenType}
2135   \tl_set:Nn \l_@@_lang_name_tl {#1}
2136 }
```

TTC font index

```
2137 \@@_keys_define_code:nnn {fontspec-preparse} {FontIndex}
2138 {
2139   \str_if_eq_x:nnF { \str_lower_case:f {\l_@@_extension_tl} } {.ttc}
2140     { \@@_warning:n {font-index-needs-ttc} }
2141 ⟨xetexx⟩  \tl_set:Nn \l_@@_ttc_index_tl {:#1}
2142 ⟨luatex⟩  \tl_set:Nn \l_@@_ttc_index_tl {(#1)}
2143 }
2144 \@@_keys_define_code:nnn {fontspec} {FontIndex}
2145 {
2146 ⟨xetexx⟩  \tl_set:Nn \l_@@_ttc_index_tl {:#1}
2147 ⟨luatex⟩  \tl_set:Nn \l_@@_ttc_index_tl {(#1)}
2148 }
```

38.0.3   Bold/italic choosing options

The `Bold`, `Italic`, and `BoldItalic` features are for defining explicitly the bold and italic fonts used in a font family.

Bold (NFSS) Series   By default, fontspec uses the default bold series, `\bfdefault`. We want to be able to make this extensible.

```
2149 \@@_keys_define_code:nnn {fontspec-preparse-external} {BoldSeries}
2150 {
2151   \tl_gset:Nx \g_@@_curr_series_tl { #1 }
2152   \seq_gput_right:Nx \g_@@_bf_series_seq { #1 }
```

```
2153  }
```

Fonts   Upright:

```
2154 \@@_keys_define_code:nnn {fontspec-preparse-external} {UprightFont}
2155 {
2156   \fontspec_complete_fontname:Nn \l_@@_fontname_up_tl {#1}
2157 }
2158 \@@_keys_define_code:nnn {fontspec-preparse-external} {FontName}
2159 {
2160   \fontspec_complete_fontname:Nn \l_@@_fontname_up_tl {#1}
2161 }
```

Bold:

```
2162 \@@_keys_define_code:nnn {fontspec-preparse-external} {BoldFont}
2163 {
2164   \tl_if_empty:nTF {#1}
2165     {
2166      \bool_set_true:N \l_@@_nobf_bool
2167     }
2168     {
2169      \bool_set_false:N \l_@@_nobf_bool
2170      \fontspec_complete_fontname:Nn \l_@@_curr_bfname_tl {#1}
2171
2172      \seq_if_empty:NT \g_@@_bf_series_seq
2173        {
2174         \tl_gset:Nx \g_@@_curr_series_tl {\bfdefault}
2175         \seq_put_right:Nx \g_@@_bf_series_seq {\bfdefault}
2176        }
2177      \tl_if_eq:oxT \g_@@_curr_series_tl {\bfdefault}
2178        { \tl_set_eq:NN \l_@@_fontname_bf_tl \l_@@_curr_bfname_tl }
2179
2180 ⟨debug⟩\typeout{Setting~bold~font~"\l_@@_curr_bfname_tl"~with~series~"\g_@@_curr_series_tl"}
2181
2182      \prop_put:NxV \l_@@_nfss_prop
2183        {BoldFont-\g_@@_curr_series_tl} \l_@@_curr_bfname_tl
2184
2185     }
2186 }
```

Same for italic:

```
2187 \@@_keys_define_code:nnn {fontspec-preparse-external} {ItalicFont}
2188 {
2189   \tl_if_empty:nTF {#1}
2190     {
2191      \bool_set_true:N \l_@@_noit_bool
2192     }
2193     {
2194      \bool_set_false:N \l_@@_noit_bool
2195      \fontspec_complete_fontname:Nn \l_@@_fontname_it_tl {#1}
2196     }
2197 }
```

Simpler for bold+italic & slanted:

```
2198 \@@_keys_define_code:nnn {fontspec-preparse-external} {BoldItalicFont}
2199 {
2200   \fontspec_complete_fontname:Nn \l_@@_fontname_bfit_tl {#1}
2201 }
2202 \@@_keys_define_code:nnn {fontspec-preparse-external} {SlantedFont}
2203 {
2204   \fontspec_complete_fontname:Nn \l_@@_fontname_sl_tl {#1}
2205 }
2206 \@@_keys_define_code:nnn {fontspec-preparse-external} {BoldSlantedFont}
2207 {
2208   \fontspec_complete_fontname:Nn \l_@@_fontname_bfsl_tl {#1}
2209 }
```

Small caps isn't pre-parsed because it can vary with others above:

```
2210 \@@_keys_define_code:nnn {fontspec} {SmallCapsFont}
2211 {
2212   \tl_if_empty:nTF {#1}
2213     {
2214       \bool_set_true:N \l_@@_nosc_bool
2215     }
2216     {
2217       \bool_set_false:N \l_@@_nosc_bool
2218       \fontspec_complete_fontname:Nn \l_@@_fontname_sc_tl {#1}
2219     }
2220 }
```

Features

```
2221 \@@_keys_define_code:nnn {fontspec-preparse} {UprightFeatures}
2222 {
2223   \clist_set:Nn \l_@@_fontfeat_up_clist {#1}
2224 }
2225 \@@_keys_define_code:nnn {fontspec-preparse} {BoldFeatures}
2226 {
2227   \clist_set:Nn \l_@@_fontfeat_bf_clist {#1}
2228
2229 %   \prop_put:NxV \l_@@_nfss_prop
2230 %       {BoldFont-\g_@@_curr_series_tl} \l_@@_curr_bfname_tl
2231 }
2232 \@@_keys_define_code:nnn {fontspec-preparse} {ItalicFeatures}
2233 {
2234   \clist_set:Nn \l_@@_fontfeat_it_clist {#1}
2235 }
2236 \@@_keys_define_code:nnn {fontspec-preparse} {BoldItalicFeatures}
2237 {
2238   \clist_set:Nn \l_@@_fontfeat_bfit_clist {#1}
2239 }
2240 \@@_keys_define_code:nnn {fontspec-preparse} {SlantedFeatures}
2241 {
2242   \clist_set:Nn \l_@@_fontfeat_sl_clist {#1}
2243 }
```

```
2244 \@@_keys_define_code:nnn {fontspec-preparse} {BoldSlantedFeatures}
2245 {
2246   \clist_set:Nn \l_@@_fontfeat_bfsl_clist {#1}
2247 }
```

Note that small caps features can vary by shape, so these in fact *aren't* pre-parsed.

```
2248 \@@_keys_define_code:nnn {fontspec} {SmallCapsFeatures}
2249 {
2250   \bool_if:NF \l_@@_firsttime_bool
2251     {
2252       \clist_set:Nn \l_@@_fontfeat_sc_clist {#1}
2253     }
2254 }
```

paragraphFeatures varying by size

```
2255 \@@_keys_define_code:nnn {fontspec-preparse} {SizeFeatures}
2256 {
2257   \clist_set:Nn \l_@@_sizefeat_clist {#1}
2258   \clist_put_right:Nn \l_@@_fontfeat_up_clist { SizeFeatures = {#1} }
2259 }
2260 \@@_keys_define_code:nnn {fontspec-preparse-nested} {SizeFeatures}
2261 {
2262   \clist_set:Nn \l_@@_sizefeat_clist {#1}
2263   \tl_if_empty:NT \l_@@_this_font_tl
2264     { \tl_set:Nn \l_@@_this_font_tl { -- } } % needs to be non-empty as a flag
2265 }
2266 \@@_keys_define_code:nnn {fontspec-preparse-nested} {Font}
2267 {
2268   \tl_set:Nn \l_@@_this_font_tl {#1}
2269 }
2270 \@@_keys_define_code:nnn {fontspec} {SizeFeatures}
2271 {
2272   % dummy
2273 }
2274 \@@_keys_define_code:nnn {fontspec} {Font}
2275 {
2276   % dummy
2277 }

2278 \@@_keys_define_code:nnn {fontspec-sizing} {Size}
2279 {
2280   \tl_set:Nn \l_@@_size_tl {#1}
2281 }
2282 \@@_keys_define_code:nnn {fontspec-sizing} {Font}
2283 {
2284   \fontspec_complete_fontname:Nn \l_@@_sizedfont_tl {#1}
2285 }
```

38.0.4   Font-independent features

These features can be applied to any font.

NFSS encoding   For the very brave.

```
2286 \@@_keys_define_code:nnn {fontspec-preparse} {NFSSEncoding}
2287 {
2288   \tl_gset:Nx \l_@@_nfss_enc_tl { #1 }
2289 }
```

NFSS family   Interactions with other packages will sometimes require setting the NFSS family explicitly. (By default fontspec auto-generates one based on the font name.)

```
2290 \@@_keys_define_code:nnn {fontspec-preparse} {NFSSFamily}
2291 {
2292   \tl_set:Nx \l_@@_nfss_fam_tl { #1 }
2293   \cs_undefine:c {g_@@_UID_\l_@@_fontid_tl}
2294   \tl_if_exist:NT \l_fontspec_family_tl
2295     { \cs_undefine:c {g_@@_ \l_fontspec_family_tl _prop} }
2296 }
```

NFSS series/shape   This option looks similar in name but has a very different function.

```
2297 \@@_keys_define_code:nnn {fontspec} {FontFace}
2298 {
2299   \tl_set:No \l_@@_arg_tl { \use_iii:nnn #1 }
2300   \tl_set_eq:NN \l_@@_this_feat_tl \l_@@_arg_tl
2301   \tl_clear:N \l_@@_this_font_tl
2302   \int_compare:nT { \clist_count:N \l_@@_arg_tl = 1 }
2303     {
2304 ⟨*debug⟩
2305       \typeout{FontFace~ parsing:~ one~ clist~ item}
2306 ⟨/debug⟩
2307       \tl_if_in:NnF \l_@@_arg_tl {=}
2308         {
2309 ⟨*debug⟩
2310           \typeout{FontFace~ parsing:~ no~ equals~ =>~ font~ name~ only}
2311 ⟨/debug⟩
2312           \tl_set_eq:NN \l_@@_this_font_tl \l_@@_arg_tl
2313           \tl_clear:N \l_@@_this_feat_tl
2314         }
2315     }
2316
2317   \@@_add_nfssfont:nnnn
2318     {\use_i:nnn #1}{\use_ii:nnn #1}{\l_@@_this_font_tl}{\l_@@_this_feat_tl}
2319 }
```

Scale   If the input isn't one of the pre-defined string options, then it's gotta be numerical. \fontspec_calc_scale:n does all the work in the auto-scaling cases.

```
2320 \@@_keys_define_code:nnn {fontspec} {Scale}
2321 {
2322   \str_case:nnF {#1}
2323     {
```

```
2324    {MatchLowercase} { \@@_calc_scale:n {5} }
2325    {MatchUppercase} { \@@_calc_scale:n {8} }
2326    }
2327    { \tl_set:Nx \l_@@_scale_tl {#1} }
2328   \tl_set:Nx \l_@@_scale_tl { s*[\l_@@_scale_tl] }
2329  }
```

\@@_calc_scale:n This macro calculates the amount of scaling between the default roman font and the (default shape of) the font being selected such that the font dimension that is input is equal for both. The only font dimensions that justify this are 5 (lowercase height) and 8 (uppercase height in X∃TEX).

   This script is executed for every extra shape, which seems wasteful, but allows alternate italic shapes from a separate font, say, to be loaded and to be auto-scaled correctly. Even if this would be ugly.

```
2330 \cs_new:Nn \@@_calc_scale:n
2331 {
2332  \group_begin:
2333    \rmfamily
2334    \@@_set_font_dimen:NnN \l_@@_tmpa_dim {#1} \font
2335    \@@_set_font_dimen:NnN \l_@@_tmpb_dim {#1} \l_fontspec_font
2336    \tl_gset:Nx \l_@@_scale_tl
2337      {
2338       \fp_eval:n { \dim_to_fp:n {\l_@@_tmpa_dim} /
2339                    \dim_to_fp:n {\l_@@_tmpb_dim} }
2340      }
2341    \@@_info:n {set-scale}
2342  \group_end:
2343 }
```

\@@_set_font_dimen:NnN This function sets the dimension #1 (for font #3) to 'fontdimen' #2 for either font dimension 5 (x-height) or 8 (cap-height). If, for some reason, these return an incorrect 'zero' value (as \fontdimen8 might for a .tfm font), then we cheat and measure the height of a glyph. We assume in this case that the font contains either an 'X' or an 'x'.

```
2344 \cs_new:Nn \@@_set_font_dimen:NnN
2345 {
2346  \dim_set:Nn #1 { \fontdimen #2 #3 }
2347  \dim_compare:nNnT #1 = {\@pt}
2348    {
2349     \settoheight #1
2350       {
2351        \str_if_eq:nnTF {#3} {\font} \rmfamily #3
2352        \int_case:nnF #2
2353          {
2354           {5} {x} % x-height
2355           {8} {X} % cap-height
2356          } {?} % "else" clause; never reached.
2357       }
2358    }
2359 }
```

130

Inter-word space   These options set the relevant \fontdimens for the font being loaded.

```
2360 \@@_keys_define_code:nnn {fontspec} {WordSpace}
2361 {
2362   \bool_if:NF \l_@@_firsttime_bool
2363     { \_fontspec_parse_wordspace:w #1,,,\q_stop }
2364 }
2365 \@@_aff_error:n {WordSpace}
```

_fontspec_parse_wordspace:w   This macro determines if the input to WordSpace is of the form {X} or {X,Y,Z} and executes the font scaling. If the former input, it executes {X,X,X}.

```
2366 \cs_set:Npn \_fontspec_parse_wordspace:w #1,#2,#3,#4 \q_stop
2367 {
2368   \tl_if_empty:nTF {#4}
2369     {
2370       \tl_set:Nn \l_@@_wordspace_adjust_tl
2371         {
2372           \fontdimen 2 \font = #1 \fontdimen 2 \font
2373           \fontdimen 3 \font = #1 \fontdimen 3 \font
2374           \fontdimen 4 \font = #1 \fontdimen 4 \font
2375         }
2376     }
2377     {
2378       \tl_set:Nn \l_@@_wordspace_adjust_tl
2379         {
2380           \fontdimen 2 \font = #1 \fontdimen 2 \font
2381           \fontdimen 3 \font = #2 \fontdimen 3 \font
2382           \fontdimen 4 \font = #3 \fontdimen 4 \font
2383         }
2384     }
2385 }
```

Punctuation space   Scaling factor for the nominal \fontdimen#7.

```
2386 \@@_keys_define_code:nnn {fontspec} {PunctuationSpace}
2387 {
2388   \str_case_x:nnF {#1}
2389     {
2390       {WordSpace}
2391       {
2392         \tl_set:Nn \l_@@_punctspace_adjust_tl
2393           { \fontdimen 7 \font = 0 \fontdimen 2 \font }
2394       }
2395       {TwiceWordSpace}
2396       {
2397         \tl_set:Nn \l_@@_punctspace_adjust_tl
2398           { \fontdimen 7 \font = 1 \fontdimen 2 \font }
2399       }
2400     }
2401     {
2402       \tl_set:Nn \l_@@_punctspace_adjust_tl
2403         { \fontdimen 7 \font = #1 \fontdimen 7 \font }
```

131

```
2404     }
2405   }
2406 \@@_aff_error:n {PunctuationSpace}
```

Secret hook into the font-adjustment code

```
2407 \@@_keys_define_code:nnn {fontspec} {FontAdjustment}
2408   {
2409     \tl_put_right:Nx \l_@@_postadjust_tl {#1}
2410   }
```

Letterspacing

```
2411 \@@_keys_define_code:nnn {fontspec} {LetterSpace}
2412   {
2413     \@@_update_featstr:n {letterspace=#1}
2414   }
```

Hyphenation character   This feature takes one of three arguments: 'None', ⟨*glyph*⟩, or ⟨*slot*⟩. If the input isn't the first, and it's one character, then it's the second; otherwise, it's the third.

```
2415 \@@_keys_define_code:nnn {fontspec} {HyphenChar}
2416   {
2417     \bool_if:NT \l_@@_addfontfeatures_bool
2418       { \@@_error:nx {not-in-addfontfeatures} {HyphenChar} }
2419
2420     \str_if_eq:nnTF {#1} {None}
2421       {
2422         \tl_put_right:Nn \l_@@_postadjust_tl
2423           { \hyphenchar \font = \c_minus_one }
2424       }
2425       {
2426         \tl_if_single:nTF {#1}
2427           { \tl_set:Nn \l_fontspec_hyphenchar_tl {`#1} }
2428           { \tl_set:Nn \l_fontspec_hyphenchar_tl { #1} }
2429         \@@_primitive_font_glyph_if_exist:NnTF \l_fontspec_font {\l_fontspec_hyphenchar_tl}
2430           {
2431             \tl_put_right:Nn \l_@@_postadjust_tl
2432 ⟨*xetexx⟩
2433             { \hyphenchar \font = \l_fontspec_hyphenchar_tl \scan_stop: }
2434 ⟨/xetexx⟩
2435 ⟨*luatex⟩
2436             {
2437               \hyphenchar \font = \c_zero
2438               \int_set:Nn \luatex_prehyphenchar:D { \l_fontspec_hyphenchar_tl }
2439             }
2440 ⟨/luatex⟩
2441           }
2442           { \@@_error:nx {no-glyph}{#1} }
2443       }
2444   }
2445 \@@_aff_error:n {HyphenChar}
```

132

Color   Hooks into pkgxcolor, which names its colours `\color@<name>`.

```
2446 \@@_keys_define_code:nnn {fontspec} {Color}
2447 {
2448   \cs_if_exist:cTF { \token_to_str:N \color@ #1 }
2449     {
2450       \convertcolorspec{named}{#1}{HTML}\l_@@_hexcol_tl
2451     }
2452     {
2453       \int_compare:nTF { \tl_count:n {#1} == 6 }
2454         { \tl_set:Nn \l_@@_hexcol_tl {#1} }
2455         {
2456           \int_compare:nTF { \tl_count:n {#1} == 8 }
2457             { \fontspec_parse_colour:viii #1 }
2458             {
2459               \bool_if:NF \l_@@_firsttime_bool
2460                 { \@@_warning:nx {bad-colour} {#1} }
2461             }
2462         }
2463     }
2464 }
2465 \cs_set:Npn \fontspec_parse_colour:viii #1#2#3#4#5#6#7#8
2466 {
2467   \tl_set:Nn \l_@@_hexcol_tl {#1#2#3#4#5#6}
2468   \tl_if_eq:NNF \l_@@_opacity_tl \g_@@_opacity_tl
2469     {
2470       \bool_if:NF \l_@@_firsttime_bool
2471         { \@@_warning:nx {opa-twice-col} {#7#8} }
2472     }
2473   \tl_set:Nn \l_@@_opacity_tl {#7#8}
2474 }
2475 \aliasfontfeature{Color}{Colour}

2476 \@@_keys_define_code:nnn {fontspec} {Opacity}
2477 {
2478   \int_set:Nn \l_@@_tmp_int {255}
2479   \@@_int_mult_truncate:Nn \l_@@_tmp_int { #1 }
2480   \tl_if_eq:NNF \l_@@_opacity_tl \g_@@_opacity_tl
2481     {
2482       \bool_if:NF \l_@@_firsttime_bool
2483         { \@@_warning:nx {opa-twice} {#1} }
2484     }
2485   \tl_set:Nx \l_@@_opacity_tl
2486     {
2487       \int_compare:nT { \l_@@_tmp_int <= "F } {0} % zero pad
2488       \int_to_hex:n { \l_@@_tmp_int }
2489     }
2490 }
```

Mapping

```
2491 ⟨*xetexx⟩
2492 \@@_keys_define_code:nnn {fontspec-aat} {Mapping}
```

```
2493  {
2494    \tl_set:Nn \l_@@_mapping_tl { #1 }
2495  }
2496 \@@_keys_define_code:nnn {fontspec-opentype} {Mapping}
2497  {
2498    \tl_set:Nn \l_@@_mapping_tl { #1 }
2499  }
2500 ⟨/xetexx⟩
2501 ⟨*luatex⟩
2502 \@@_keys_define_code:nnn {fontspec-opentype} {Mapping}
2503 {
2504   \str_if_eq:nnTF {#1} {tex-text}
2505     {
2506     \@@_warning:n {no-mapping-ligtex}
2507     \msg_redirect_name:nnn {fontspec} {no-mapping-ligtex} {none}
2508     \keys_set:nn {fontspec-opentype} { Ligatures=TeX }
2509     }
2510     { \@@_warning:n {no-mapping} }
2511 }
2512 ⟨/luatex⟩
```

38.0.5 Continuous font axes

```
2513 \@@_keys_define_code:nnn {fontspec} {Weight}
2514 {
2515   \@@_update_featstr:n{weight=#1}
2516 }
2517 \@@_keys_define_code:nnn {fontspec} {Width}
2518 {
2519   \@@_update_featstr:n{width=#1}
2520 }
2521 \@@_keys_define_code:nnn {fontspec} {OpticalSize}
2522 ⟨*xetexx⟩
2523 {
2524   \bool_if:NTF \l_@@_ot_bool
2525     {
2526     \tl_set:Nn \l_@@_optical_size_tl {/ S = #1}
2527     }
2528     {
2529     \bool_if:NT \l_@@_mm_bool
2530       {
2531       \@@_update_featstr:n { optical size = #1 }
2532       }
2533     }
2534   \bool_if:nT { !\l_@@_ot_bool && !\l_@@_mm_bool }
2535     {
2536     \bool_if:NT \l_@@_firsttime_bool
2537       { \@@_warning:n {no-opticals} }
2538     }
2539 }
2540 ⟨/xetexx⟩
2541 ⟨*luatex⟩
```

```
2542 {
2543   \tl_set:Nn \l_@@_optical_size_tl {/ S = #1}
2544 }
2545 ⟨/luatex⟩
```

38.0.6   Font transformations

These are to be specified to apply directly to a font shape:

```
2546 \keys_define:nn {fontspec}
2547 {
2548   FakeSlant .code:n =
2549     {
2550       \@@_update_featstr:n{slant=#1}
2551     },
2552   FakeSlant .default:n = {0.2}
2553 }
2554 \keys_define:nn {fontspec}
2555 {
2556   FakeStretch .code:n =
2557     {
2558       \@@_update_featstr:n{extend=#1}
2559     },
2560   FakeStretch .default:n = {1.2}
2561 }
2562 ⟨*xetexx⟩
2563 \keys_define:nn {fontspec}
2564 {
2565   FakeBold .code:n =
2566     {
2567       \@@_update_featstr:n {embolden=#1}
2568     },
2569   FakeBold .default:n = {1.5}
2570 }
2571 ⟨/xetexx⟩
2572 ⟨*luatex⟩
2573 \keys_define:nn {fontspec}
2574 {
2575   FakeBold .code:n = { \@@_warning:n {fakebold-only-xetex} }
2576 }
2577 ⟨/luatex⟩
```

These are to be given to a shape that has no real bold/italic to signal that fontspec should automatically create 'fake' shapes.

The behaviour is currently that only if both AutoFakeSlant *and* AutoFakeBold are specified, the bold italic is also faked.

These features presently *override* real shapes found in the font; in the future I'd like these features to be ignored in this case, instead. (This is just a bit harder to program in the current design of fontspec.)

```
2578 \keys_define:nn {fontspec}
2579 {
2580   AutoFakeSlant .code:n =
2581     {
```

```
2582    \bool_if:NT \l_@@_firsttime_bool
2583      {
2584       \tl_set:Nn \l_@@_fake_slant_tl {#1}
2585       \clist_put_right:Nn \l_@@_fontfeat_it_clist {FakeSlant=#1}
2586       \tl_set_eq:NN \l_@@_fontname_it_tl \l_fontspec_fontname_tl
2587       \bool_set_false:N \l_@@_noit_bool
2588
2589       \tl_if_empty:NF \l_@@_fake_embolden_tl
2590         {
2591          \clist_put_right:Nx \l_@@_fontfeat_bfit_clist
2592           {FakeBold=\l_@@_fake_embolden_tl}
2593          \clist_put_right:Nx \l_@@_fontfeat_bfit_clist {FakeSlant=#1}
2594          \tl_set_eq:NN \l_@@_fontname_bfit_tl \l_fontspec_fontname_tl
2595         }
2596      }
2597    },
2598    AutoFakeSlant .default:n = {0.2}
2599 }
```

Same but reversed:

```
2600 \keys_define:nn {fontspec}
2601 {
2602   AutoFakeBold .code:n =
2603     {
2604      \bool_if:NT \l_@@_firsttime_bool
2605        {
2606         \tl_set:Nn \l_@@_fake_embolden_tl {#1}
2607         \clist_put_right:Nn \l_@@_fontfeat_bf_clist {FakeBold=#1}
2608         \tl_set_eq:NN \l_@@_fontname_bf_tl \l_fontspec_fontname_tl
2609         \bool_set_false:N \l_@@_nobf_bool
2610
2611         \tl_if_empty:NF \l_@@_fake_slant_tl
2612           {
2613            \clist_put_right:Nx \l_@@_fontfeat_bfit_clist
2614             {FakeSlant=\l_@@_fake_slant_tl}
2615            \clist_put_right:Nx \l_@@_fontfeat_bfit_clist {FakeBold=#1}
2616            \tl_set_eq:NN \l_@@_fontname_bfit_tl \l_fontspec_fontname_tl
2617           }
2618        }
2619    },
2620   AutoFakeBold .default:n = {1.5}
2621 }
```

38.0.7 Raw feature string

This allows savvy X꜀TEX-ers to input font features manually if they have already memorised the OpenType abbreviations and don't mind not having error checking.

```
2622 \@@_keys_define_code:nnn {fontspec-opentype} {RawFeature}
2623 {
2624   \@@_update_featstr:n {#1}
2625 }
2626 \@@_keys_define_code:nnn {fontspec-aat} {RawFeature}
```

```
2627 {
2628   \@@_update_featstr:n {#1}
2629 }
```

38.1   OpenType feature definitions

```
2630 \@@_feat_prop_add:nn {salt} { Alternate\,=\,$N$ }
2631 \@@_feat_prop_add:nn {nalt} { Annotation\,=\,$N$ }
2632 \@@_feat_prop_add:nn {ornm} { Ornament\,=\,$N$ }
2633 \@@_feat_prop_add:nn {cvNN} { CharacterVariant\,=\,$N$:$M$ }
2634 \@@_feat_prop_add:nn {ssNN} { StylisticSet\,=\,$N$ }
```

38.2   Regular key=val / tag definitions

38.2.1   Ligatures

```
2635 \@@_define_opentype_feature_group:n {Ligatures}
2636 \@@_define_opentype_feature:nnnnn {Ligatures} {ResetAll} {} {}
2637   {
2638     +dlig,-dlig,+rlig,-rlig,+liga,-liga,+dlig,-dlig,+clig,-clig,+hlig,-hlig,
2639 ⟨xetexx⟩  mapping = tex-text
2640 ⟨luatex⟩  +tlig,-tlig
2641   }

2642 \@@_define_opentype_onoffreset:nnnnn {Ligatures} {Required}      {rlig} {rlig} {}
2643 \@@_define_opentype_onoffreset:nnnnn {Ligatures} {Common}        {liga} {liga} {}
2644 \@@_define_opentype_onoffreset:nnnnn {Ligatures} {Rare}          {dlig} {dlig} {}
2645 \@@_define_opentype_onoffreset:nnnnn {Ligatures} {Discretionary} {dlig} {dlig} {}
2646 \@@_define_opentype_onoffreset:nnnnn {Ligatures} {Contextual}    {clig} {clig} {}
2647 \@@_define_opentype_onoffreset:nnnnn {Ligatures} {Historic}      {hlig} {hlig} {}
```

Emulate CM extra ligatures.

```
2648 ⟨*xetexx⟩
2649 \keys_define:nn {fontspec-opentype}
2650   {
2651     Ligatures / TeX .code:n = { \tl_set:Nn \l_@@_mapping_tl {tex-text} },
2652     Ligatures / TeXReset .code:n = { \tl_clear:N \l_@@_mapping_tl },
2653   }
2654 ⟨/xetexx⟩
2655 ⟨luatex⟩\@@_define_opentype_onreset:nnnnn {Ligatures} {TeX} {} { +tlig } {}
```

38.2.2   Letters

```
2656 \@@_define_opentype_feature_group:n {Letters}
2657 \@@_define_opentype_feature:nnnnn   {Letters} {ResetAll} {} {}
2658   {
2659     +case,+smcp,+pcap,+c2sc,+c2pc,+unic,+rand,
2660     -case,-smcp,-pcap,-c2sc,-c2pc,-unic,-rand
2661   }

2662 \@@_define_opentype_onoffreset:nnnnn {Letters} {Uppercase} {case} {case} {+smcp,+pcap,+c2sc,+c
2663 \@@_define_opentype_onoffreset:nnnnn {Letters} {SmallCaps} {smcp} {smcp} {+pcap,+unic,+rand}
2664 \@@_define_opentype_onoffreset:nnnnn {Letters} {PetiteCaps} {pcap} {pcap} {+smcp,+unic,+rand}
2665 \@@_define_opentype_onoffreset:nnnnn {Letters} {UppercaseSmallCaps} {c2sc} {c2sc} {+c2pc,+unic
2666 \@@_define_opentype_onoffreset:nnnnn {Letters} {UppercasePetiteCaps} {c2pc} {c2pc} {+c2sc,+uni
```

```
2667 \@@_define_opentype_onoffreset:nnnnn {Letters} {Unicase} {unic} {unic} {+rand}
2668 \@@_define_opentype_onoffreset:nnnnn {Letters} {Random} {rand} {rand} {+unic}
```

38.2.3 Numbers

```
2669 \@@_define_opentype_feature_group:n {Numbers}
2670 \@@_define_opentype_feature:nnnnn    {Numbers} {ResetAll} {} {}
2671   {
2672     +tnum,-tnum,
2673     +pnum,-pnum,
2674     +onum,-onum,
2675     +lnum,-lnum,
2676     +zero,-zero,
2677     +anum,-anum,
2678   }
```

```
2679 \@@_define_opentype_onoffreset:nnnnn {Numbers} {Monospaced}   {tnum} {tnum} {+pnum,-pnum}
2680 \@@_define_opentype_onoffreset:nnnnn {Numbers} {Proportional} {pnum} {pnum} {+tnum,-tnum}
2681 \@@_define_opentype_onoffreset:nnnnn {Numbers} {Lowercase}    {onum} {onum} {+lnum,-lnum}
2682 \@@_define_opentype_onoffreset:nnnnn {Numbers} {Uppercase}    {lnum} {lnum} {+onum,-onum}
2683 \@@_define_opentype_onoffreset:nnnnn {Numbers} {SlashedZero}  {zero} {zero} {}
```

```
2684 \aliasfontfeatureoption {Numbers} {Monospaced} {Tabular}
2685 \aliasfontfeatureoption {Numbers} {Lowercase}  {OldStyle}
2686 \aliasfontfeatureoption {Numbers} {Uppercase}  {Lining}
```

luaotload provides a custom anum feature for replacing Latin (AKA Arabic) numbers with Arabic (AKA Indic-Arabic). The same feature maps to Farsi (Persian) numbers if font language is Farsi.

```
2687 ⟨luatex⟩   \@@_define_opentype_onoffreset:nnnnn {Numbers} {Arabic} {anum} {anum} {}
```

38.2.4 Vertical position

```
2688 \@@_define_opentype_feature_group:n  {VerticalPosition}
2689 \@@_define_opentype_feature:nnnnn    {VerticalPosition} {ResetAll} {} {}
2690   {
2691     +sups,-sups,
2692     +subs,-subs,
2693     +ordn,-ordn,
2694     +numr,-numr,
2695     +dnom,-dnom,
2696     +sinf,-sinf,
2697   }
```

```
2698 \@@_define_opentype_onoffreset:nnnnn {VerticalPosition} {Superior}           {sups} {sups} {+s
2699 \@@_define_opentype_onoffreset:nnnnn {VerticalPosition} {Inferior}           {subs} {subs} {+s
2700 \@@_define_opentype_onoffreset:nnnnn {VerticalPosition} {Ordinal}            {ordn} {ordn} {+s
2701 \@@_define_opentype_onoffreset:nnnnn {VerticalPosition} {Numerator}          {numr} {numr} {+s
2702 \@@_define_opentype_onoffreset:nnnnn {VerticalPosition} {Denominator}        {dnom} {dnom} {+s
2703 \@@_define_opentype_onoffreset:nnnnn {VerticalPosition} {ScientificInferior} {sinf} {sinf} {+s
```

38.2.5 Contextuals

```
2704 \@@_define_opentype_feature_group:n  {Contextuals}
2705 \@@_define_opentype_feature:nnnnn    {Contextuals} {ResetAll} {} {}
2706   {
2707     +cswh,-cswh,
```

```
2708      +calt,-calt,
2709      +init,-init,
2710      +fina,-fina,
2711      +falt,-falt,
2712      +medi,-medi,
2713    }
```

```
2714 \@@_define_opentype_onoffreset:nnnnn {Contextuals} {Swash}       {cswh} {cswh} {}
2715 \@@_define_opentype_onoffreset:nnnnn {Contextuals} {Alternate}   {calt} {calt} {}
2716 \@@_define_opentype_onoffreset:nnnnn {Contextuals} {WordInitial} {init} {init} {}
2717 \@@_define_opentype_onoffreset:nnnnn {Contextuals} {WordFinal}   {fina} {fina} {}
2718 \@@_define_opentype_onoffreset:nnnnn {Contextuals} {LineFinal}   {falt} {falt} {}
2719 \@@_define_opentype_onoffreset:nnnnn {Contextuals} {Inner}       {medi} {medi} {}
```

38.2.6 Diacritics

```
2720 \@@_define_opentype_feature_group:n  {Diacritics}
2721 \@@_define_opentype_feature:nnnnn    {Diacritics} {ResetAll} {} {}
2722   {
2723      +mark,-mark,
2724      +mkmk,-mkmk,
2725      +abvm,-abvm,
2726      +blwm,-blwm,
2727   }
```

```
2728 \@@_define_opentype_onoffreset:nnnnn {Diacritics} {MarkToBase} {mark} {mark} {}
2729 \@@_define_opentype_onoffreset:nnnnn {Diacritics} {MarkToMark} {mkmk} {mkmk} {}
2730 \@@_define_opentype_onoffreset:nnnnn {Diacritics} {AboveBase}  {abvm} {abvm} {}
2731 \@@_define_opentype_onoffreset:nnnnn {Diacritics} {BelowBase}  {blwm} {blwm} {}
```

38.2.7 Kerning

```
2732 \@@_define_opentype_feature_group:n  {Kerning}
2733 \@@_define_opentype_feature:nnnnn    {Kerning} {ResetAll} {} {}
2734   {
2735      +cpsp,-cpsp,
2736      +kern,-kern,
2737   }
2738 \@@_define_opentype_onoffreset:nnnnn {Kerning} {Uppercase} {cpsp} {cpsp} {}
2739 \@@_define_opentype_feature:nnnnn    {Kerning} {On}        {kern} {+kern} {-kern}
2740 \@@_define_opentype_feature:nnnnn    {Kerning} {Off}       {kern} {-kern} {+kern}
2741 \@@_define_opentype_feature:nnnnn    {Kerning} {Reset}     {} {} {+kern,-kern}
```

38.2.8 Fractions

```
2742 \@@_define_opentype_feature_group:n  {Fractions}
2743 \@@_define_opentype_feature:nnnnn    {Fractions} {ResetAll} {} {}
2744   {
2745      +frac,-frac,
2746      +afrc,-afrc,
2747   }
```

```
2748 \@@_define_opentype_feature:nnnnn    {Fractions} {On}    {frac} {+frac} {}
2749 \@@_define_opentype_feature:nnnnn    {Fractions} {Off}   {frac} {-frac} {}
2750 \@@_define_opentype_feature:nnnnn    {Fractions} {Reset} {} {} {+frac,-frac}
2751 \@@_define_opentype_onoffreset:nnnnn {Fractions} {Alternate} {afrc} {afrc} {-frac}
```

38.2.9 Style

```
2752 \@@_define_opentype_feature_group:n  {Style}
2753 \@@_define_opentype_feature:nnnnn    {Style} {ResetAll} {} {}
2754   {
2755     +salt,-salt,
2756     +ital,-ital,
2757     +ruby,-ruby,
2758     +swsh,-swsh,
2759     +hist,-hist,
2760     +titl,-titl,
2761     +hkna,-hkna,
2762     +vkna,-vkna,
2763     +ssty=0,-ssty=0,
2764     +ssty=1,-ssty=1,
2765   }

2766 \@@_define_opentype_onoffreset:nnnnn {Style} {Alternate}        {salt} {salt} {}
2767 \@@_define_opentype_onoffreset:nnnnn {Style} {Italic}           {ital} {ital} {}
2768 \@@_define_opentype_onoffreset:nnnnn {Style} {Ruby}            {ruby} {ruby} {}
2769 \@@_define_opentype_onoffreset:nnnnn {Style} {Swash}           {swsh} {swsh} {}
2770 \@@_define_opentype_onoffreset:nnnnn {Style} {Cursive}          {swsh} {curs} {}
2771 \@@_define_opentype_onoffreset:nnnnn {Style} {Historic}         {hist} {hist} {}
2772 \@@_define_opentype_onoffreset:nnnnn {Style} {TitlingCaps}       {titl} {titl} {}
2773 \@@_define_opentype_onoffreset:nnnnn {Style} {HorizontalKana}   {hkna} {hkna} {+vkna,+pkna}
2774 \@@_define_opentype_onoffreset:nnnnn {Style} {VerticalKana}     {vkna} {vkna} {+hkna,+pkna}
2775 \@@_define_opentype_onoffreset:nnnnn {Style} {ProportionalKana} {pkna} {pkna} {+vkna,+hkna}
2776 \@@_define_opentype_feature:nnnnn    {Style} {MathScript}       {ssty} {+ssty=0} {+ssty=1}
2777 \@@_define_opentype_feature:nnnnn    {Style} {MathScriptScript} {ssty} {+ssty=1} {+ssty=0}
```

38.2.10 CJK shape

```
2778 \@@_define_opentype_feature_group:n  {CJKShape}
2779 \@@_define_opentype_feature:nnnnn    {CJKShape} {ResetAll} {} {}
2780   {
2781     +trad,-trad,
2782     +smpl,-smpl,
2783     +jp78,-jp78,
2784     +jp83,-jp83,
2785     +jp90,-jp90,
2786     +jp04,-jp04,
2787     +expt,-expt,
2788     +nlck,-nlck,
2789   }

2790 \@@_define_opentype_onoffreset:nnnnn {CJKShape} {Traditional} {trad} {trad} {+smpl,+jp78,+jp83
2791 \@@_define_opentype_onoffreset:nnnnn {CJKShape} {Simplified}  {smpl} {smpl} {+trad,+jp78,+jp83
2792 \@@_define_opentype_onoffreset:nnnnn {CJKShape} {JIS1978}     {jp78} {jp78} {+trad,+smpl,+jp83
2793 \@@_define_opentype_onoffreset:nnnnn {CJKShape} {JIS1983}     {jp83} {jp83} {+trad,+smpl,+jp78
2794 \@@_define_opentype_onoffreset:nnnnn {CJKShape} {JIS1990}     {jp90} {jp90} {+trad,+smpl,+jp78
2795 \@@_define_opentype_onoffreset:nnnnn {CJKShape} {JIS2004}     {jp04} {jp04} {+trad,+smpl,+jp78
2796 \@@_define_opentype_onoffreset:nnnnn {CJKShape} {Expert}      {expt} {expt} {+trad,+smpl,+jp78
2797 \@@_define_opentype_onoffreset:nnnnn {CJKShape} {NLC}         {nlck} {nlck} {+trad,+smpl,+jp78
```

38.2.11 Character width

```
2798 \@@_define_opentype_feature_group:n  {CharacterWidth}
2799 \@@_define_opentype_feature:nnnnn    {CharacterWidth} {ResetAll} {} {}
2800  {
2801    +pwid,-pwid,
2802    +fwid,-fwid,
2803    +hwid,-hwid,
2804    +twid,-twid,
2805    +qwid,-qwid,
2806    +palt,-palt,
2807    +halt,-halt,
2808  }

2809 \@@_define_opentype_onoffreset:nnnnn {CharacterWidth} {Proportional}          {pwid} {pwid} {+
2810 \@@_define_opentype_onoffreset:nnnnn {CharacterWidth} {Full}                 {fwid} {fwid} {+
2811 \@@_define_opentype_onoffreset:nnnnn {CharacterWidth} {Half}                 {hwid} {hwid} {+
2812 \@@_define_opentype_onoffreset:nnnnn {CharacterWidth} {Third}                {twid} {twid} {+
2813 \@@_define_opentype_onoffreset:nnnnn {CharacterWidth} {Quarter}              {qwid} {qwid} {+
2814 \@@_define_opentype_onoffreset:nnnnn {CharacterWidth} {AlternateProportional} {palt} {palt} {+
2815 \@@_define_opentype_onoffreset:nnnnn {CharacterWidth} {AlternateHalf}         {halt} {halt} {+
```

38.2.12 Vertical

According to spec vkrn must also activate vpal if available but for simplicity we don't do that here (yet?).

```
2816 \@@_define_opentype_feature_group:n {Vertical}
2817 \@@_define_opentype_onoffreset:nnnnn {Vertical} {RotatedGlyphs}        {vrt2} {vrt2} {+vrtr,+
2818 \@@_define_opentype_onoffreset:nnnnn {Vertical} {AlternatesForRotation} {vrtr} {vrtr} {+vrt2}
2819 \@@_define_opentype_onoffreset:nnnnn {Vertical} {Alternates}           {vert} {vert} {+vrt2}
2820 \@@_define_opentype_onoffreset:nnnnn {Vertical} {KanaAlternates}       {vkna} {vkna} {+hkna}
2821 \@@_define_opentype_onoffreset:nnnnn {Vertical} {Kerning}              {vkrn} {vkrn} {}
2822 \@@_define_opentype_onoffreset:nnnnn {Vertical} {AlternateMetrics}     {valt} {valt} {+vhal,+
2823 \@@_define_opentype_onoffreset:nnnnn {Vertical} {HalfMetrics}          {vhal} {vhal} {+valt,+
2824 \@@_define_opentype_onoffreset:nnnnn {Vertical} {ProportionalMetrics}  {vpal} {vpal} {+valt,+
```

38.3 OpenType features that need numbering

38.3.1 Alternate

```
2825 \@@_define_opentype_feature_group:n  {Alternate}
2826 \keys_define:nn {fontspec-opentype}
2827 {
2828   Alternate .default:n = {0} ,
2829 ⟨luatex⟩  Alternate / Random   .code:n =
2830 ⟨luatex⟩    { \@@_make_OT_feature:nnn {salt}{ +salt = random }{} } ,
2831   Alternate / unknown .code:n =
2832   {
2833     \clist_map_inline:nn {#1}
2834       { \@@_make_OT_feature:nnn {salt}{ +salt = ##1 }{} }
2835   }
2836 }

2837 \aliasfontfeature{Alternate}{StylisticAlternates}
```

38.3.2 Variant / StylisticSet

```
2838 \@@_define_opentype_feature_group:n  {Variant}
2839 \keys_define:nn {fontspec-opentype}
2840 {
2841   Variant .default:n = {0} ,
2842   Variant / unknown .code:n =
2843    {
2844    \clist_map_inline:nn {#1}
2845      {
2846        \@@_make_OT_feature:xxx { ss \two@digits {##1} } { +ss \two@digits {##1} } {}
2847      }
2848    }
2849 }

2850 \aliasfontfeature{Variant}{StylisticSet}
```

38.3.3 CharacterVariant

```
2851 \@@_define_opentype_feature_group:n  {CharacterVariant}
2852 \use:x
2853 {
2854   \cs_new:Npn \exp_not:N \fontspec_parse_cv:w
2855      ##1 \c_colon_str ##2 \c_colon_str ##3 \exp_not:N \q_nil
2856   {
2857     \@@_make_OT_feature:xxx
2858       { cv \exp_not:N \two@digits {##1} } { +cv \exp_not:N \two@digits {##1} = ##2 } {}
2859   }
2860   \keys_define:nn {fontspec-opentype}
2861    {
2862     CharacterVariant / unknown .code:n =
2863      {
2864      \clist_map_inline:nn {##1}
2865        {
2866        \exp_not:N \fontspec_parse_cv:w
2867          ####1 \c_colon_str 0 \c_colon_str \exp_not:N \q_nil
2868        }
2869      }
2870    }
2871 }
```

Possibilities: a:0:\q_nil or a:b:0:\q_nil.

38.3.4 Annotation

```
2872 \@@_define_opentype_feature_group:n {Annotation}
2873 \keys_define:nn {fontspec-opentype}
2874 {
2875   Annotation .default:n = {0} ,
2876   Annotation / unknown .code:n =
2877    {
2878    \@@_make_OT_feature:nnn {nalt} {+nalt=#1} {}
2879    }
2880 }
```

38.3.5 Ornament

```
2881 \@@_define_opentype_feature_group:n  {Ornament}
2882 \keys_define:nn {fontspec-opentype}
2883 {
2884   Ornament .default:n = {0} ,
2885   Ornament / unknown .code:n =
2886     {
2887       \@@_make_OT_feature:nnn {ornm} { +ornm=#1 } {}
2888     }
2889 }
```

38.4   Script and Language

38.4.1   Script

```
2890 \keys_define:nn { fontspec-opentype } { Script .choice: }
2891 \cs_new:Nn \fontspec_new_script:nn
2892 {
2893   \keys_define:nn { fontspec-opentype } { Script / #1 .code:n =
2894     \bool_set_false:N \l_@@_script_exist_bool
2895     \clist_map_inline:nn {#2}
2896       {
2897         \@@_check_script:nTF {####1}
2898           {
2899             \tl_set:Nn \l_fontspec_script_tl {####1}
2900             \int_set:Nn \l_@@_script_int {\l_@@_strnum_int}
2901             \bool_set_true:N \l_@@_script_exist_bool
2902             \tl_gset:Nx \g_@@_single_feat_tl { script=####1 }
2903             \clist_map_break:
2904           }
2905           { }
2906       }
2907     \bool_if:NF \l_@@_script_exist_bool
2908       {
2909         \str_if_eq:nnTF {#1} {Latin}
2910           {
2911             \@@_warning:nx {script-not-exist} {#1}
2912           }
2913           {
2914             \@@_check_script:nTF {latn}
2915               {
2916                 \@@_warning:nx {script-not-exist-latn} {#1}
2917                 \tl_set:Nn \l_fontspec_script_tl {latn}
2918                 \int_set:Nn \l_@@_script_int {\l_@@_strnum_int}
2919               }
2920               {
2921                 \@@_warning:nx {script-not-exist} {#1}
2922               }
2923           }
2924       }
2925   }
2926 }
```

38.4.2 Language

```
2927 \keys_define:nn { fontspec-opentype } { Language .choice: }
2928 \cs_new:Nn \fontspec_new_lang:nn
2929 {
2930   \keys_define:nn { fontspec-opentype } { Language / #1 .code:n =
2931   \@@_check_lang:nTF {#2}
2932     {
2933       \tl_set:Nn \l_fontspec_lang_tl {#2}
2934       \int_set:Nn \l_@@_language_int {\l_@@_strnum_int}
2935       \tl_gset:Nx \g_@@_single_feat_tl { language=#2 }
2936     }
2937     {
2938       \@@_warning:nx {language-not-exist} {#1}
2939       \keys_set:nn { fontspec-opentype } { Language = Default }
2940     }
2941   }
2942 }
```

Default

```
2943 \@@_keys_define_code:nnn {fontspec-opentype}{ Language / Default }
2944 {
2945   \tl_set:Nn \l_fontspec_lang_tl {DFLT}
2946   \int_zero:N \l_@@_language_int
2947   \tl_gset:Nn \g_@@_single_feat_tl { language=DFLT }
2948 }
```

Turkish   Turns out that many fonts use 'TUR' as their Turkish language tag rather than the specified 'TRK'. So we check for both:

```
2949 \keys_define:nn {fontspec-opentype}
2950 {
2951   Language / Turkish .code:n =
2952     {
2953     \@@_check_lang:nTF {TRK}
2954       {
2955       \int_set:Nn \l_@@_language_int {\l_@@_strnum_int}
2956       \tl_set:Nn \l_fontspec_lang_tl {TRK}
2957       \tl_gset:Nn \g_@@_single_feat_tl { language=TRK }
2958       }
2959       {
2960       \@@_check_lang:nTF {TUR}
2961         {
2962         \int_set:Nn \l_@@_language_int {\l_@@_strnum_int}
2963         \tl_set:Nn \l_fontspec_lang_tl {TUR}
2964         \tl_gset:Nn \g_@@_single_feat_tl { language=TUR }
2965         }
2966         {
2967         \@@_warning:nx {language-not-exist} {Turkish}
2968         \keys_set:nn {fontspec-opentype} {Language=Default}
2969         }
2970       }
2971     }
```

```
2972  }
```

38.5   Backwards compatibility

Backwards compatibility:

```
2973 \cs_new:Nn \@@_ot_compat:nn
2974   {
2975     \aliasfontfeatureoption {#1} {#2Off} {No#2}
2976   }
2977 \@@_ot_compat:nn {Ligatures}   {Rare}
2978 \@@_ot_compat:nn {Ligatures}   {Required}
2979 \@@_ot_compat:nn {Ligatures}   {Common}
2980 \@@_ot_compat:nn {Ligatures}   {Discretionary}
2981 \@@_ot_compat:nn {Ligatures}   {Contextual}
2982 \@@_ot_compat:nn {Ligatures}   {Historic}
2983 \@@_ot_compat:nn {Numbers}     {SlashedZero}
2984 \@@_ot_compat:nn {Contextuals} {Swash}
2985 \@@_ot_compat:nn {Contextuals} {Alternate}
2986 \@@_ot_compat:nn {Contextuals} {WordInitial}
2987 \@@_ot_compat:nn {Contextuals} {WordFinal}
2988 \@@_ot_compat:nn {Contextuals} {LineFinal}
2989 \@@_ot_compat:nn {Contextuals} {Inner}
2990 \@@_ot_compat:nn {Diacritics}  {MarkToBase}
2991 \@@_ot_compat:nn {Diacritics}  {MarkToMark}
2992 \@@_ot_compat:nn {Diacritics}  {AboveBase}
2993 \@@_ot_compat:nn {Diacritics}  {BelowBase}
```

38.6   Font script definitions

```
2994 \newfontscript{Arabic}{arab}
2995 \newfontscript{Armenian}{armn}
2996 \newfontscript{Balinese}{bali}
2997 \newfontscript{Bengali}{bng2,beng}
2998 \newfontscript{Bopomofo}{bopo}
2999 \newfontscript{Braille}{brai}
3000 \newfontscript{Buginese}{bugi}
3001 \newfontscript{Buhid}{buhd}
3002 \newfontscript{Byzantine~Music}{byzm}
3003 \newfontscript{Canadian~Syllabics}{cans}
3004 \newfontscript{Cherokee}{cher}
3005 \newfontscript{CJK~Ideographic}{hani}
3006 \newfontscript{Coptic}{copt}
3007 \newfontscript{Cypriot~Syllabary}{cprt}
3008 \newfontscript{Cyrillic}{cyrl}
3009 \newfontscript{Default}{DFLT}
3010 \newfontscript{Deseret}{dsrt}
3011 \newfontscript{Devanagari}{dev2,deva}
3012 \newfontscript{Ethiopic}{ethi}
3013 \newfontscript{Georgian}{geor}
3014 \newfontscript{Glagolitic}{glag}
3015 \newfontscript{Gothic}{goth}
```

```
3016 \newfontscript{Greek}{grek}
3017 \newfontscript{Gujarati}{gjr2,gujr}
3018 \newfontscript{Gurmukhi}{gur2,guru}
3019 \newfontscript{Hangul~Jamo}{jamo}
3020 \newfontscript{Hangul}{hang}
3021 \newfontscript{Hanunoo}{hano}
3022 \newfontscript{Hebrew}{hebr}
3023 \newfontscript{Hiragana~and~Katakana}{kana}
3024 \newfontscript{Javanese}{java}
3025 \newfontscript{Kannada}{knd2,knda}
3026 \newfontscript{Kharosthi}{khar}
3027 \newfontscript{Khmer}{khmr}
3028 \newfontscript{Lao}{lao~}
3029 \newfontscript{Latin}{latn}
3030 \newfontscript{Limbu}{limb}
3031 \newfontscript{Linear~B}{linb}
3032 \newfontscript{Malayalam}{mlm2,mlym}
3033 \newfontscript{Math}{math}
3034 \newfontscript{Mongolian}{mong}
3035 \newfontscript{Musical~Symbols}{musc}
3036 \newfontscript{Myanmar}{mymr}
3037 \newfontscript{N'ko}{nko~}
3038 \newfontscript{Ogham}{ogam}
3039 \newfontscript{Old~Italic}{ital}
3040 \newfontscript{Old~Persian~Cuneiform}{xpeo}
3041 \newfontscript{Oriya}{ory2,orya}
3042 \newfontscript{Osmanya}{osma}
3043 \newfontscript{Phags-pa}{phag}
3044 \newfontscript{Phoenician}{phnx}
3045 \newfontscript{Runic}{runr}
3046 \newfontscript{Shavian}{shaw}
3047 \newfontscript{Sinhala}{sinh}
3048 \newfontscript{Sumero-Akkadian~Cuneiform}{xsux}
3049 \newfontscript{Syloti~Nagri}{sylo}
3050 \newfontscript{Syriac}{syrc}
3051 \newfontscript{Tagalog}{tglg}
3052 \newfontscript{Tagbanwa}{tagb}
3053 \newfontscript{Tai~Le}{tale}
3054 \newfontscript{Tai~Lu}{talu}
3055 \newfontscript{Tamil}{tml2,taml}
3056 \newfontscript{Telugu}{tel2,telu}
3057 \newfontscript{Thaana}{thaa}
3058 \newfontscript{Thai}{thai}
3059 \newfontscript{Tibetan}{tibt}
3060 \newfontscript{Tifinagh}{tfng}
3061 \newfontscript{Ugaritic~Cuneiform}{ugar}
3062 \newfontscript{Yi}{yi~~}
```

For convenience:

```
3063 \newfontscript{Kana}{kana}
3064 \newfontscript{Maths}{math}
3065 \newfontscript{CJK}{hani}
```

38.7 Font language definitions

```
3066 \newfontlanguage{Abaza}{ABA}
3067 \newfontlanguage{Abkhazian}{ABK}
3068 \newfontlanguage{Adyghe}{ADY}
3069 \newfontlanguage{Afrikaans}{AFK}
3070 \newfontlanguage{Afar}{AFR}
3071 \newfontlanguage{Agaw}{AGW}
3072 \newfontlanguage{Altai}{ALT}
3073 \newfontlanguage{Amharic}{AMH}
3074 \newfontlanguage{Arabic}{ARA}
3075 \newfontlanguage{Aari}{ARI}
3076 \newfontlanguage{Arakanese}{ARK}
3077 \newfontlanguage{Assamese}{ASM}
3078 \newfontlanguage{Athapaskan}{ATH}
3079 \newfontlanguage{Avar}{AVR}
3080 \newfontlanguage{Awadhi}{AWA}
3081 \newfontlanguage{Aymara}{AYM}
3082 \newfontlanguage{Azeri}{AZE}
3083 \newfontlanguage{Badaga}{BAD}
3084 \newfontlanguage{Baghelkhandi}{BAG}
3085 \newfontlanguage{Balkar}{BAL}
3086 \newfontlanguage{Baule}{BAU}
3087 \newfontlanguage{Berber}{BBR}
3088 \newfontlanguage{Bench}{BCH}
3089 \newfontlanguage{Bible~Cree}{BCR}
3090 \newfontlanguage{Belarussian}{BEL}
3091 \newfontlanguage{Bemba}{BEM}
3092 \newfontlanguage{Bengali}{BEN}
3093 \newfontlanguage{Bulgarian}{BGR}
3094 \newfontlanguage{Bhili}{BHI}
3095 \newfontlanguage{Bhojpuri}{BHO}
3096 \newfontlanguage{Bikol}{BIK}
3097 \newfontlanguage{Bilen}{BIL}
3098 \newfontlanguage{Blackfoot}{BKF}
3099 \newfontlanguage{Balochi}{BLI}
3100 \newfontlanguage{Balante}{BLN}
3101 \newfontlanguage{Balti}{BLT}
3102 \newfontlanguage{Bambara}{BMB}
3103 \newfontlanguage{Bamileke}{BML}
3104 \newfontlanguage{Breton}{BRE}
3105 \newfontlanguage{Brahui}{BRH}
3106 \newfontlanguage{Braj~Bhasha}{BRI}
3107 \newfontlanguage{Burmese}{BRM}
3108 \newfontlanguage{Bashkir}{BSH}
3109 \newfontlanguage{Beti}{BTI}
3110 \newfontlanguage{Catalan}{CAT}
3111 \newfontlanguage{Cebuano}{CEB}
3112 \newfontlanguage{Chechen}{CHE}
3113 \newfontlanguage{Chaha~Gurage}{CHG}
3114 \newfontlanguage{Chattisgarhi}{CHH}
3115 \newfontlanguage{Chichewa}{CHI}
```

```
3116 \newfontlanguage{Chukchi}{CHK}
3117 \newfontlanguage{Chipewyan}{CHP}
3118 \newfontlanguage{Cherokee}{CHR}
3119 \newfontlanguage{Chuvash}{CHU}
3120 \newfontlanguage{Comorian}{CMR}
3121 \newfontlanguage{Coptic}{COP}
3122 \newfontlanguage{Cree}{CRE}
3123 \newfontlanguage{Carrier}{CRR}
3124 \newfontlanguage{Crimean~Tatar}{CRT}
3125 \newfontlanguage{Church~Slavonic}{CSL}
3126 \newfontlanguage{Czech}{CSY}
3127 \newfontlanguage{Danish}{DAN}
3128 \newfontlanguage{Dargwa}{DAR}
3129 \newfontlanguage{Woods~Cree}{DCR}
3130 \newfontlanguage{German}{DEU}
3131 \newfontlanguage{Dogri}{DGR}
3132 \newfontlanguage{Divehi}{DIV}
3133 \newfontlanguage{Djerma}{DJR}
3134 \newfontlanguage{Dangme}{DNG}
3135 \newfontlanguage{Dinka}{DNK}
3136 \newfontlanguage{Dungan}{DUN}
3137 \newfontlanguage{Dzongkha}{DZN}
3138 \newfontlanguage{Ebira}{EBI}
3139 \newfontlanguage{Eastern~Cree}{ECR}
3140 \newfontlanguage{Edo}{EDO}
3141 \newfontlanguage{Efik}{EFI}
3142 \newfontlanguage{Greek}{ELL}
3143 \newfontlanguage{English}{ENG}
3144 \newfontlanguage{Erzya}{ERZ}
3145 \newfontlanguage{Spanish}{ESP}
3146 \newfontlanguage{Estonian}{ETI}
3147 \newfontlanguage{Basque}{EUQ}
3148 \newfontlanguage{Evenki}{EVK}
3149 \newfontlanguage{Even}{EVN}
3150 \newfontlanguage{Ewe}{EWE}
3151 \newfontlanguage{French~Antillean}{FAN}
3152 \newfontlanguage{Farsi}{FAR}
3153 \newfontlanguage{Parsi}{FAR}
3154 \newfontlanguage{Persian}{FAR}
3155 \newfontlanguage{Finnish}{FIN}
3156 \newfontlanguage{Fijian}{FJI}
3157 \newfontlanguage{Flemish}{FLE}
3158 \newfontlanguage{Forest~Nenets}{FNE}
3159 \newfontlanguage{Fon}{FON}
3160 \newfontlanguage{Faroese}{FOS}
3161 \newfontlanguage{French}{FRA}
3162 \newfontlanguage{Frisian}{FRI}
3163 \newfontlanguage{Friulian}{FRL}
3164 \newfontlanguage{Futa}{FTA}
3165 \newfontlanguage{Fulani}{FUL}
3166 \newfontlanguage{Ga}{GAD}
```

```
3167 \newfontlanguage{Gaelic}{GAE}
3168 \newfontlanguage{Gagauz}{GAG}
3169 \newfontlanguage{Galician}{GAL}
3170 \newfontlanguage{Garshuni}{GAR}
3171 \newfontlanguage{Garhwali}{GAW}
3172 \newfontlanguage{Ge'ez}{GEZ}
3173 \newfontlanguage{Gilyak}{GIL}
3174 \newfontlanguage{Gumuz}{GMZ}
3175 \newfontlanguage{Gondi}{GON}
3176 \newfontlanguage{Greenlandic}{GRN}
3177 \newfontlanguage{Garo}{GRO}
3178 \newfontlanguage{Guarani}{GUA}
3179 \newfontlanguage{Gujarati}{GUJ}
3180 \newfontlanguage{Haitian}{HAI}
3181 \newfontlanguage{Halam}{HAL}
3182 \newfontlanguage{Harauti}{HAR}
3183 \newfontlanguage{Hausa}{HAU}
3184 \newfontlanguage{Hawaiin}{HAW}
3185 \newfontlanguage{Hammer-Banna}{HBN}
3186 \newfontlanguage{Hiligaynon}{HIL}
3187 \newfontlanguage{Hindi}{HIN}
3188 \newfontlanguage{High~Mari}{HMA}
3189 \newfontlanguage{Hindko}{HND}
3190 \newfontlanguage{Ho}{HO}
3191 \newfontlanguage{Harari}{HRI}
3192 \newfontlanguage{Croatian}{HRV}
3193 \newfontlanguage{Hungarian}{HUN}
3194 \newfontlanguage{Armenian}{HYE}
3195 \newfontlanguage{Igbo}{IBO}
3196 \newfontlanguage{Ijo}{IJO}
3197 \newfontlanguage{Ilokano}{ILO}
3198 \newfontlanguage{Indonesian}{IND}
3199 \newfontlanguage{Ingush}{ING}
3200 \newfontlanguage{Inuktitut}{INU}
3201 \newfontlanguage{Irish}{IRI}
3202 \newfontlanguage{Irish~Traditional}{IRT}
3203 \newfontlanguage{Icelandic}{ISL}
3204 \newfontlanguage{Inari~Sami}{ISM}
3205 \newfontlanguage{Italian}{ITA}
3206 \newfontlanguage{Hebrew}{IWR}
3207 \newfontlanguage{Javanese}{JAV}
3208 \newfontlanguage{Yiddish}{JII}
3209 \newfontlanguage{Japanese}{JAN}
3210 \newfontlanguage{Judezmo}{JUD}
3211 \newfontlanguage{Jula}{JUL}
3212 \newfontlanguage{Kabardian}{KAB}
3213 \newfontlanguage{Kachchi}{KAC}
3214 \newfontlanguage{Kalenjin}{KAL}
3215 \newfontlanguage{Kannada}{KAN}
3216 \newfontlanguage{Karachay}{KAR}
3217 \newfontlanguage{Georgian}{KAT}
```

```
3218 \newfontlanguage{Kazakh}{KAZ}
3219 \newfontlanguage{Kebena}{KEB}
3220 \newfontlanguage{Khutsuri~Georgian}{KGE}
3221 \newfontlanguage{Khakass}{KHA}
3222 \newfontlanguage{Khanty-Kazim}{KHK}
3223 \newfontlanguage{Khmer}{KHM}
3224 \newfontlanguage{Khanty-Shurishkar}{KHS}
3225 \newfontlanguage{Khanty-Vakhi}{KHV}
3226 \newfontlanguage{Khowar}{KHW}
3227 \newfontlanguage{Kikuyu}{KIK}
3228 \newfontlanguage{Kirghiz}{KIR}
3229 \newfontlanguage{Kisii}{KIS}
3230 \newfontlanguage{Kokni}{KKN}
3231 \newfontlanguage{Kalmyk}{KLM}
3232 \newfontlanguage{Kamba}{KMB}
3233 \newfontlanguage{Kumaoni}{KMN}
3234 \newfontlanguage{Komo}{KMO}
3235 \newfontlanguage{Komso}{KMS}
3236 \newfontlanguage{Kanuri}{KNR}
3237 \newfontlanguage{Kodagu}{KOD}
3238 \newfontlanguage{Korean~Old~Hangul}{KOH}
3239 \newfontlanguage{Konkani}{KOK}
3240 \newfontlanguage{Kikongo}{KON}
3241 \newfontlanguage{Komi-Permyak}{KOP}
3242 \newfontlanguage{Korean}{KOR}
3243 \newfontlanguage{Komi-Zyrian}{KOZ}
3244 \newfontlanguage{Kpelle}{KPL}
3245 \newfontlanguage{Krio}{KRI}
3246 \newfontlanguage{Karakalpak}{KRK}
3247 \newfontlanguage{Karelian}{KRL}
3248 \newfontlanguage{Karaim}{KRM}
3249 \newfontlanguage{Karen}{KRN}
3250 \newfontlanguage{Koorete}{KRT}
3251 \newfontlanguage{Kashmiri}{KSH}
3252 \newfontlanguage{Khasi}{KSI}
3253 \newfontlanguage{Kildin~Sami}{KSM}
3254 \newfontlanguage{Kui}{KUI}
3255 \newfontlanguage{Kulvi}{KUL}
3256 \newfontlanguage{Kumyk}{KUM}
3257 \newfontlanguage{Kurdish}{KUR}
3258 \newfontlanguage{Kurukh}{KUU}
3259 \newfontlanguage{Kuy}{KUY}
3260 \newfontlanguage{Koryak}{KYK}
3261 \newfontlanguage{Ladin}{LAD}
3262 \newfontlanguage{Lahuli}{LAH}
3263 \newfontlanguage{Lak}{LAK}
3264 \newfontlanguage{Lambani}{LAM}
3265 \newfontlanguage{Lao}{LAO}
3266 \newfontlanguage{Latin}{LAT}
3267 \newfontlanguage{Laz}{LAZ}
3268 \newfontlanguage{L-Cree}{LCR}
```

```
3269 \newfontlanguage{Ladakhi}{LDK}
3270 \newfontlanguage{Lezgi}{LEZ}
3271 \newfontlanguage{Lingala}{LIN}
3272 \newfontlanguage{Low~Mari}{LMA}
3273 \newfontlanguage{Limbu}{LMB}
3274 \newfontlanguage{Lomwe}{LMW}
3275 \newfontlanguage{Lower~Sorbian}{LSB}
3276 \newfontlanguage{Lule~Sami}{LSM}
3277 \newfontlanguage{Lithuanian}{LTH}
3278 \newfontlanguage{Luba}{LUB}
3279 \newfontlanguage{Luganda}{LUG}
3280 \newfontlanguage{Luhya}{LUH}
3281 \newfontlanguage{Luo}{LUO}
3282 \newfontlanguage{Latvian}{LVI}
3283 \newfontlanguage{Majang}{MAJ}
3284 \newfontlanguage{Makua}{MAK}
3285 \newfontlanguage{Malayalam~Traditional}{MAL}
3286 \newfontlanguage{Mansi}{MAN}
3287 \newfontlanguage{Marathi}{MAR}
3288 \newfontlanguage{Marwari}{MAW}
3289 \newfontlanguage{Mbundu}{MBN}
3290 \newfontlanguage{Manchu}{MCH}
3291 \newfontlanguage{Moose~Cree}{MCR}
3292 \newfontlanguage{Mende}{MDE}
3293 \newfontlanguage{Me'en}{MEN}
3294 \newfontlanguage{Mizo}{MIZ}
3295 \newfontlanguage{Macedonian}{MKD}
3296 \newfontlanguage{Male}{MLE}
3297 \newfontlanguage{Malagasy}{MLG}
3298 \newfontlanguage{Malinke}{MLN}
3299 \newfontlanguage{Malayalam~Reformed}{MLR}
3300 \newfontlanguage{Malay}{MLY}
3301 \newfontlanguage{Mandinka}{MND}
3302 \newfontlanguage{Mongolian}{MNG}
3303 \newfontlanguage{Manipuri}{MNI}
3304 \newfontlanguage{Maninka}{MNK}
3305 \newfontlanguage{Manx~Gaelic}{MNX}
3306 \newfontlanguage{Moksha}{MOK}
3307 \newfontlanguage{Moldavian}{MOL}
3308 \newfontlanguage{Mon}{MON}
3309 \newfontlanguage{Moroccan}{MOR}
3310 \newfontlanguage{Maori}{MRI}
3311 \newfontlanguage{Maithili}{MTH}
3312 \newfontlanguage{Maltese}{MTS}
3313 \newfontlanguage{Mundari}{MUN}
3314 \newfontlanguage{Naga-Assamese}{NAG}
3315 \newfontlanguage{Nanai}{NAN}
3316 \newfontlanguage{Naskapi}{NAS}
3317 \newfontlanguage{N-Cree}{NCR}
3318 \newfontlanguage{Ndebele}{NDB}
3319 \newfontlanguage{Ndonga}{NDG}
```

```
3320 \newfontlanguage{Nepali}{NEP}
3321 \newfontlanguage{Newari}{NEW}
3322 \newfontlanguage{Nagari}{NGR}
3323 \newfontlanguage{Norway~House~Cree}{NHC}
3324 \newfontlanguage{Nisi}{NIS}
3325 \newfontlanguage{Niuean}{NIU}
3326 \newfontlanguage{Nkole}{NKL}
3327 \newfontlanguage{N'ko}{NKO}
3328 \newfontlanguage{Dutch}{NLD}
3329 \newfontlanguage{Nogai}{NOG}
3330 \newfontlanguage{Norwegian}{NOR}
3331 \newfontlanguage{Northern~Sami}{NSM}
3332 \newfontlanguage{Northern~Tai}{NTA}
3333 \newfontlanguage{Esperanto}{NTO}
3334 \newfontlanguage{Nynorsk}{NYN}
3335 \newfontlanguage{Oji-Cree}{OCR}
3336 \newfontlanguage{Ojibway}{OJB}
3337 \newfontlanguage{Oriya}{ORI}
3338 \newfontlanguage{Oromo}{ORO}
3339 \newfontlanguage{Ossetian}{OSS}
3340 \newfontlanguage{Palestinian~Aramaic}{PAA}
3341 \newfontlanguage{Pali}{PAL}
3342 \newfontlanguage{Punjabi}{PAN}
3343 \newfontlanguage{Palpa}{PAP}
3344 \newfontlanguage{Pashto}{PAS}
3345 \newfontlanguage{Polytonic~Greek}{PGR}
3346 \newfontlanguage{Pilipino}{PIL}
3347 \newfontlanguage{Palaung}{PLG}
3348 \newfontlanguage{Polish}{PLK}
3349 \newfontlanguage{Provencal}{PRO}
3350 \newfontlanguage{Portuguese}{PTG}
3351 \newfontlanguage{Chin}{QIN}
3352 \newfontlanguage{Rajasthani}{RAJ}
3353 \newfontlanguage{R-Cree}{RCR}
3354 \newfontlanguage{Russian~Buriat}{RBU}
3355 \newfontlanguage{Riang}{RIA}
3356 \newfontlanguage{Rhaeto-Romanic}{RMS}
3357 \newfontlanguage{Romanian}{ROM}
3358 \newfontlanguage{Romany}{ROY}
3359 \newfontlanguage{Rusyn}{RSY}
3360 \newfontlanguage{Ruanda}{RUA}
3361 \newfontlanguage{Russian}{RUS}
3362 \newfontlanguage{Sadri}{SAD}
3363 \newfontlanguage{Sanskrit}{SAN}
3364 \newfontlanguage{Santali}{SAT}
3365 \newfontlanguage{Sayisi}{SAY}
3366 \newfontlanguage{Sekota}{SEK}
3367 \newfontlanguage{Selkup}{SEL}
3368 \newfontlanguage{Sango}{SGO}
3369 \newfontlanguage{Shan}{SHN}
3370 \newfontlanguage{Sibe}{SIB}
```

```
3371 \newfontlanguage{Sidamo}{SID}
3372 \newfontlanguage{Silte~Gurage}{SIG}
3373 \newfontlanguage{Skolt~Sami}{SKS}
3374 \newfontlanguage{Slovak}{SKY}
3375 \newfontlanguage{Slavey}{SLA}
3376 \newfontlanguage{Slovenian}{SLV}
3377 \newfontlanguage{Somali}{SML}
3378 \newfontlanguage{Samoan}{SMO}
3379 \newfontlanguage{Sena}{SNA}
3380 \newfontlanguage{Sindhi}{SND}
3381 \newfontlanguage{Sinhalese}{SNH}
3382 \newfontlanguage{Soninke}{SNK}
3383 \newfontlanguage{Sodo~Gurage}{SOG}
3384 \newfontlanguage{Sotho}{SOT}
3385 \newfontlanguage{Albanian}{SQI}
3386 \newfontlanguage{Serbian}{SRB}
3387 \newfontlanguage{Saraiki}{SRK}
3388 \newfontlanguage{Serer}{SRR}
3389 \newfontlanguage{South~Slavey}{SSL}
3390 \newfontlanguage{Southern~Sami}{SSM}
3391 \newfontlanguage{Suri}{SUR}
3392 \newfontlanguage{Svan}{SVA}
3393 \newfontlanguage{Swedish}{SVE}
3394 \newfontlanguage{Swadaya~Aramaic}{SWA}
3395 \newfontlanguage{Swahili}{SWK}
3396 \newfontlanguage{Swazi}{SWZ}
3397 \newfontlanguage{Sutu}{SXT}
3398 \newfontlanguage{Syriac}{SYR}
3399 \newfontlanguage{Tabasaran}{TAB}
3400 \newfontlanguage{Tajiki}{TAJ}
3401 \newfontlanguage{Tamil}{TAM}
3402 \newfontlanguage{Tatar}{TAT}
3403 \newfontlanguage{TH-Cree}{TCR}
3404 \newfontlanguage{Telugu}{TEL}
3405 \newfontlanguage{Tongan}{TGN}
3406 \newfontlanguage{Tigre}{TGR}
3407 \newfontlanguage{Tigrinya}{TGY}
3408 \newfontlanguage{Thai}{THA}
3409 \newfontlanguage{Tahitian}{THT}
3410 \newfontlanguage{Tibetan}{TIB}
3411 \newfontlanguage{Turkmen}{TKM}
3412 \newfontlanguage{Temne}{TMN}
3413 \newfontlanguage{Tswana}{TNA}
3414 \newfontlanguage{Tundra~Nenets}{TNE}
3415 \newfontlanguage{Tonga}{TNG}
3416 \newfontlanguage{Todo}{TOD}
3417 \newfontlanguage{Tsonga}{TSG}
3418 \newfontlanguage{Turoyo~Aramaic}{TUA}
3419 \newfontlanguage{Tulu}{TUL}
3420 \newfontlanguage{Tuvin}{TUV}
3421 \newfontlanguage{Twi}{TWI}
```

```
3422 \newfontlanguage{Udmurt}{UDM}
3423 \newfontlanguage{Ukrainian}{UKR}
3424 \newfontlanguage{Urdu}{URD}
3425 \newfontlanguage{Upper~Sorbian}{USB}
3426 \newfontlanguage{Uyghur}{UYG}
3427 \newfontlanguage{Uzbek}{UZB}
3428 \newfontlanguage{Venda}{VEN}
3429 \newfontlanguage{Vietnamese}{VIT}
3430 \newfontlanguage{Wa}{WA}
3431 \newfontlanguage{Wagdi}{WAG}
3432 \newfontlanguage{West-Cree}{WCR}
3433 \newfontlanguage{Welsh}{WEL}
3434 \newfontlanguage{Wolof}{WLF}
3435 \newfontlanguage{Tai~Lue}{XBD}
3436 \newfontlanguage{Xhosa}{XHS}
3437 \newfontlanguage{Yakut}{YAK}
3438 \newfontlanguage{Yoruba}{YBA}
3439 \newfontlanguage{Y-Cree}{YCR}
3440 \newfontlanguage{Yi~Classic}{YIC}
3441 \newfontlanguage{Yi~Modern}{YIM}
3442 \newfontlanguage{Chinese~Hong~Kong}{ZHH}
3443 \newfontlanguage{Chinese~Phonetic}{ZHP}
3444 \newfontlanguage{Chinese~Simplified}{ZHS}
3445 \newfontlanguage{Chinese~Traditional}{ZHT}
3446 \newfontlanguage{Zande}{ZND}
3447 \newfontlanguage{Zulu}{ZUL}
```

38.8 AAT feature definitions

These are only defined for X∃TEX.

38.8.1 Ligatures

```
3448 \@@_define_aat_feature_group:n {Ligatures}
3449 \@@_define_aat_feature:nnnn     {Ligatures} {Required} {1} {0}
3450 \@@_define_aat_feature:nnnn     {Ligatures} {NoRequired} {1} {1}
3451 \@@_define_aat_feature:nnnn     {Ligatures} {Common} {1} {2}
3452 \@@_define_aat_feature:nnnn     {Ligatures} {NoCommon} {1} {3}
3453 \@@_define_aat_feature:nnnn     {Ligatures} {Rare} {1} {4}
3454 \@@_define_aat_feature:nnnn     {Ligatures} {NoRare} {1} {5}
3455 \@@_define_aat_feature:nnnn     {Ligatures} {Discretionary} {1} {4}
3456 \@@_define_aat_feature:nnnn     {Ligatures} {NoDiscretionary} {1} {5}
3457 \@@_define_aat_feature:nnnn     {Ligatures} {Logos} {1} {6}
3458 \@@_define_aat_feature:nnnn     {Ligatures} {NoLogos} {1} {7}
3459 \@@_define_aat_feature:nnnn     {Ligatures} {Rebus} {1} {8}
3460 \@@_define_aat_feature:nnnn     {Ligatures} {NoRebus} {1} {9}
3461 \@@_define_aat_feature:nnnn     {Ligatures} {Diphthong} {1} {10}
3462 \@@_define_aat_feature:nnnn     {Ligatures} {NoDiphthong} {1} {11}
3463 \@@_define_aat_feature:nnnn     {Ligatures} {Squared} {1} {12}
3464 \@@_define_aat_feature:nnnn     {Ligatures} {NoSquared} {1} {13}
3465 \@@_define_aat_feature:nnnn     {Ligatures} {AbbrevSquared} {1} {14}
3466 \@@_define_aat_feature:nnnn     {Ligatures} {NoAbbrevSquared} {1} {15}
```

```
3467 \@@_define_aat_feature:nnnn        {Ligatures} {Icelandic} {1} {32}
3468 \@@_define_aat_feature:nnnn        {Ligatures} {NoIcelandic} {1} {33}
```

Emulate CM extra ligatures.
```
3469 \keys_define:nn {fontspec-aat}
3470 {
3471   Ligatures / TeX .code:n =
3472     {
3473       \tl_set:Nn \l_@@_mapping_tl { tex-text }
3474     }
3475 }
```

38.8.2 Letters

```
3476 \@@_define_aat_feature_group:n {Letters}
3477 \@@_define_aat_feature:nnnn        {Letters} {Normal} {3} {0}
3478 \@@_define_aat_feature:nnnn        {Letters} {Uppercase} {3} {1}
3479 \@@_define_aat_feature:nnnn        {Letters} {Lowercase} {3} {2}
3480 \@@_define_aat_feature:nnnn        {Letters} {SmallCaps} {3} {3}
3481 \@@_define_aat_feature:nnnn        {Letters} {InitialCaps} {3} {4}
```

38.8.3 Numbers

These were originally separated into NumberCase and NumberSpacing following AAT, but it makes more sense to combine them.

Both naming conventions are offered to select the number case.

```
3482 \@@_define_aat_feature_group:n {Numbers}
3483 \@@_define_aat_feature:nnnn        {Numbers} {Monospaced} {6} {0}
3484 \@@_define_aat_feature:nnnn        {Numbers} {Proportional} {6} {1}
3485 \@@_define_aat_feature:nnnn        {Numbers} {Lowercase} {21} {0}
3486 \@@_define_aat_feature:nnnn        {Numbers} {OldStyle} {21} {0}
3487 \@@_define_aat_feature:nnnn        {Numbers} {Uppercase} {21} {1}
3488 \@@_define_aat_feature:nnnn        {Numbers} {Lining} {21} {1}
3489 \@@_define_aat_feature:nnnn        {Numbers} {SlashedZero} {14} {5}
3490 \@@_define_aat_feature:nnnn        {Numbers} {NoSlashedZero} {14} {4}
```

38.8.4 Contextuals

```
3491 \@@_define_aat_feature_group:n    {Contextuals}
3492 \@@_define_aat_feature:nnnn        {Contextuals} {WordInitial} {8} {0}
3493 \@@_define_aat_feature:nnnn        {Contextuals} {NoWordInitial} {8} {1}
3494 \@@_define_aat_feature:nnnn        {Contextuals} {WordFinal} {8} {2}
3495 \@@_define_aat_feature:nnnn        {Contextuals} {NoWordFinal} {8} {3}
3496 \@@_define_aat_feature:nnnn        {Contextuals} {LineInitial} {8} {4}
3497 \@@_define_aat_feature:nnnn        {Contextuals} {NoLineInitial} {8} {5}
3498 \@@_define_aat_feature:nnnn        {Contextuals} {LineFinal} {8} {6}
3499 \@@_define_aat_feature:nnnn        {Contextuals} {NoLineFinal} {8} {7}
3500 \@@_define_aat_feature:nnnn        {Contextuals} {Inner} {8} {8}
3501 \@@_define_aat_feature:nnnn        {Contextuals} {NoInner} {8} {9}
```

38.8.5 Diacritics

```
3502 \@@_define_aat_feature_group:n {Diacritics}
3503 \@@_define_aat_feature:nnnn        {Diacritics} {Show} {9} {0}
```

```
3504 \@@_define_aat_feature:nnnn        {Diacritics} {Hide} {9} {1}
3505 \@@_define_aat_feature:nnnn        {Diacritics} {Decompose} {9} {2}
```

38.8.6   Vertical position

```
3506 \@@_define_aat_feature_group:n {VerticalPosition}
3507 \@@_define_aat_feature:nnnn        {VerticalPosition} {Normal} {10} {0}
3508 \@@_define_aat_feature:nnnn        {VerticalPosition} {Superior} {10} {1}
3509 \@@_define_aat_feature:nnnn        {VerticalPosition} {Inferior} {10} {2}
3510 \@@_define_aat_feature:nnnn        {VerticalPosition} {Ordinal} {10} {3}
```

38.8.7   Fractions

```
3511 \@@_define_aat_feature_group:n {Fractions}
3512 \@@_define_aat_feature:nnnn        {Fractions} {On} {11} {1}
3513 \@@_define_aat_feature:nnnn        {Fractions} {Off} {11} {0}
3514 \@@_define_aat_feature:nnnn        {Fractions} {Diagonal} {11} {2}
```

38.8.8   Alternate

```
3515 \@@_define_aat_feature_group:n  { Alternate }
3516 \keys_define:nn {fontspec-aat}
3517 {
3518   Alternate .default:n = {0} ,
3519   Alternate / unknown .code:n =
3520    {
3521     \clist_map_inline:nn {#1}
3522       {
3523         \@@_make_AAT_feature:nn {17}{##1}
3524       }
3525    }
3526 }
```

38.8.9   Variant / StylisticSet

```
3527 \@@_define_aat_feature_group:n  {Variant}
3528 \keys_define:nn {fontspec-aat}
3529 {
3530   Variant .default:n = {0} ,
3531   Variant / unknown .code:n =
3532    {
3533     \clist_map_inline:nn {#1}
3534       { \@@_make_AAT_feature:nn {18}{##1} }
3535    }
3536 }
3537 \aliasfontfeature{Variant}{StylisticSet}

3538 \@@_define_aat_feature_group:n  {Vertical}
3539 \keys_define:nn {fontspec-aat}
3540 {
3541   Vertical .choice: ,
3542   Vertical / RotatedGlyphs .code:n =
3543    {
3544     \__fontspec_update_featstr:n {vertical}
3545    }
3546 }
```

38.8.10 Style

```
3548 \@@_define_aat_feature_group:n {Style}
3549 \@@_define_aat_feature:nnnn      {Style} {Italic} {32} {2}
3550 \@@_define_aat_feature:nnnn      {Style} {Ruby} {28} {2}
3551 \@@_define_aat_feature:nnnn      {Style} {Display} {19} {1}
3552 \@@_define_aat_feature:nnnn      {Style} {Engraved} {19} {2}
3553 \@@_define_aat_feature:nnnn      {Style} {TitlingCaps} {19} {4}
3554 \@@_define_aat_feature:nnnn      {Style} {TallCaps} {19} {5}
```

38.8.11 CJK shape

```
3555 \@@_define_aat_feature_group:n {CJKShape}
3556 \@@_define_aat_feature:nnnn      {CJKShape} {Traditional} {20} {0}
3557 \@@_define_aat_feature:nnnn      {CJKShape} {Simplified} {20} {1}
3558 \@@_define_aat_feature:nnnn      {CJKShape} {JIS1978} {20} {2}
3559 \@@_define_aat_feature:nnnn      {CJKShape} {JIS1983} {20} {3}
3560 \@@_define_aat_feature:nnnn      {CJKShape} {JIS1990} {20} {4}
3561 \@@_define_aat_feature:nnnn      {CJKShape} {Expert} {20} {10}
3562 \@@_define_aat_feature:nnnn      {CJKShape} {NLC} {20} {13}
```

38.8.12 Character width

```
3563 \@@_define_aat_feature_group:n {CharacterWidth}
3564 \@@_define_aat_feature:nnnn      {CharacterWidth} {Proportional} {22} {0}
3565 \@@_define_aat_feature:nnnn      {CharacterWidth} {Full} {22} {1}
3566 \@@_define_aat_feature:nnnn      {CharacterWidth} {Half} {22} {2}
3567 \@@_define_aat_feature:nnnn      {CharacterWidth} {Third} {22} {3}
3568 \@@_define_aat_feature:nnnn      {CharacterWidth} {Quarter} {22} {4}
3569 \@@_define_aat_feature:nnnn      {CharacterWidth} {AlternateProportional} {22} {5}
3570 \@@_define_aat_feature:nnnn      {CharacterWidth} {AlternateHalf} {22} {6}
3571 \@@_define_aat_feature:nnnn      {CharacterWidth} {Default} {22} {7}
```

38.8.13 Annotation

```
3572 \@@_define_aat_feature_group:n {Annotation}
3573 \@@_define_aat_feature:nnnn      {Annotation} {Off} {24} {0}
3574 \@@_define_aat_feature:nnnn      {Annotation} {Box} {24} {1}
3575 \@@_define_aat_feature:nnnn      {Annotation} {RoundedBox} {24} {2}
3576 \@@_define_aat_feature:nnnn      {Annotation} {Circle} {24} {3}
3577 \@@_define_aat_feature:nnnn      {Annotation} {BlackCircle} {24} {4}
3578 \@@_define_aat_feature:nnnn      {Annotation} {Parenthesis} {24} {5}
3579 \@@_define_aat_feature:nnnn      {Annotation} {Period} {24} {6}
3580 \@@_define_aat_feature:nnnn      {Annotation} {RomanNumerals} {24} {7}
3581 \@@_define_aat_feature:nnnn      {Annotation} {Diamond} {24} {8}
3582 \@@_define_aat_feature:nnnn      {Annotation} {BlackSquare} {24} {9}
3583 \@@_define_aat_feature:nnnn      {Annotation} {BlackRoundSquare} {24} {10}
3584 \@@_define_aat_feature:nnnn      {Annotation} {DoubleCircle} {24} {11}
```

39 Extended font encodings

To be removed after the 2017 release of LaTeX2e:

```
3585 \providecommand\UnicodeFontFile[2]{"[#1]:#2"}
```

```
3586 \providecommand\UnicodeFontName[2]{"#1:#2"}
3587 ⟨xetexx⟩\providecommand\UnicodeFontTeXLigatures{mapping=tex-text;}
3588 ⟨luatex⟩\providecommand\UnicodeFontTeXLigatures{+tlig;}

3589 \providecommand\add@unicode@accent[2]{#2\char#1\relax}
3590 \providecommand\DeclareUnicodeAccent[3]{%
3591   \DeclareTextCommand{#1}{#2}{\add@unicode@accent{#3}}%
3592 }
```

\EncodingCommand

```
3593 \DeclareDocumentCommand \EncodingCommand {mO{}m}
3594   {
3595     \bool_if:NF \l_@@_defining_encoding_bool
3596       { \@@_error:nn {only-inside-encdef} \EncodingCommand }
3597     \DeclareTextCommand{#1}{\UnicodeEncodingName}[#2]{#3}
3598   }
```

\EncodingAccent

```
3599 \DeclareDocumentCommand \EncodingAccent {mm}
3600   {
3601     \bool_if:NF \l_@@_defining_encoding_bool
3602       { \@@_error:nn {only-inside-encdef} \EncodingAccent }
3603     \DeclareTextCommand{#1}{\UnicodeEncodingName}{\add@unicode@accent{#2}}
3604   }
```

\EncodingSymbol

```
3605 \DeclareDocumentCommand \EncodingSymbol {mm}
3606   {
3607     \bool_if:NF \l_@@_defining_encoding_bool
3608       { \@@_error:nn {only-inside-encdef} \EncodingSymbol }
3609     \DeclareTextSymbol{#1}{\UnicodeEncodingName}{#2}
3610   }
```

\EncodingComposite

```
3611 \DeclareDocumentCommand \EncodingComposite {mmm}
3612   {
3613     \bool_if:NF \l_@@_defining_encoding_bool
3614       { \@@_error:nn {only-inside-encdef} \EncodingComposite }
3615     \DeclareTextComposite{#1}{\UnicodeEncodingName}{#2}{#3}
3616   }
```

\EncodingCompositeCommand

```
3617 \DeclareDocumentCommand \EncodingCompositeCommand {mmm}
3618   {
3619     \bool_if:NF \l_@@_defining_encoding_bool
3620       { \@@_error:nn {only-inside-encdef} \EncodingCompositeCommand }
3621     \DeclareTextCompositeCommand{#1}{\UnicodeEncodingName}{#2}{#3}
3622   }
```

\DeclareUnicodeEncoding

```
3623 \DeclareDocumentCommand \DeclareUnicodeEncoding {mm}
3624   {
```

```
3625    \DeclareFontEncoding{#1}{}{}
3626    \DeclareErrorFont{#1}{lmr}{m}{n}{10}
3627    \DeclareFontSubstitution{#1}{lmr}{m}{n}
3628    \DeclareFontFamily{#1}{lmr}{}
3629
3630    \DeclareFontShape{#1}{lmr}{m}{n}
3631      {<->\UnicodeFontFile{lmroman10-regular}{\UnicodeFontTeXLigatures}}{}
3632    \DeclareFontShape{#1}{lmr}{m}{it}
3633      {<->\UnicodeFontFile{lmroman10-italic}{\UnicodeFontTeXLigatures}}{}
3634    \DeclareFontShape{#1}{lmr}{m}{sc}
3635      {<->\UnicodeFontFile{lmromancaps10-regular}{\UnicodeFontTeXLigatures}}{}
3636    \DeclareFontShape{#1}{lmr}{bx}{n}
3637      {<->\UnicodeFontFile{lmroman10-bold}{\UnicodeFontTeXLigatures}}{}
3638    \DeclareFontShape{#1}{lmr}{bx}{it}
3639      {<->\UnicodeFontFile{lmroman10-bolditalic}{\UnicodeFontTeXLigatures}}{}
3640
3641    \tl_set_eq:NN \l_@@_prev_unicode_name_tl \UnicodeEncodingName
3642    \tl_set:Nn \UnicodeEncodingName {#1}
3643    \bool_set_true:N \l_@@_defining_encoding_bool
3644    #2
3645    \bool_set_false:N \l_@@_defining_encoding_bool
3646    \tl_set_eq:NN \UnicodeEncodingName \l_@@_prev_unicode_name_tl
3647  }
```

\UndeclareSymbol

```
3648 \DeclareDocumentCommand \UndeclareSymbol {m}
3649   {
3650     \bool_if:NF \l_@@_defining_encoding_bool
3651       { \@@_error:nn {only-inside-encdef} \UndeclareSymbol }
3652     \UndeclareTextCommand {#1} {\UnicodeEncodingName}
3653   }
3654
```

\UndeclareComposite

```
3655 \DeclareDocumentCommand \UndeclareComposite {mm}
3656   {
3657     \bool_if:NF \l_@@_defining_encoding_bool
3658       { \@@_error:nn {only-inside-encdef} \UndeclareComposite }
3659     \cs_undefine:c
3660       { \c_backslash_str \UnicodeEncodingName \token_to_str:N #1 - \tl_to_str:n {#2} }
3661   }
```

40   Selecting maths fonts

Here, the fonts used in math mode are redefined to correspond to the default roman, sans serif and typewriter fonts. Unfortunately, you can only define maths fonts in the preamble, otherwise I'd run this code whenever \setmainfont and friends was run.

\fontspec_setup_maths: Everything here is performed \AtBeginDocument in order to overwrite euler's attempt. This means fontspec must be loaded *after* euler. We set up a conditional to return an error if this rule is violated.

159

Since every maths setup is slightly different, we also take different paths for defining various math glyphs depending which maths font package has been loaded.

```
3662 \@ifpackageloaded{euler}
3663 {
3664   \bool_set_true:N \g_@@_pkg_euler_loaded_bool
3665 }
3666 {
3667   \bool_set_false:N \g_@@_pkg_euler_loaded_bool
3668 }
3669 \cs_set:Nn \fontspec_setup_maths:
3670 {
3671   \@ifpackageloaded{euler}
3672   {
3673     \bool_if:NTF \g_@@_pkg_euler_loaded_bool
3674       { \bool_set_true:N \g_@@_math_euler_bool }
3675       { \@@_error:n {euler-too-late} }
3676   }
3677   {}
3678   \@ifpackageloaded{lucbmath}{\bool_set_true:N \g_@@_math_lucida_bool}{}
3679   \@ifpackageloaded{lucidabr}{\bool_set_true:N \g_@@_math_lucida_bool}{}
3680   \@ifpackageloaded{lucimatx}{\bool_set_true:N \g_@@_math_lucida_bool}{}
```

Knuth's CM fonts fonts are all squashed together, combining letters, accents, text symbols and maths symbols all in the one font, `cmr`, plus other things in other fonts. Because we are changing the roman font in the document, we need to redefine all of the maths glyphs in LaTeX's `operators` maths font to still go back to the legacy `cmr` font for all these random glyphs, unless a separate maths font package has been loaded instead.

In every case, the maths accents are always taken from the `operators` font, which is generally the main text font. (Actually, there is a `\hat` accent in `EulerFractur`, but it's *ugly*. So I ignore it. Sorry if this causes inconvenience.)

```
3681   \DeclareSymbolFont{legacymaths}{OT1}{cmr}{m}{n}
3682   \SetSymbolFont{legacymaths}{bold}{OT1}{cmr}{bx}{n}
3683   \DeclareMathAccent{\acute}   {\mathalpha}{legacymaths}{19}
3684   \DeclareMathAccent{\grave}   {\mathalpha}{legacymaths}{18}
3685   \DeclareMathAccent{\ddot}    {\mathalpha}{legacymaths}{127}
3686   \DeclareMathAccent{\tilde}   {\mathalpha}{legacymaths}{126}
3687   \DeclareMathAccent{\bar}     {\mathalpha}{legacymaths}{22}
3688   \DeclareMathAccent{\breve}   {\mathalpha}{legacymaths}{21}
3689   \DeclareMathAccent{\check}   {\mathalpha}{legacymaths}{20}
3690   \DeclareMathAccent{\hat}     {\mathalpha}{legacymaths}{94} % too bad, euler
3691   \DeclareMathAccent{\dot}     {\mathalpha}{legacymaths}{95}
3692   \DeclareMathAccent{\mathring}{\mathalpha}{legacymaths}{23}
```

\colon: what's going on?   Okay, so : and \colon in maths mode are defined in a few places, so I need to work out what does what. Respectively, we have:

```
% % fontmath.ltx:
% \DeclareMathSymbol{\colon}{\mathpunct}{operators}{"3A}
% \DeclareMathSymbol{:}{\mathrel}{operators}{"3A}
%
```

```
% % amsmath.sty:
% \renewcommand{\colon}{\nobreak\mskip2mu\mathpunct{}\nonscript
% \mkern-\thinmuskip{:}\mskip6muplus1mu\relax}
%
% % euler.sty:
% \DeclareMathSymbol{:}\mathrel  {EulerFraktur}{"3A}
%
% % lucbmath.sty:
% \DeclareMathSymbol{\@tempb}{\mathpunct}{operators}{58}
% \ifx\colon\@tempb
%   \DeclareMathSymbol{\colon}{\mathpunct}{operators}{58}
% \fi
% \DeclareMathSymbol{:}{\mathrel}{operators}{58}
```

$(3A\_16 = 58\_10)$ So I think, based on this summary, that it is fair to tell fontspec to 'replace' the operators font with legacymaths for this symbol, except when amsmath is loaded since we want to keep its definition.

```
3693  \group_begin:
3694    \mathchardef\@tempa="603A \relax
3695    \ifx\colon\@tempa
3696      \DeclareMathSymbol{\colon}{\mathpunct}{legacymaths}{58}
3697    \fi
3698  \group_end:
```

The following symbols are only defined specifically in euler, so skip them if that package is loaded.

```
3699  \bool_if:NF \g_@@_math_euler_bool
3700    {
3701    \DeclareMathSymbol{!}{\mathclose}{legacymaths}{33}
3702    \DeclareMathSymbol{:}{\mathrel}  {legacymaths}{58}
3703    \DeclareMathSymbol{;}{\mathpunct}{legacymaths}{59}
3704    \DeclareMathSymbol{?}{\mathclose}{legacymaths}{63}
```

And these ones are defined both in euler and lucbmath, so we only need to run this code if no extra maths package has been loaded.

```
3705    \bool_if:NF \g_@@_math_lucida_bool
3706      {
3707      \DeclareMathSymbol{0}{\mathalpha}{legacymaths}{`0}
3708      \DeclareMathSymbol{1}{\mathalpha}{legacymaths}{`1}
3709      \DeclareMathSymbol{2}{\mathalpha}{legacymaths}{`2}
3710      \DeclareMathSymbol{3}{\mathalpha}{legacymaths}{`3}
3711      \DeclareMathSymbol{4}{\mathalpha}{legacymaths}{`4}
3712      \DeclareMathSymbol{5}{\mathalpha}{legacymaths}{`5}
3713      \DeclareMathSymbol{6}{\mathalpha}{legacymaths}{`6}
3714      \DeclareMathSymbol{7}{\mathalpha}{legacymaths}{`7}
3715      \DeclareMathSymbol{8}{\mathalpha}{legacymaths}{`8}
3716      \DeclareMathSymbol{9}{\mathalpha}{legacymaths}{`9}
3717      \DeclareMathSymbol{\Gamma}{\mathalpha}{legacymaths}{0}
3718      \DeclareMathSymbol{\Delta}{\mathalpha}{legacymaths}{1}
3719      \DeclareMathSymbol{\Theta}{\mathalpha}{legacymaths}{2}
3720      \DeclareMathSymbol{\Lambda}{\mathalpha}{legacymaths}{3}
```

```
3721        \DeclareMathSymbol{\Xi}{\mathalpha}{legacymaths}{4}
3722        \DeclareMathSymbol{\Pi}{\mathalpha}{legacymaths}{5}
3723        \DeclareMathSymbol{\Sigma}{\mathalpha}{legacymaths}{6}
3724        \DeclareMathSymbol{\Upsilon}{\mathalpha}{legacymaths}{7}
3725        \DeclareMathSymbol{\Phi}{\mathalpha}{legacymaths}{8}
3726        \DeclareMathSymbol{\Psi}{\mathalpha}{legacymaths}{9}
3727        \DeclareMathSymbol{\Omega}{\mathalpha}{legacymaths}{10}
3728        \DeclareMathSymbol{+}{\mathbin}{legacymaths}{43}
3729        \DeclareMathSymbol{=}{\mathrel}{legacymaths}{61}
3730        \DeclareMathDelimiter{(}{\mathopen} {legacymaths}{40}{largesymbols}{0}
3731        \DeclareMathDelimiter{)}{\mathclose}{legacymaths}{41}{largesymbols}{1}
3732        \DeclareMathDelimiter{[}{\mathopen} {legacymaths}{91}{largesymbols}{2}
3733        \DeclareMathDelimiter{]}{\mathclose}{legacymaths}{93}{largesymbols}{3}
3734        \DeclareMathDelimiter{/}{\mathord}{legacymaths}{47}{largesymbols}{14}
3735        \DeclareMathSymbol{\mathdollar}{\mathord}{legacymaths}{36}
3736      }
3737    }
```

Finally, we change the font definitions for \mathrm and so on. These are defined using the \g_@@_mathrm_tl (…) macros, which default to \rmdefault but may be specified with the \setmathrm (…) commands in the preamble.

Since LaTeX only generally defines one level of boldness, we omit \mathbf in the bold maths series. It can be specified as per usual with \setboldmathrm, which stores the appropriate family name in \g_@@_bfmathrm_tl.

```
3738    \DeclareSymbolFont{operators}\g_fontspec_encoding_tl\g_@@_mathrm_tl\mddefault\updefault
3739    \SetSymbolFont{operators}{normal}\g_fontspec_encoding_tl\g_@@_mathrm_tl\mddefault\updefault
3740    \DeclareSymbolFontAlphabet\mathrm{operators}
3741    \SetMathAlphabet\mathit{normal}\g_fontspec_encoding_tl\g_@@_mathrm_tl\mddefault\itdefault
3742    \SetMathAlphabet\mathbf{normal}\g_fontspec_encoding_tl\g_@@_mathrm_tl\bfdefault\updefault
3743    \SetMathAlphabet\mathsf{normal}\g_fontspec_encoding_tl\g_@@_mathsf_tl\mddefault\updefault
3744    \SetMathAlphabet\mathtt{normal}\g_fontspec_encoding_tl\g_@@_mathtt_tl\mddefault\updefault
3745    \SetSymbolFont{operators}{bold}\g_fontspec_encoding_tl\g_@@_mathrm_tl\bfdefault\updefault
3746    \tl_if_empty:NTF \g_@@_bfmathrm_tl
3747     {
3748      \SetMathAlphabet\mathit{bold}\g_fontspec_encoding_tl\g_@@_mathrm_tl\bfdefault\itdefault
3749     }
3750     {
3751      \SetMathAlphabet\mathrm{bold}\g_fontspec_encoding_tl\g_@@_bfmathrm_tl\mddefault\updefault
3752      \SetMathAlphabet\mathbf{bold}\g_fontspec_encoding_tl\g_@@_bfmathrm_tl\bfdefault\updefault
3753      \SetMathAlphabet\mathit{bold}\g_fontspec_encoding_tl\g_@@_bfmathrm_tl\mddefault\itdefault
3754     }
3755    \SetMathAlphabet\mathsf{bold}\g_fontspec_encoding_tl\g_@@_mathsf_tl\bfdefault\updefault
3756    \SetMathAlphabet\mathtt{bold}\g_fontspec_encoding_tl\g_@@_mathtt_tl\bfdefault\updefault
3757 }
```

\fontspec_maybe_setup_maths: We're a little less sophisticated about not executing the maths setup if various other maths font packages are loaded. This list is based on the wonderful 'LaTeXFont Catalogue': http://www.tug.dk/FontCatalogue/mathfonts.html. I'm sure there are more I've missed. Do the TeX Gyre fonts have maths support yet?

Untested: would \unless\ifnum\Gamma=28672\relax\bool_set_false:N \g_@@_math_bool\fi be a better test? This needs more cooperation with euler and lucida, I think.

```
3758 \cs_new:Nn \fontspec_maybe_setup_maths:
3759 {
3760   \@ifpackageloaded{anttor}
3761     {
3762       \ifx\define@antt@mathversions a\bool_set_false:N \g_@@_math_bool\fi
3763     }{}
3764   \@ifpackageloaded{arevmath}{\bool_set_false:N \g_@@_math_bool}{}
3765   \@ifpackageloaded{eulervm}{\bool_set_false:N \g_@@_math_bool}{}
3766   \@ifpackageloaded{mathdesign}{\bool_set_false:N \g_@@_math_bool}{}
3767   \@ifpackageloaded{concmath}{\bool_set_false:N \g_@@_math_bool}{}
3768   \@ifpackageloaded{cmbright}{\bool_set_false:N \g_@@_math_bool}{}
3769   \@ifpackageloaded{mathesf}{\bool_set_false:N \g_@@_math_bool}{}
3770   \@ifpackageloaded{gfsartemisia}{\bool_set_false:N \g_@@_math_bool}{}
3771   \@ifpackageloaded{gfsneohellenic}{\bool_set_false:N \g_@@_math_bool}{}
3772   \@ifpackageloaded{iwona}
3773     {
3774       \ifx\define@iwona@mathversions a\bool_set_false:N \g_@@_math_bool\fi
3775     }{}
3776   \@ifpackageloaded{kpfonts}{\bool_set_false:N \g_@@_math_bool}{}
3777   \@ifpackageloaded{kmath}{\bool_set_false:N \g_@@_math_bool}{}
3778   \@ifpackageloaded{kurier}
3779     {
3780       \ifx\define@kurier@mathversions a\bool_set_false:N \g_@@_math_bool\fi
3781     }{}
3782   \@ifpackageloaded{fouriernc}{\bool_set_false:N \g_@@_math_bool}{}
3783   \@ifpackageloaded{fourier}{\bool_set_false:N \g_@@_math_bool}{}
3784   \@ifpackageloaded{lmodern}{\bool_set_false:N \g_@@_math_bool}{}
3785   \@ifpackageloaded{mathpazo}{\bool_set_false:N \g_@@_math_bool}{}
3786   \@ifpackageloaded{mathptmx}{\bool_set_false:N \g_@@_math_bool}{}
3787   \@ifpackageloaded{MinionPro}{\bool_set_false:N \g_@@_math_bool}{}
3788   \@ifpackageloaded{unicode-math}{\bool_set_false:N \g_@@_math_bool}{}
3789   \@ifpackageloaded{breqn}{\bool_set_false:N \g_@@_math_bool}{}
3790   \bool_if:NT \g_@@_math_bool
3791     {
3792       \@@_info:n {setup-math}
3793       \fontspec_setup_maths:
3794     }
3795 }
3796 \AtBeginDocument{\fontspec_maybe_setup_maths:}
```

41 Closing code

41.1 Compatibility

\zf@enc Old interfaces. These are needed by, at least, the mathspec package.

\zf@family
\zf@basefont
\zf@fontspec

```
3797 \tl_set:Nn \zf@enc { \g_fontspec_encoding_tl }
3798 \cs_set:Npn \zf@fontspec #1 #2
3799 {
3800   \@@_select_font_family:nn {#1} {#2}
3801   \tl_set:Nn \zf@family { \l_fontspec_family_tl }
```

```
3802   \tl_set:Nn \zf@basefont { \l_fontspec_font }
3803 }
```

41.2   Finishing up

Now we just want to set up loading the .cfg file, if it exists.

```
3804 \bool_if:NT \g_@@_cfg_bool
3805 {
3806   \InputIfFileExists{fontspec.cfg}
3807     {}
3808     {\typeout{No~ fontspec.cfg~ file~ found;~ no~ configuration~ loaded.}}
3809 }
```

42   Changes to the NFSS

3810 ⟨*fontspec⟩

42.1   Italic small caps and so on

\sishape These commands for actually selecting italic small caps have been defined for many
\textsi   years; I'm inclined to drop them. They're probably used very infrequently; I personally
          prefer just writing \textit{\textsc{...}} instead.

```
3811 \providecommand*\itscdefault{\itdefault\scdefault}
3812 \providecommand*\slscdefault{\sldefault\scdefault}
3813 \DeclareRobustCommand{\sishape}
3814 {
3815   \not@math@alphabet\sishape\relax
3816   \fontshape{\itscdefault}\selectfont
3817 }
3818 \DeclareTextFontCommand{\textsi}{\sishape}
```

LaTeX's 'shape' font axis needs to be overloaded to support italic small caps and slanted small caps. These are the combinations to support:

```
3819 \cs_new:Nn \@@_shape_merge:nn { c_@@_shape_#1_#2_tl }
3820 \tl_const:cn { \@@_shape_merge:nn \itdefault   \scdefault } {\itscdefault}
3821 \tl_const:cn { \@@_shape_merge:nn \sldefault   \scdefault } {\slscdefault}
3822 \tl_const:cn { \@@_shape_merge:nn \scdefault   \itdefault } {\itscdefault}
3823 \tl_const:cn { \@@_shape_merge:nn \scdefault   \sldefault } {\slscdefault}
3824 \tl_const:cn { \@@_shape_merge:nn \slscdefault \itdefault } {\itscdefault}
3825 \tl_const:cn { \@@_shape_merge:nn \itscdefault \sldefault } {\slscdefault}
3826 \tl_const:cn { \@@_shape_merge:nn \itscdefault \updefault } {\scdefault}
3827 \tl_const:cn { \@@_shape_merge:nn \slscdefault \updefault } {\scdefault}
```

\fontspec_merge_shape:n These macros enable the overload on the \..shape commands. First, a shape 'new+current'
                         (prefix) or 'current+new' (suffix) is tried. If not found, fall back on the 'new' shape.

```
3828 \cs_new:Nn \fontspec_merge_shape:n
3829 {
3830   \@@_if_merge_shape:nTF {#1}
3831     { \fontshape { \tl_use:c { \@@_shape_merge:nn {\f@shape} {#1} } } \selectfont }
3832     { \fontshape {#1} \selectfont }
3833 }
```

The following is rather specific; it only returns true if the merged shape exists, but more importantly also if the merged shape is defined for the current font.

```
3834 \prg_new_conditional:Nnn \@@_if_merge_shape:n {TF}
3835   {
3836     \bool_if:nTF
3837       {
3838         \tl_if_exist_p:c { \@@_shape_merge:nn {\f@shape} {#1} }   &&
3839         \cs_if_exist_p:c
3840           {
3841             \f@encoding/\f@family/\f@series/
3842             \tl_use:c { \@@_shape_merge:nn {\f@shape} {#1} }
3843           }
3844       }
3845     \prg_return_true: \prg_return_false:
3846   }
```

\itshape   The original \..shape commands are redefined to use the merge shape macro.

\scshape
\upshape
\slshape

```
3847 \DeclareRobustCommand \itshape
3848 {
3849   \not@math@alphabet\itshape\mathit
3850   \fontspec_merge_shape:n\itdefault
3851 }
3852 \DeclareRobustCommand \slshape
3853 {
3854   \not@math@alphabet\slshape\relax
3855   \fontspec_merge_shape:n\sldefault
3856 }
3857 \DeclareRobustCommand \scshape
3858 {
3859   \not@math@alphabet\scshape\relax
3860   \fontspec_merge_shape:n\scdefault
3861 }
3862 \DeclareRobustCommand \upshape
3863 {
3864   \not@math@alphabet\upshape\relax
3865   \fontspec_merge_shape:n\updefault
3866 }
```

42.2   Emphasis

\emfontdeclare

```
3867 \cs_new_protected:Npn \emfontdeclare #1
3868   {
3869     \prop_clear:N     \g_@@_em_prop
3870     \int_zero:N       \l_@@_emdef_int
3871     \bool_set_true:N \g_@@_em_normalise_slant_bool
3872
3873     \tl_if_in:nnT {#1} {\slshape}
3874       {
3875         \tl_if_in:nnT {#1} {\itshape}
3876           {
```

165

```
3877          \bool_set_false:N \g_@@_em_normalise_slant_bool
3878        }
3879      }
3880
3881    \group_begin:
3882      \normalfont
3883      \clist_map_inline:nn {\emreset,#1}
3884        {
3885          ##1
3886          \prop_gput_if_new:NxV \g_@@_em_prop { \f@shape } { \l_@@_emdef_int }
3887          \prop_gput:Nxn \g_@@_em_prop { switch-\int_use:N \l_@@_emdef_int } { ##1 }
3888          \int_incr:N \l_@@_emdef_int
3889        }
3890      \group_end:
3891  }
```

```
3892 \DeclareRobustCommand \em
3893  {
3894    \@nomath\em
3895    \tl_set:Nx \l_@@_emshape_query_tl { \f@shape }
3896
3897    \bool_if:NT \g_@@_em_normalise_slant_bool
3898      {
3899        \tl_replace_all:Nnn \l_@@_emshape_query_tl {/sl} {/it}
3900      }
3901
3902 ⟨debug⟩ \typeout{Emph~ level:~\int_use:N \l_@@_em_int}
3903    \prop_get:NxNT \g_@@_em_prop { \l_@@_emshape_query_tl } \l_@@_em_tmp_tl
3904      {
3905        \int_set:Nn \l_@@_em_int { \l_@@_em_tmp_tl }
3906 ⟨debug⟩ \typeout{Shape~ (\l_@@_emshape_query_tl)~ detected;~ new~ level:~\int_use:N \l_@@_em_i
3907      }
3908
3909    \int_incr:N \l_@@_em_int
3910
3911    \prop_get:NxNTF \g_@@_em_prop { switch-\int_use:N \l_@@_em_int } \l_@@_em_switch_tl
3912      { \l_@@_em_switch_tl }
3913      {
3914        \int_zero:N \l_@@_em_int
3915        \emreset
3916      }
3917
3918  }
```

```
3919 \DeclareTextFontCommand{\emph}{\em}
3920 \cs_set:Npn \emreset { \upshape }
3921 \cs_set:Npn \emshape { \itshape }
3922 \cs_set:Npn \eminnershape { \upshape }
```

42.3   Strong emphasis

\strongfontdeclare

```
3923 \cs_new_protected:Npn \strongfontdeclare #1
3924   {
3925     \prop_clear:N     \g_@@_strong_prop
3926     \int_zero:N       \l_@@_strongdef_int
3927
3928     \group_begin:
3929       \normalfont
3930       \clist_map_inline:nn {\strongreset,#1}
3931         {
3932           ##1
3933           \prop_gput_if_new:NxV \g_@@_strong_prop { \f@series } { \l_@@_strongdef_int }
3934           \prop_gput:Nxn \g_@@_strong_prop { switch-\int_use:N \l_@@_strongdef_int } { ##1 }
3935           \int_incr:N \l_@@_strongdef_int
3936         }
3937     \group_end:
3938   }
```

\strongenv

```
3939 \DeclareRobustCommand \strongenv
3940   {
3941     \@nomath\strongenv
3942
3943 ⟨debug⟩ \typeout{Strong~ level:~\int_use:N \l_@@_strong_int}
3944     \prop_get:NxNT \g_@@_strong_prop { \f@series } \l_@@_strong_tmp_tl
3945       {
3946         \int_set:Nn \l_@@_strong_int { \l_@@_strong_tmp_tl }
3947 ⟨debug⟩ \typeout{Series~ (\f@series)~ detected;~ new~ level:~\int_use:N \l_@@_strong_int}
3948       }
3949
3950     \int_incr:N \l_@@_strong_int
3951
3952     \prop_get:NxNTF \g_@@_strong_prop { switch-\int_use:N \l_@@_strong_int } \l_@@_strong_swit
3953       { \l_@@_strong_switch_tl }
3954       {
3955         \int_zero:N \l_@@_strong_int
3956         \strongreset
3957       }
3958
3959   }
```

\strong
\strongreset
```
3960 \DeclareTextFontCommand{\strong}{\strongenv}
3961 \cs_set:Npn \strongreset {}
```

\reset@font   Ensure nesting resets when necessary:

```
3962 \cs_set:Npn \reset@font
3963   {
3964     \normalfont
```

```
3965      \int_zero:N \l_@@_em_int
3966      \int_zero:N \l_@@_strong_int
3967   }
```

Programmer's interface for setting nesting levels:

```
3968 \cs_new:Nn \fontspec_set_em_level:n      { \int_set:Nn \l_@@_em_int      {#1} }
3969 \cs_new:Nn \fontspec_set_strong_level:n { \int_set:Nn \l_@@_strong_int {#1} }
```

Defaults:

```
3970 \strongfontdeclare{ \bfseries }
3971 \emfontdeclare{ \emshape, \eminnershape }
```

```
3972 ⟨/fontspec⟩
```

43   Patching code

```
3973 ⟨*fontspec⟩
```

43.1   \-

\-   This macro is courtesy of Frank Mittelbach and the LaTeX 2_ε source code.

```
3974 \DeclareRobustCommand{\-}
3975 {
3976   \discretionary
3977     {
3978     \char\ifnum\hyphenchar\font<\z@
3979           \xlx@defaulthyphenchar
3980         \else
3981           \hyphenchar\font
3982         \fi
3983   }{}{}
3984 }
3985 \def\xlx@defaulthyphenchar{`\-}
```

43.2   Verbatims

Many thanks to Apostolos Syropoulos for discovering this problem and writing the redefinion of LaTeX's verbatim environment and \verb* command.

\fontspec_visible_space: Print U+2423: OPEN BOX, which is used to visibly display a space character.

```
3986 \cs_new:Nn \fontspec_visible_space:
3987 {
3988   \@@_primitive_font_glyph_if_exist:NnTF \font {"2423}
3989     { \char"2423\scan_stop: }
3990     { \fontspec_visible_space_fallback: }
3991 }
```

tspec_visible_space_fallback: If the current font doesn't have U+2423: OPEN BOX, use Latin Modern Mono instead.

```
3992 \cs_new:Nn \fontspec_visible_space_fallback:
3993 {
3994   {
```

```
3995    \usefont{\g_fontspec_encoding_tl}{lmtt}{\f@series}{\f@shape}
3996    \textvisiblespace
3997  }
3998 }
```

ontspec_print_visible_spaces: Helper macro to turn spaces (^^20) active and print visible space instead.

```
3999 \group_begin:
4000 \char_set_catcode_active:n{"20}%
4001 \cs_gset:Npn\fontspec_print_visible_spaces:{%
4002 \char_set_catcode_active:n{"20}%
4003 \cs_set_eq:NN^^20\fontspec_visible_space:%
4004 }%
4005 \group_end:
```

\verb   Redefine \verb to use \fontspec_print_visible_spaces:.
\verb*
```
4006 \def\verb
4007 {
4008   \relax\ifmmode\hbox\else\leavevmode\null\fi
4009   \bgroup
4010     \verb@eol@error \let\do\@makeother \dospecials
4011     \verbatim@font\@noligs
4012     \@ifstar\@@sverb\@verb
4013 }
4014 \def\@@sverb{\fontspec_print_visible_spaces:\@sverb}
```

It's better to put small things into \AtBeginDocument, so here we go:

```
4015 \AtBeginDocument
4016 {
4017   \fontspec_patch_verbatim:
4018   \fontspec_patch_moreverb:
4019   \fontspec_patch_fancyvrb:
4020   \fontspec_patch_listings:
4021 }
```

verbatim*   With the verbatim package.
```
4022 \cs_set:Npn \fontspec_patch_verbatim:
4023 {
4024   \@ifpackageloaded{verbatim}
4025   {
4026     \cs_set:cpn {verbatim*}
4027     {
4028       \group_begin: \@verbatim \fontspec_print_visible_spaces: \verbatim@start
4029     }
4030   }
```
This is for vanilla LaTeX.
```
4031   {
4032     \cs_set:cpn {verbatim*}
4033     {
4034       \@verbatim \fontspec_print_visible_spaces: \@sxverbatim
4035     }
4036   }
4037 }
```

This is for moreverb. The main `listing*` environment inherits this definition.

```
4038 \cs_set:Npn \fontspec_patch_moreverb:
4039 {
4040   \@ifpackageloaded{moreverb}{
4041     \cs_set:cpn {listingcont*}
4042       {
4043         \cs_set:Npn \verbatim@processline
4044           {
4045             \thelisting@line \global\advance\listing@line\c_one
4046             \the\verbatim@line\par
4047           }
4048         \@verbatim \fontspec_print_visible_spaces: \verbatim@start
4049       }
4050   }{}
4051 }
```

listings and fancvrb make things nice and easy:

```
4052 \cs_set:Npn \fontspec_patch_fancyvrb:
4053 {
4054   \@ifpackageloaded{fancyvrb}
4055     {
4056       \cs_set_eq:NN \FancyVerbSpace \fontspec_visible_space:
4057     }{}
4058 }

4059 \cs_set:Npn \fontspec_patch_listings:
4060 {
4061   \@ifpackageloaded{listings}
4062     {
4063       \cs_set_eq:NN \lst@visiblespace \fontspec_visible_space:
4064     }{}
4065 }
```

43.3   \oldstylenums

This command obviously needs a redefinition. And we may as well provide the reverse command.

```
4066 \RenewDocumentCommand \oldstylenums {m}
4067 {
4068   { \addfontfeature{Numbers=OldStyle} #1 }
4069 }
4070 \NewDocumentCommand \liningnums {m}
4071 {
4072   { \addfontfeature{Numbers=Lining} #1 }
4073 }

4074 ⟨/fontspec⟩
```

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

174

176

177

179