

Java – Assignment 1

1. Program to find area and circumference of circle.

```
import java.util.Scanner; class
circle
{
public static void main(String args[])
{
System.out.println("Mudit Billore,0873CS231069");
double radius,area,circumference; Scanner
s=new Scanner(System.in); System.out.println
("Enter value of radius : ");
radius=s.nextDouble();
area=(3.1415*radius*radius);
circumference=(2*3.1415*radius);
System.out.println("Area of circle : "+area);
System.out.println("Circumference of circle : "+circumference);
}
};
```




2. Program to calculate sum of 5 subjects and find percentage.

```
import java.util.Scanner; class
marks
{
public static void main(String args[])
{
System.out.println("Mudit Billore,0873CS231069");
int phy,chem,maths,eng,percentage; double
percentage;
Scanner s=new Scanner(System.in);
System.out.println("Enter marks of physics : ");
phy=s.nextInt();
```

```

System.out.prin ("Enter marks of chemistry : ");
chem=s.nextInt();
System.out.prin ("Enter marks of maths : ");
maths=s.nextInt();
System.out.prin ("Enter marks of english : ");
eng=s.nextInt();
System.out.prin ("Enter marks of pain ng : "); pain
ng=s.nextInt();
percentage=((phy+chem+maths+eng+pain ng)/5);
System.out.println("Percentage : "+percentage+"%");
}
};

```



```

-----
| Console Output |
-----
Mudit Billore
Enrollment Number: 0873CS231069
Enter marks of physics :
Enter marks of chemistry :
Enter marks of maths :
Enter marks of english :
Enter marks of painting :
Percentage : 80.0%
-----

```

3. Program to find the simple interest.

```

import java.u l.Scanner;
class marks
{
public sta c void main(String args[])
{
System.out.println("Mudit Billore,0873CS231069");
int principle, me,rate,interest;
Scanner s=new Scanner(System.in);
System.out.prin ("Enter principle amount : ");
principle=s.nextInt();
System.out.prin ("Enter rate of interest : ");
rate=s.nextInt();
System.out.prin ("Enter me(in years) : ");
me=s.nextInt();
interest=((principle*rate* me)/100);
System.out.println("Simple interest : "+interest);
}
};

```

```
-----  
| Console Output |  
-----  
Mudit Billore  
Enrollment Number: 0873CS231069  
Enter principle amount :  
Enter rate of interest :  
Enter time(in years) :  
Simple Interest : 100  
-----
```

4. Write a program which accepts days(eg.670 days) as integer and display total number of years,months and days in it.

```
import java.util.Scanner;  
class days  
{  
public static void main(String args[])  
{  
System.out.println("Mudit Billore,0873CS231069");  
int totalDays,years,months,days;  
Scanner s=new Scanner(System.in);  
System.out.println("Enter total number of days : ");  
totalDays=s.nextInt(); years=totalDays/365;  
totalDays=totalDays%365;  
months=totalDays/30; days=totalDays%30;  
System.out.println("Years: "+years);  
System.out.println("Months: "+months);  
System.out.println("Days: "+days);  
}  
};
```

```
-----  
| Console Output |  
-----  
Mudit Billore  
Enrollment Number: 0873CS231069  
Enter total number of days :  
Years: 1  
Months: 10  
Days: 5  
-----
```

5. Program to convert temperature from Fahrenheit to Celsius as $C = 5 * (f - 32) / 9$.

```
import java.util.Scanner;  
class Temperaturer  
{  
public static void main(String args[])  
{
```

```

System.out.println("Mudit Billore,0873CS231069");
double fahrenheit,celsius;
Scanner s=new Scanner(System.in);
System.out.prin ("Enter temperature in Fahrenheit : ");
fahrenheit=s.nextDouble(); celsius=(5*(fahrenheit-
32))/9;
System.out.println("Temperature in Celsius: " +
celsius);
}
};

```




6. Program to swap two numbers without using third variable.

```

import java.util.Scanner;
class Swap
{
public static void main(String args[])
{
System.out.println("Mudit Billore,0873CS231069");
int a,b;
Scanner s=new Scanner(System.in);
System.out.print("Enter first number : ");
a=s.nextInt();
System.out.print("Enter second number : ");
b=s.nextInt()
; a=a+b;
b=a-b; a=a-
b;
System.out.println("After swapping : ");
System.out.println("a= "+a);
System.out.println("b= "+b);
}
};

```

A screenshot of a Java IDE's console output window. The window has a title bar with a 'Copy' button. The output text is as follows:

```
-----  
| Console Output |  
-----  
Mudit Billore  
Enrollment Number: 0873CS231069  
Enter first number :  
Enter second number :  
After swapping :  
a= 20  
b= 10  
-----
```

7. Program to reverse a given number.

```
import java.util.Scanner;  
class Reverse  
{  
    public static void main(String args[])  
    {  
        System.out.println("Mudit  
        Billore,0873CS231069"); int number,reverse=0;  
        Scanner s=new Scanner(System.in);  
        System.out.println("Enter a number : ");  
        number=s.nextInt();  
        while(number!=0)  
        {  
            int digit=number%10;  
            reverse=reverse*10+digit;  
            number=number/10;  
        }  
        System.out.println("Reversed number : "+reverse);  
    }  
};
```

A screenshot of a Java IDE's console output window. The window has a title bar with a 'Copy' button. The output text is as follows:

```
-----  
| Console Output |  
-----  
Mudit Billore  
Enrollment Number: 0873CS231069  
Enter a number :  
Reversed number : 4321  
-----
```

8. Program to find greatest among 3 numbers.

```
import java.util.Scanner; class  
three  
{  
    public static void main(String args[])  
    {  
        System.out.println("Mudit Billore,0873CS231069");
```

```

int a,b,c;
Scanner s=new Scanner(System.in);
System.out.print("Enter first number : ");
a=s.nextInt();
System.out.print("Enter second number : ");
b=s.nextInt();
System.out.print("Enter third number : ");
c=s.nextInt();
if(a>=b && a>=c) System.out.prin ("Greatest number is : " +a);
else if(b>=a && b>=c) System.out.prin ("Greatest number is : 
"+b); else System.out.println("Greatest number is : "+c);
}
};

```



```

-----
| Console Output |
-----
Mudit Billore
Enrollment Number: 0873CS231069
Enter first number : 
Enter second number : 
Enter third number : 
Greatest number is : 25
-----

```

9. Program to check that entered year is leap or not.

```

import java.u l.Scanner;
class year
{
public sta c void main(String args[])
{
System.out.println("Mudit Billore , 0873CS231069");
int year;
Scanner s=new Scanner(System.in);
System.out.print("Enter a year : ");
year=s.nextInt();
if((year%4==0 && year%100!=0)||(year%400==0)) System.out.println("is a leap
year.");
else System.out.println("is not a leap year.");
}
};

```

```
-----
| Console Output |
-----
Mudit Billore
Enrollment Number: 0873CS231069
Enter a year :
2024 is a leap year.
```

10. Accept person age(int),gender(int 1 for male and 0 for female) then check wheather person is eligible for marriage or not.


```
import java.util.Scanner; class
eligible
{
public static void main(String args[])
{
System.out.println("Mudit Billore,0873CS231069");
int age,gender;
Scanner s=new Scanner(System.in);
System.out.print("Enter age : ");
age=s.nextInt();
System.out.print("Enter gender (1 for male,0 for female) : ");
gender=s.nextInt();
if(gender==1)
{
if(age>=21) System.out.println("Eligible for marriage (Male)");
else System.out.println("Not eligible for marriage (Male)");
}
else if (gender == 0)
{
if (age >= 18) System.out.println("Eligible for marriage,Female");
else System.out.println("Not eligible for marriage (Female)");
}
}
};
```

```
-----
| Console Output |
-----
Mudit Billore
Enrollment Number: 0873CS231069
Enter age :
Enter gender (1 for male, 0 for female) :
Eligible for marriage (Male)
-----
```

Java – Assignment 2

11. Program to print table of any number.

```
import java.util.Scanner; class
Table
{
public static void main(String args[])
{
System.out.println("Mudit Billore,0873CS231069");
int number;
Scanner s=new Scanner(System.in);
System.out.println("Enter a number : ");
number=s.nextInt();
for(int i=1;i<=10;i++)
{
System.out.println((number*i));
}
}
};
```




```
-----
| Console Output |
-----
Mudit Billore
Enrollment Number: 0873CS231069
Enter a number :
5
10
15
20
25
30
35
40
45
50
-----
```

12. Program to check number is prime or not.


```

import java.util.Scanner; class
check
{
public static void main(String args[])
{
System.out.println("Mudit Billore,0873CS231069");
int n,i,flag=0;
Scanner s=new Scanner(System.in);
System.out.print("Enter a number : ");
n=s.nextInt();
for (i = 2; i <= n / 2; i++)
{
if(n%i==0)
{
flag=1;
break;
}
}
if(flag==0) System.out.println(" is a prime number.");
else System.out.println("is not a prime number.");
}
};

```



```

-----
| Console Output |
-----
Mudit Billore
Enrollment Number: 0873CS231069
Enter a number :
17 is a prime number.
-----

```

13. Calculate series $1(2)+2(2)+3(2)+4(2)+\dots+n(2)$, are squares.

```

import java.util.Scanner; class
Series
{
public static void main(String args[])
{
System.out.println("Mudit Billore,0873CS231069");
int n,sum=0;
Scanner s=new Scanner(System.in);
System.out.print("Enter value of n : ");
n=s.nextInt();
for (int i=1;i<=n;i++)
{
sum=sum+(i*i);
}
}
}

```

```

}
System.out.println("Sum = "+sum);
}
};

```




14. Calculate sum of Lucas series(upto 10 terms).

```

class Lucas
{
public static void main(String args[])
{
System.out.println("Mudit Billore,0873CS231069");
int a=2, b=1,c,sum=a+b;
System.out.print ("Lucas series: "+a+" "+b+" ");
for(int i=3;i<=10;i++)
{
c=a+b;
System.out.print (" "+c);
sum=sum+c;
a=b;
b=c;
}
System.out.println(" ");
System.out.println("Sum of first 10 terms = "+sum);
}
};

```



15. Print all prime numbers between two given numbers.

```


import java.util.Scanner;
class prime

```

```

{
public static void main(String args[])
{
System.out.println("Mudit Billore,0873CS231069");
int start,end;
Scanner s=new Scanner(System.in);
System.out.print ("Enter starting number : ");
start=s.nextInt();
System.out.print ("Enter ending number : ");
end=s.nextInt();
System.out.println("Prime numbers : ");
for (int num=start;num<=end;num++)
{
boolean isPrime=true;
if(num<=1) isPrime=false;
else
{
for (int i=2;i<=num/2;i++)
{
if(num%i==0)
{
isPrime=false;
break;
}
}
}
if(isPrime) System.out.print(num+" ");
}
}
};

```



```

-----
| Console Output |
-----
Mudit Billore
Enrollment Number: 0873CS231069
Enter starting number:
Enter ending number :
Prime numbers :
11 13 17 19

```

16. Program to show sum and average of 10 elements array, accept elements from user.

```

import java.util.Scanner;
class Array
{

```

```

public static void main(String args[])
{
    System.out.println("Mudit
    Billore,0873CS231069");    int[] arr=new int[10]; int
    sum=0; float average;
    Scanner s=new Scanner(System.in);
    System.out.println("Enter 10 elements : ");
    for (int i=0;i<10;i++)
    {
        arr[i]=s.nextInt();
        sum=sum+arr[i];
    }
    average=sum/10;
    System.out.println("Sum = "+sum);
    System.out.println("Average = "+average);
}
};

```



```

-----
| Console Output |
-----
Mudit Billore
Enrollment Number: 0873CS231069
Enter 10 elements :
Sum = 55
Average = 5.0
-----

```

17. Sort a ten elements array in descending order.

```

class Sort
{
    public static void main(String args[])
    {
        System.out.println("Mudit Billore,0873CS231069");
        int[] arr={23, 12, 45, 67, 89, 1, 34, 90, 2, 56};
        int temp;
        System.out.println("Original array: ");
        for(int i=0;i<10;i++)
        {
            System.out.print (" "+arr[i]);
        }
        for(int i=0;i<9;i++)
        {
            for(int j=i+1;j<10;j++)

```

```

{
if(arr[i]<arr[j])
{
temp=arr[i];
arr[i]=arr[j];
arr[j]=temp; }
}
}
System.out.println("Array in descending order:");
for (int i=0;i<10;i++)
{
System.out.prin (" "+arr[i]);
}
}
};

```



18. Program to print transpose of a matrix.

```


import java.u l.Scanner;
class Transpose
{
public static void main(String args[])
{
System.out.println("Mudit Billore,0873CS231069");
int r,c;
Scanner s=new Scanner(System.in);
System.out.prin ("Enter rows : ");
r=s.nextInt();
System.out.prin ("Enter columns : ");
c=s.nextInt(); int[][]
a=new int[r][c];
for(int i=0;i<r;i++)
{
for(int j=0;j<c;j++) a[i][j]=s.nextInt();
}
for(int i=0;i<c;i++)
{
for(int j=0;j<r;j++) System.out.prin (" "+a[j][i]);
}
}
}

```

```

System.out.println();
}
}
};

```



```

-----
Mudit Billore
Enrollment Number: 0873CS231069
Enter rows :
Enter columns :
1 4
2 5
3 6
-----

```

19. Program to find multiplication of two 3by3 matrix.

```

import java.util.Scanner;
class matrix
{
public static void main(String args[])
{
System.out.println("Mudit
Billore,0873CS231069"); Scanner s=new
Scanner(System.in); int[][] a=new int[3][3]; int[][]
b=new int[3][3]; int[][] c=new int[3][3];
for(int i=0;i<3;i++)
{
for(int j=0;j<3;j++) a[i][j]=s.nextInt();
}
for(int i=0;i<3;i++)
{
for(int j=0;j<3;j++) b[i][j]=s.nextInt();
}
for(int i=0;i<3;i++)
{
for(int j=0;j<3;j++)
{
c[i][j]=0;
for(int k=0;k<3;k++) c[i][j]+=a[i][k]*b[k][j];
}
}
for(int i=0;i<3;i++)
{
for(int j=0;j<3;j++) System.out.print(" "+c[i][j]);
System.out.println();
}
}
}

```

```

}
}
};

```



```

-----
| Console Output |
-----
Mudit Billore
Enrollment Number: 0873CS231069
30 24 18
84 69 54
138 114 90


```

20. Create array of 17 elements and find sum.

```

import java.util.Scanner; class
Array
{
public static void main(String args[])
{
System.out.println("Mudit Billore,0873CS231069");
int[] arr=new int[17];
int sum=0;
Scanner s=new Scanner(System.in);
System.out.println("Enter 17 elements : ");
for (int i=0;i<=17;i++)
{
arr[i]=s.nextInt();
sum=sum+arr[i];
}
System.out.println("Sum = "+sum);
}
};

```



```

-----
| Console Output |
-----
Mudit Billore
Enrollment Number: 0873CS231069
Enter 17 elements :
Sum = 153

```

