



Assignment Part 1: Static & Dynamic Testing

Final Report

Part 1: Static & Dynamic Testing of the Mobile Food DeliveryAPP

This report documents the application of Static and Dynamic Testing methods, conducted in an iterative manner, to the provided Mobile Food DeliveryAPP codebase.

1. Project & Team Information

Field	Value
Assignment Name	Part 1: Static & Dynamic Testing of the Mobile Food DeliveryAPP
Course	Software Testing (Based on Aleks Ukkola - Autumn 2025)
Group Members	kumara(muditha.kumara@centria.fi), Isiozor(chuks.isiozor@centria.fi)
Date Submitted	20/10/2025
App Version/Commit	Alpha 1.0 (MobileFoodDeliveryApp.zip)
Code Repository	https://github.com/Muditha-Kumara/SoftwareTesting/tree/2.1.part1

2. Agile/Scrum Process Summary

The testing was carried out in short, iterative cycles, prioritizing high-risk modules (Security and Payments) for early analysis.

Sprint/Iteration Log - Testing Backlog

Task	Estimated Effort (Hours)	Status	Iteration / Sprint
Sprint 1: Static Analysis & Prioritization			1
Run Pylint on All Modules (*.py)	1.0 hr	Done	1
Manual Code Review: User_Registration.py (Security)	2.0 hrs	Done	1
Manual Code Review: Payment_Processing.py (Finance)	2.0 hrs	Done	1
Run Initial Dynamic Unit Test Suite	0.5 hr	Done	1
Sprint 2: Dynamic Remediation & Coverage			2
Implement Missing Security Logic (is_strong_enough)	3.0 hrs	Done	2

Task	Estimated Effort (Hours)	Status	Iteration / Sprint
Write New Unit Tests for Boundary/Edge Cases across key modules	3.5 hrs	Done	2
Calculate & Improve Test Coverage (Coverage.py)	1.0 hr	Done	2

Agile Reflection

The static analysis in Sprint 1 identified multiple high-severity defects (missing password logic, hardcoded card length). These findings immediately informed the Sprint 2 plan, demonstrating successful **Agile adaptation** and **risk prioritization** (focusing on security over features).

3. Static Testing: Code Review and Analysis

A combination of manual inspection and automated linting was used to inspect the full codebase.

3.1. Manual Code Review Findings (Across All Modules)

Module	Issue/Code Smell	Severity	Checklist Category	Recommendation/Resolution
main.py	Passwords stored in plaintext in users.json	Critical	Security, Error Handling	Hash and salt passwords before saving
	Missing module/class/function docstrings	Medium	Structure	Add docstrings for all major components
	Unused imports, broad exception handling	Medium	Maintainability	Remove unused imports, handle exceptions
Order_Placement.py	Cart.add_item lacks input validation for quantity	Medium	Error Handling	Raise ValueError if quantity <= 0
	Missing/short docstrings in classes/methods	Low	Structure	Add/expand docstrings
Payment_Processing.py	Credit card validation only allows 16 digits	High	Logic, Error Handling	Accept 15/16 digits, use regex
	Missing/short docstrings	Medium	Structure	Add/expand docstrings
Restaurant_Browsing.py	Repeated .lower() calls in list	Low	Performance, Maintainability	Lowercase search term once

Module	Issue/Code Smell	Severity	Checklist Category	Recommendation/Resolution
	comprehensions			
	Missing/short docstrings	Medium	Structure	Add/expand docstrings
User_Registration.py	Password strength logic incomplete/missing	High	Security, Error Handling	Implement min length, digit, letter check
	Missing/short docstrings	Medium	Structure	Add/expand docstrings

Code Review Fixes Commit Reference: f10c97a (generated via `git rev-parse --short HEAD`)

3.2. Static Analysis Tool Usage (Pylint)

Tool Used: Pylint (configured to enforce PEP 8, max line length set to 120)

Summary of Findings:

- **Total Errors/Warnings Found:** 74
- **Top Recurring Issues:**
 - Line too long (C0301): Many lines exceed the 120 character limit.
 - Missing module/class/function docstrings (C0114, C0115, C0116)
 - Module names do not conform to snake_case (C0103)
 - Trailing whitespace (C0303)
 - Unused imports/variables (W0611, W0612, W0613)
 - Broad exception caught (W0718)
 - Unspecified encoding in open() (W1514)
 - Unnecessary else after return (R1705)
 - Too few public methods (R0903) and too many instance attributes (R0902)
 - Import position (C0413)
 - Use a generator instead of all() (R1729)
- **Overall Code Rating:** 8.32/10 (after increasing max line length)

Issue Remediation Log:

File	Issue	Pylint Code	Resolution
main.py	Unused PaymentProcessing import	W0611	Removed unused import
main.py	Unspecified encoding in open()	W1514	Added encoding parameter
Payment_Processing.py	Missing module docstring	C0114	Added a module-level docstring
Payment_Processing.py	if len(card_number) != 16:	C0301	Increased max line length to 120

File	Issue	Pylint Code	Resolution
Restaurant_Browsing.py	Import position	C0413	Moved import to top of file
User_Registration.py	Import position	C0413	Moved import to top of file

Code Review Fixes Commit Reference: 0c6aa9f (generated via `git rev-parse --short HEAD`)

```

muditha@lap:~/SoftwareTesting$ pylint *.py
***** Module main
main.py:196:0: C0301: Line too long (121/120) (line-too-long)
main.py:325:0: C0301: Line too long (137/120) (line-too-long)
main.py:1:0: C0114: Missing module docstring (missing-module-docstring)
main.py:14:0: C0116: Missing function or method docstring (missing-function-docstring)
main.py:17:9: W1514: Using open without explicitly specifying an encoding (unspecified-encoding)
main.py:20:0: C0116: Missing function or method docstring (missing-function-docstring)
main.py:21:9: W1514: Using open without explicitly specifying an encoding (unspecified-encoding)
main.py:24:0: C0115: Missing class docstring (missing-class-docstring)
main.py:47:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:53:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:59:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:65:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:74:0: C0115: Missing class docstring (missing-class-docstring)
main.py:82:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:85:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:89:0: C0115: Missing class docstring (missing-class-docstring)
main.py:102:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:110:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:124:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:128:0: C0115: Missing class docstring (missing-class-docstring)
main.py:140:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:148:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:159:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:163:0: C0115: Missing class docstring (missing-class-docstring)
main.py:163:0: R0902: Too many instance attributes (9/7) (too-many-instance-attributes)
main.py:201:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:208:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:214:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:221:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:225:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:237:0: C0115: Missing class docstring (missing-class-docstring)
main.py:257:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:266:0: C0115: Missing class docstring (missing-class-docstring)
main.py:279:0: C0115: Missing class docstring (missing-class-docstring)
main.py:314:4: C0116: Missing function or method docstring (missing-function-docstring)
main.py:8:0: W0611: Unused PaymentProcessing imported from Payment_Processing (unused-import)
***** Module Order Placement
Order_Placement.py:77:0: C0303: Trailing whitespace (trailing-whitespace)
Order_Placement.py:1:0: C0114: Missing module docstring (missing-module-docstring)
Order_Placement.py:1:0: C0103: Module name "Order_Placement" doesn't conform to snake_case naming style (invalid-name)
Order_Placement.py:216:0: R0903: Too few public methods (1/2) (too-few-public-methods)
Order_Placement.py:236:0: R0903: Too few public methods (0/2) (too-few-public-methods)
Order_Placement.py:254:0: R0903: Too few public methods (1/2) (too-few-public-methods)
***** Module Payment Processing
Payment_Processing.py:80:0: C0303: Trailing whitespace (trailing-whitespace)
Payment_Processing.py:167:0: C0301: Line too long (128/120) (line-too-long)
Payment_Processing.py:1:0: C0114: Missing module docstring (missing-module-docstring)
Payment_Processing.py:1:0: C0103: Module name "Payment Processing" doesn't conform to snake_case naming style (invalid-name)
Payment_Processing.py:55:8: W0612: Unused variable 'expiry_date' (unused-variable)
Payment_Processing.py:90:15: W0718: Catching too general exception Exception (broad-exception-caught)

```

```
Order_Placement.py:254:0: R0903: Too few public methods (1/2) (too-few-public-methods)
***** Module Payment_Processing
Payment_Processing.py:80:0: C0303: Trailing whitespace (trailing-whitespace)
Payment_Processing.py:167:0: C0301: Line too long (128/120) (line-too-long)
Payment_Processing.py:1:0: C0114: Missing module docstring (missing-module-docstring)
Payment_Processing.py:1:0: C0103: Module name "Payment_Processing" doesn't conform to snake_case naming style (invalid-name)
Payment_Processing.py:55:8: W0612: Unused variable 'expiry_date' (unused-variable)
Payment_Processing.py:90:15: W0718: Catching too general exception Exception (broad-exception-caught)
Payment_Processing.py:85:12: R1705: Unnecessary "else" after "return", remove the "else" and de-indent the code inside it (no-else-return)
Payment_Processing.py:94:52: W0613: Unused argument 'amount' (unused-argument)
***** Module Restaurant_Browsing
Restaurant_Browsing.py:28:76: C0303: Trailing whitespace (trailing-whitespace)
Restaurant_Browsing.py:41:76: C0303: Trailing whitespace (trailing-whitespace)
Restaurant_Browsing.py:54:76: C0303: Trailing whitespace (trailing-whitespace)
Restaurant_Browsing.py:72:59: C0303: Trailing whitespace (trailing-whitespace)
Restaurant_Browsing.py:76:59: C0303: Trailing whitespace (trailing-whitespace)
Restaurant_Browsing.py:80:59: C0303: Trailing whitespace (trailing-whitespace)
Restaurant_Browsing.py:100:99: C0303: Trailing whitespace (trailing-whitespace)
Restaurant_Browsing.py:102:96: C0303: Trailing whitespace (trailing-whitespace)
Restaurant_Browsing.py:104:96: C0303: Trailing whitespace (trailing-whitespace)
Restaurant_Browsing.py:106:94: C0303: Trailing whitespace (trailing-whitespace)
Restaurant_Browsing.py:108:95: C0303: Trailing whitespace (trailing-whitespace)
Restaurant_Browsing.py:176:0: C0301: Line too long (141/120) (line-too-long)
Restaurant_Browsing.py:184:0: C0301: Line too long (147/120) (line-too-long)
Restaurant_Browsing.py:192:0: C0301: Line too long (143/120) (line-too-long)
Restaurant_Browsing.py:1:0: C0114: Missing module docstring (missing-module-docstring)
Restaurant_Browsing.py:1:0: C0103: Module name "Restaurant_Browsing" doesn't conform to snake_case naming style (invalid-name)
Restaurant_Browsing.py:86:0: R0903: Too few public methods (1/2) (too-few-public-methods)
Restaurant_Browsing.py:122:0: R0903: Too few public methods (1/2) (too-few-public-methods)
Restaurant_Browsing.py:156:0: C0413: Import "import unittest" should be placed at the top of the module (wrong-import-position)
Restaurant_Browsing.py:176:24: R1729: Use a generator instead 'all(restaurant['cuisine'] == 'Italian' for restaurant in results)' (use-a-generator)
Restaurant_Browsing.py:184:24: R1729: Use a generator instead 'all(restaurant['location'] == 'Downtown' for restaurant in results)' (use-a-generator)
Restaurant_Browsing.py:192:24: R1729: Use a generator instead 'all(restaurant['rating'] >= 4.0 for restaurant in results)' (use-a-generator)
***** Module User_Registration
User_Registration.py:5:0: C0301: Line too long (126/120) (line-too-long)
User_Registration.py:13:0: C0301: Line too long (141/120) (line-too-long)
User_Registration.py:20:0: C0301: Line too long (144/120) (line-too-long)
User_Registration.py:30:0: C0301: Line too long (122/120) (line-too-long)
User_Registration.py:38:0: C0301: Line too long (125/120) (line-too-long)
User_Registration.py:40:0: C0301: Line too long (130/120) (line-too-long)
User_Registration.py:62:0: C0301: Line too long (134/120) (line-too-long)
User_Registration.py:91:0: C0301: Line too long (126/120) (line-too-long)
User_Registration.py:1:0: C0114: Missing module docstring (missing-module-docstring)
User_Registration.py:1:0: C0103: Module name "User_Registration" doesn't conform to snake_case naming style (invalid-name)
User_Registration.py:1:0: C0115: Missing class docstring (missing-class-docstring)
User_Registration.py:73:0: C0413: Import "import unittest" should be placed at the top of the module (wrong-import-position)
User_Registration.py:75:0: C0115: Missing class docstring (missing-class-docstring)

-----
Your code has been rated at 8.32/10 (previous run: 8.32/10, +0.00)

muditha@lap:~/SoftwareTesting$
```

Ln 90, Col 11 (8 selected) Spaces: 4

3.3. Static Analysis Tool Usage (SonarQube Community Edition)

Tool Used: SonarQube Community Edition

Summary of Findings:

- **Quality Gate:** Passed (no critical/blocker issues)
- **Security:** 0 open issues
- **Reliability:** 0 open issues
- **Maintainability:** 6 open issues (all code smells)
- **Coverage:** 0.0% (no coverage data imported)
- **Duplications:** 0.0%

Key Issues Detected:

- **Payment_Processing.py**
 - Remove the unused local variable `expiry_date` (Low, L55)
 - Define a constant instead of duplicating the literal `"12/25"` 6 times (High, L129)
- **Restaurant_Browsing.py**
 - Unpack this comprehension expression (Low, L176, repeated)


- **User_Registration.py**
 - Unpack this comprehension expression (Low)
- All issues are maintainability/code smell related; no security or reliability issues detected.

Technical Debt: Minimal, with most issues requiring minor refactoring for maintainability.

Code Review Fixes Commit Reference: 90bebaa (generated via `git rev-parse --short HEAD`)

Screenshots:

- See attached SonarQube dashboard and issues screenshots for evidence.



localhost:9000/project/issues?issueStatuses=CONFIRMED%2COPEN&id=MobileFoodDeliveryAPP

Finish update

Embedded database should be used for evaluation purposes only. It doesn't support scaling, upgrading to a new SonarQube Server version, or migration to another database engine. [Learn more](#)

SonarQube

community

ProjectsIssuesRulesQuality ProfilesQuality GatesAdministrationMore

MobileFoodDeliveryAPPBind project /main

OverviewIssuesSecurity HotspotsCodeMeasuresActivity

My IssuesAll

Filters

Looking for Bugs, Vulnerabilities, or Code Smells? If your team prefers working with these types, change it in the [settings](#)

Issues in new code

Software Quality

Security0

Reliability0

Maintainability6

Severity

Blocker0

High2

Medium0

Low4

Bulk Change

Select issuesNavigate to issue6 issues42min effort

Payment_Processing.py

Remove the unused local variable "expiry_date".

MaintainabilityLow

OpenNot assigned

L55 · 5min effort · 5 days ago

Define a constant instead of duplicating this literal "12/25" 6 times.

MaintainabilityHigh

OpenNot assigned

L129 · 12min effort · 5 days ago

Restaurant_Browsing.py

Unpack this comprehension expression

MaintainabilityLow

OpenNot assigned

L176 · 5min effort · 5 days ago

Unpack this comprehension expression

MaintainabilityLow

No tags

SonarQube™ technology is powered by [SonarSource SA](#)

Community Build · v25.10.0.114319 · [MQR](#) [MODE](#)

[LGPL v3](#) [Community](#) [Documentation](#) [Plugins](#) [Web API](#)

localhost:9000/code?id=MobileFoodDeliveryAPP

Finish update

Embedded database should be used for evaluation purposes only. It doesn't support scaling, upgrading to a new SonarQube Server version, or migration to another database engine. [Learn more](#)

SonarQube

community


ProjectsIssuesRulesQuality ProfilesQuality GatesAdministrationMore

MobileFoodDeliveryAPPBind project /main

OverviewIssuesSecurity HotspotsCodeMeasuresActivity

	Lines of Code	Security	Reliability	Maintainability	Security Hotspots	Coverage	Duplications
MobileFoodDeliveryAPP	536	0	0	6	0	0.0%	0.0%
main.py	235	0	0	0	0	0.0%	0.0%
Order_Placement.py	119	0	0	0	0	0.0%	0.0%
Payment_Processing.py	68	0	0	2	0	0.0%	0.0%
Restaurant_Browsing.py	69	0	0	3	0	0.0%	0.0%
User_Registration.py	45	0	0	1	0	0.0%	0.0%

5 of 5 shown



Reflection:

SonarQube’s results align with Pylint and manual review, confirming the absence of critical security or reliability issues but highlighting maintainability/code smell improvements. The most severe issue is the repeated use of a hardcoded literal, which should be refactored for maintainability.

4. Dynamic Testing: Execution and Enhancement

Documentation of running the existing unit tests and enhancing the test suite to address static findings.

4.1. Initial Unit Test Execution Results (Sprint 1)

Test Runner Used: Python's standard unittest framework (each test file run individually).

Module	Total Tests	Tests Passed	Critical Observation
User_Registration.py	5	5	All tests passed
Order_Placement.py	5	5	All tests passed
Payment_Processing.py	6	6	All tests passed
Restaurant_Browsing.py	4	4	All tests passed

All unit tests passed successfully for each module, confirming basic functionality and coverage for the current test cases.

Code Review Fixes Commit Reference: 2206f25 (generated via `git rev-parse --short HEAD`)


```
DEBUG CONSOLE  ESP-IDF  TERMINAL
bash + - [ ] [ ] ... ^ x

● muditha@lap:~/SoftwareTesting$ python User_Registration.py
.....
-----
Ran 5 tests in 0.001s

OK
● muditha@lap:~/SoftwareTesting$ python Order_Placement.py
.....
-----
Ran 5 tests in 0.001s

OK
● muditha@lap:~/SoftwareTesting$ python Payment_Processing.py
.....
-----
Ran 6 tests in 0.002s

OK
● muditha@lap:~/SoftwareTesting$ python Restaurant_Browsing.py
.....
-----
Ran 4 tests in 0.000s

OK
❖ muditha@lap:~/SoftwareTesting$
```

4.2. New/Enhanced Unit Tests (Sprint 2)


New tests were written using Boundary Value Analysis and Error Handling best practices to target the security and validation defects.

Component Tested	Scenario/Test Case Name	Test Type	Expected Result	Pass/Fail
OrderPlacement	test_add_zero_or_negative_quantity	Error Handling	Cart.add_item raises a ValueError.	Pass
PaymentProcessing	test_invalid_card_length_15_digits	Boundary Condition	Validation Fails: "Invalid credit card number"	Pass
PaymentProcessing	test_valid_card_length_16_digits	Boundary Condition	Validation Succeeds for 16-digit card	Pass
UserRegistration	test_strong_password_success	Logic Validation	Successful registration after strong password logic	Pass
UserRegistration	test_weak_password_missing_digit	Error Handling	Registration fails: password missing digit	Pass
UserRegistration	test_weak_password_missing_letter	Error Handling	Registration fails: password missing letter	Pass

Summary of Results:

- All new/enhanced tests passed successfully, confirming fixes for input validation and security logic.
- Boundary and error conditions are now covered for cart quantity, credit card length, and password strength.

Code Review Fixes Commit Reference: b233135 (generated via `git rev-parse --short HEAD`)

A screenshot of a terminal window with a dark background. The terminal shows the command `python -m unittest User_Registration.py Order_Placement.py Payment_Processing.py Restaurant_Browsing.py` being executed. The output indicates that 28 tests passed in 0.0045 seconds. The prompt shows the user is `muditha@lap` in the directory `~/SoftwareTesting`.

```
DEBUG CONSOLE  ESP-IDF  TERMINAL
bash + v [ ] [ ] ... ^ x
muditha@lap:~/SoftwareTesting$ python -m unittest User_Registration.py Order_Placement.py Payment_Processing.py Restaurant_Browsing.py
.....
-----
Ran 28 tests in 0.004s

OK
muditha@lap:~/SoftwareTesting$
```

Code Snippets of New/Enhanced Test Cases:

Order_Placement_Test.py

```
def test_add_zero_or_negative_quantity(self):
    """Verifies that adding a quantity <= 0 is blocked."""
    with self.assertRaisesRegex(ValueError, "Quantity must be greater than zero"):
        self.cart.add_item("Water", 2.00, 0)
```

Payment_Processing_Test.py

```
def test_invalid_card_length_15_digits(self):
    result = validate_credit_card("123456789012345")
    self.assertFalse(result)

def test_valid_card_length_16_digits(self):
    result = validate_credit_card("1234567890123456")
    self.assertTrue(result)
```

User_Registration_Test.py

```
def test_strong_password_success(self):
    result = is_strong_enough("Password123")
    self.assertTrue(result)

def test_weak_password_missing_digit(self):
    result = is_strong_enough("Password")
    self.assertFalse(result)

def test_weak_password_missing_letter(self):
    result = is_strong_enough("12345678")
    self.assertFalse(result)
```

4.3. Test Coverage Analysis

Tool Used: [Coverage.py](#)

Module	Statements	Missed	Coverage
main.py	231	184	20%
Order_Placement.py	118	17	86%
Payment_Processing.py	79	5	94%
Restaurant_Browsing.py	52	4	92%
User_Registration.py	56	1	98%
TOTAL	305	27	61%

Key Improvement:

The new validation tests in `Payment_Processing.py` and the implemented security logic in `User_Registration.py` allowed us to hit critical branches that were previously missed, significantly increasing overall coverage.

Code Review Fixes Commit Reference: `b233135` (generated via `git rev-parse --short HEAD`)

```
muditha@lap:~/SoftwareTesting$ coverage run -m unittest *.py
.....
-----
Ran 28 tests in 0.005s

OK
muditha@lap:~/SoftwareTesting$ coverage report
Name                               Stmts  Miss  Cover
-----
Order_Placement.py                 118     17    86%
Payment_Processing.py               79      5    94%
Restaurant_Browsing.py              52      4    92%
User_Registration.py                56      1    98%
main.py                             231    184    20%
-----
TOTAL                               536    211    61%
muditha@lap:~/SoftwareTesting$
```

5. Conclusion & Recommendations

5.1. Overall Findings

The iterative static and dynamic testing approach effectively identified and remediated critical security and functionality issues within the Mobile Food DeliveryAPP codebase. Key outcomes include:

- Resolved security vulnerabilities (e.g., password handling, credit card validation).
- Enhanced test coverage and detection of edge cases through targeted unit tests.
- Improved code quality and adherence to standards via Pylint and manual reviews.

5.2. Recommendations for Future Testing

- Integrate automated security scanning (e.g., Bandit) in the CI pipeline to catch vulnerabilities early.
- Expand test coverage to include integration and system testing phases.
- Regularly update dependencies and frameworks used in the project to mitigate newly discovered risks.
- Consider adopting a formal threat modeling process to proactively identify and address potential security issues.

Appendix A: Raw Tool Outputs

A.1. Coverage.py HTML Report

!

File /home/muditha/SoftwareTesting/htmlcov/index.html

Coverage report: 61%

Files

Functions

Classes

coverage.py v7.10.7, created at 2025-10-19 16:04 +0300

File	statements	missing	excluded	coverage
main.py	231	184	0	20%
Order_Placement.py	118	17	0	86%
Payment_Processing.py	79	5	0	94%
Restaurant_Browsing.py	52	4	0	92%
User_Registration.py	56	1	0	98%
Total	536	211	0	61%

coverage.py v7.10.7, created at 2025-10-19 16:04 +0300