

But
Eubacterium hallii DSM 3353
Clostridiales sp. SS3/4
Faecalibacterium prausnitzii A2-165
Roseburia intestinalis M50/1
Faecalibacterium cf. prausnitzii KLE1255
Coprococcus eutactus ATCC 27759
Faecalibacterium prausnitzii SL3/3
Lachnospiraceae bacterium sp. 5_1_63FAA
Faecalibacterium prausnitzii L2-6
Clostridium sp. SS2/1
Butyrivibrio fibrisolvens 16/4
Fusobacterium mortiferum ATCC 9817
But gene in total
40 20 0
0.5 1.0 1.5
EtfA
Faecalibacterium prausnitzii M21/2
Clostridium sp. SY8519
Faecalibacterium prausnitzii A2-165
Fusobacterium varium ATCC 27725
Anaerostipes caccae DSM 14662
Clostridium sp. SS2/1
Coprococcus comes ATCC 27758
Faecalibacterium prausnitzii L2-6
Faecalibacterium cf. prausnitzii KLE1255
Clostridiales sp. SS3/4
Porphyromonas gingivalis TDC60
Anaerotruncus colihominis DSM 17241
Acidaminococcus fermentans VR4, DSM 20731
Roseburia intestinalis M50/1
Fusobacterium mortiferum ATCC 9817
Clostridium sp. L2-50
EtfA gene in total
40 20 0
0.5 1.0 1.5
Strain-specific gene significance
p < 0.05
BH-adjusted p < 0.05
Holm-adjusted p < 0.05
Aggregated summary
Aggregated gene effect (95% CI)
EtfB
Faecalibacterium prausnitzii M21/2
Faecalibacterium prausnitzii L2-6
Eubacterium hallii DSM 3353
Roseburia inulinivorans DSM 16841
Erysipelotrichaceae bacterium sp. 3_1_53
Coprococcus catus GD/7
Clostridioides difficile QCD-63q42
Clostridium sp. SS2/1
Clostridioides difficile NAP08
Clostridium sp. L2-50
EtfB gene in total
40 20 0
0.5 1.0 1.5
Contribution to gene(%)
Fold difference (DASH4D vs comparison diet)