


Modellvergleich — Ablation Study

All models have been trained on the same dataset with the same seed, the datasplit was train: 0.7 , val: 0.15 , test: 0.15



Detaillierte Ergebnisse

Modell	Top-1 Acc.	Loss	F1-Score	Parameter
ResNet50.DEFAULT	91.92	0.76	0.92	23639493.0 M
ResNet34.DEFAULT	85.87	0.87	0.86	21317829.0 M
ResNet18.DEFAULT	84.71	0.89	0.84	11209669.0 M
ResNet50.LAYER4.UNFROZEN ✓	94.02	0.70	0.95	23639493.0 M
ResNet34.LAYER4.UNFROZEN	92.05	0.74	0.92	21317829.0 M
ResNet18.LAYER4.UNFROZEN	91.17	0.77	0.92	11209669.0 M
EfficientNet_B0.DEFAULT	84.92	0.93	0.84	4013953.0 M
EfficientNet_B1.DEFAULT	86.41	0.92	0.86	6519589.0 M
EfficientNet_B2.DEFAULT	85.26	0.93	0.84	7708039.0 M
EfficientNet_B3.DEFAULT	83.49	1.63	0.82	10703917.0 M

Due to inequalities between the number of samples in every class the F1-Score is being used to determine the performance of a modelF1-Score weighs every class equally and therefore prevents class distortion from inequality between classes