

# **Perth College**

## **Semester Two Examination, 2018**

### **Question/Answer booklet**

# **MATHEMATICS METHODS UNITS 1 AND 2**

**Section One:** Calculator-free

If required by	your examination	administrator,	please
place your	student identificati	ion label in this	s box

Student number:	In figures	
	In words	
	Your name	Solutions.

### Time allowed for this section

Reading time before commencing work: Working time:

five minutes fifty minutes

## Materials required/recommended for this section

To be provided by the supervisor

This Question/Answer booklet Formula sheet

#### To be provided by the candidate

Standard items:

pens (blue/black preferred), pencils (including coloured), sharpener,

correction fluid/tape, eraser, ruler, highlighters

Special items:

nil

## Important note to candidates

No other items may be taken into the examination room. It is your responsibility to ensure that you do not have any unauthorised material. If you have any unauthorised material with you, hand it to the supervisor before reading any further.

## Structure of this paper

Section	Number of questions available	Number of questions to be answered	Working time (minutes)	Marks available	Percentage of examination
Section One: Calculator-free	8	8	50	54	35
Section Two: Calculator-assumed	13	13	100	96	65
				Total	100

### Instructions to candidates

- 1. The rules for the conduct of examinations are detailed in the school handbook. Sitting this examination implies that you agree to abide by these rules.
- 2. Write your answers in this Question/Answer booklet.
- 3. You must be careful to confine your response to the specific question asked and to follow any instructions that are specified to a particular question.
- 4. Supplementary pages for the use of planning/continuing your answer to a question have been provided at the end of this Question/Answer booklet. If you use these pages to continue an answer, indicate at the original answer where the answer is continued, i.e. give the page number.
- 5. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat any question, ensure that you cancel the answer you do not wish to have marked.
- 6. It is recommended that you do not use pencil, except in diagrams.
- 7. The Formula sheet is not to be handed in with your Question/Answer booklet.

Section One: Calculator-free

35% (54 Marks)

This section has **eight (8)** questions. Answer **all** questions. Write your answers in the spaces provided.

Working time: 50 minutes.

Question 1 (7 marks)

- (a) The first four terms of a sequence are -1, 3, -9 and 27.
  - (i) Write a recursive rule for the sequence above.

(1 mark)

$$T_{n+1} = -3T_n \qquad T_1 = -1 \qquad \sqrt{2}$$

(ii) Write a rule for the  $n^{th}$  term.

(1 mark)

$$T_n = -1(-3)^{n-1}$$

(iii) Determine the value of  $T_5$ .

(1 mark)

(b) The first three terms, in order, of an arithmetic sequence are 4x + 3, 2x - 1 and x - 8. Determine the fourth term of the sequence. (4 marks)

$$2x-1-(4x+3) = x-8-(2x-1)$$

$$2x-1-4x-3 = x-8-2x+1$$

$$-2x-4 = -x-7$$

$$-x = -3$$

$$x = 3$$

$$x = 3$$

$$x = 3$$

$$x = -15$$

(6 marks)

State the 4<sup>th</sup> term of  $(1 - 2x)^{10}$ . (a)

(3 marks)

$$\binom{10}{3}\binom{1}{1}^{7}(-2x)^{3}$$

$$= -960 \times^{3}$$


Sketch the graph of a function that satisfies all conditions below: (b)

(3 marks)

- has one root, which is the origin,
- $\frac{dy}{dx} = 0$  when x = 2 and x = 5,
- $\frac{dy}{dx} < 0$  when 2 < x < 5

-1/ wondition not met.

•  $\frac{dy}{dx} > 0$  otherwise



(8 marks)

Solve each equation below for x.

(a) 
$$\frac{4x}{x-7} = \frac{3}{2}$$
.

(2 marks)

$$5X = -21$$
  
 $X = -21$ 

(b) 
$$(x+2)(x-2) = 3x$$
.


 $x^{2} - 4 - 3x = 0$ 

$$(x-4)(x-1)=0$$

(c) 
$$2\cos x + \sqrt{3} = 0$$
,  $0 \le x \le 2\pi$ .

$$\log \chi = -\frac{13}{2}$$

$$\text{Vef } \theta = \frac{1}{5}$$



(b)

(7 marks)

- (a) Simplify
  - (i)  $\frac{d}{dx}(2x^5 + 6x 7)$ .

(1 mark)

(ii)  $\lim_{h \to 0} \frac{(x+h)^4 - x^4}{h}$ .

(1 mark)

4 x 3

Determine the gradient of the tangent to the curve  $y = x^3 - 4x + 3$  when x = -2.

(2 marks)

$$\frac{dy}{dx} = 3x^2 - 4$$

$$= 3(-2)^2 - 4$$

(c) Determine f(x) given f'(x) = 4x - 5 and f(2) = -3.

(3 marks)

$$f(x) = 2x^2 - 5x + c$$

$$-3 = 2(2)^2 - 5(2) + c$$

 $f(x) = 2x^2 - 5x - 1$ 

(6 marks)

The derivative of a cubic polynomial is given by  $\frac{dy}{dx} = 3x^2 - 2x - 24$ .

The cubic passes through the point (-1, -14).

(a) Determine the equation of the cubic.

(2 marks)

$$y = x^{3} - x^{2} - 24x + c$$

$$-14 = -1 - 1 + 24 + c$$

$$\boxed{c = -36}$$

$$y = \chi^3 - \chi^2 - 24 \chi - 36$$

V

(b) Show that the cubic has a root when x = -2.

(1 mark)

$$y = (-2)^{3} - (-2)^{2} - 24(-2) - 36$$

$$= 0$$

(c) Determine the other two roots of the cubic.

(3 marks)

$$\frac{\chi^{2} - 3\chi - 1\%}{\chi^{3} - \chi^{2} - 24\chi - 36}$$

$$- (\chi^{3} + 2\chi^{2})$$

$$- 3\chi^{2} - 24\chi$$

$$- (-3\chi^{2} - 6\chi)$$

$$- 1\%\chi - 36.$$


$$\chi^{2}-3\chi-18$$
 =  $(\chi-6)(\chi+3)$ 

other roots are 
$$\chi = 6$$
,  $\chi = -3$ 

**Question 6** (6 marks)

A small body moves in a straight line so that its displacement x from a fixed point 0 after tseconds is given by  $x = at^2 + bt + c$  metres.

The position-time graph of the body is shown below.



(a) Determine the values of the constants a, b and c. (3 marks)

$$\alpha = 3$$
  $\sqrt{b=-24}$ 

$$X = 3(t-1)(t-7)$$

$$= 3(t^2-9t+7)$$

$$= 3t^2-24t+2$$

Determine the displacement of the body when its velocity is 24 ms<sup>-1</sup>. (b)

(3 marks)

$$\frac{dx}{dt} = 6t - 24$$
 $24 = 6t - 24$ 
 $t = 8$ 

$$X = 3(8)^{2} - 24(8) + 21$$

$$= 192 - 192 + 21$$



(6 marks)

(a) Evaluate  $\frac{m^{0.5}}{n^2}$  when  $m = 4 \times 10^6$  and  $n = 5 \times 10^2$ , writing your answer in simplest form without the use of scientific notation. (3 m

 $\frac{(4 \times 10^{6})^{0.5}}{(5 \times 10^{2})^{2}} = \frac{2 \times 40^{3}}{25 \times 10^{4}}$   $= \frac{2}{250}$   $= \frac{1}{125}$ 

Correctly expands.

Correctly simplifies
power of 10.

Vamplifies.

(b) Determine the value of x when  $4^x = 32\sqrt{2}$ .

(3 marks)

 $(2^2)^{\chi} = 2^5 \cdot 2^{\frac{1}{2}}$ 

$$2x = 5\frac{1}{2}$$

$$2x = \frac{11}{2}$$

V recognises powers of 2

V correct use of index laws

V solves equation

(8 marks)

Let  $f(x) = x^2 + x$ .

(a) Determine the average rate of change when x = 3 and x = 5. (3 marks)

$$f(5) = 25 + 5$$
  
= 30   
 $f(3) = 9 + 3$   
= 9  $\sqrt{\frac{30 - 12}{2}}$ 

av rate = 
$$\frac{30-12}{2}$$

$$f(3) = 9t3$$
  
= 12

Use first principles to determine the rate of change function f'(x)(b)

$$f'(x) = \lim_{h \to 0} \frac{(x+h)^2 + (x+h) - (x^2 + x)}{h}$$

 $= \lim_{h \to 0} \frac{x^2 + 2xh + h^2 + x + h - x^2 - x}{h}$ 

$$= \lim_{h \to 0} \frac{2xh + h^2 + h}{h}$$

$$= \lim_{h \to 0} \frac{k(2x+h+1)}{k}$$

V factories.

$$f'(x) = 2x + 1$$

V correctly states f'(x) (must be 2x+1) **CALCULATOR-FREE** 

11

**METHODS UNITS 1 AND 2** 

Supplementary page

Question number: \_\_\_\_\_

Markers use only				
Question	Maximum	Mark		
1	7			
2	6			
3	8			
4	7			
5	6			
6	6			
7	6			
8	8			
S1 Total	54			
S1 Weighted	35%			
S2 Weighted	65%			
Total	100%			

© 2018 WA Exam Papers. Perth College has a non-exclusive licence to copy and communicate this document for non-commercial, educational use within the school. No other copying, communication or use is permitted without the express written permission of WA Exam Papers. SN077-122-1.