

2017 UNIT TEST 1

MATHEMATICS METHODS Year 12

Section One: Calculator-free

Student name	
Teacher name	

Time and marks available for this section

Reading time before commencing work:

2 minutes

Working time for this section:

15 minutes

Marks available:

15 marks

Materials required/recommended for this section To be provided by the supervisor

This Question/Answer Booklet Formula Sheet

To be provided by the candidate

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

Special items:

nil

Important note to candidates

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.

Instructions to candidates

- 1. Write your answers in this Question/Answer Booklet.
- Answer all questions.
- 3. **Show all your working clearly**. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.
- 4. It is recommended that you do not use pencil, except in diagrams.

Question 1 (7 marks)

3

Differentiate with respect to x. Simplify your answers, leaving them in fully factorised form where appropriate.

(a)
$$\frac{2x+1}{5-x}$$
 (2 marks)

(b)
$$(2x^4 + 2)(4 - x)^8$$
 (3 marks)

(c)
$$\sin(3x) - 4\cos 2x$$
 (2 marks)

Question 2 (2 marks)

Find the value of x, in terms of a and b, where the equation $y = 2ax^2 + b^2x$ has a derivative equal to zero given that a and b are positive constants.


(6 marks) Question 3

5

A tent in the shape of a cone is to be pitched. A bamboo frame is needed for the circumference of the base and the height of the cone. 8 metres of bamboo is to be used for the framework, represented by the the solid lines in the diagram below.

(a) Show that the volume V, of the tent in terms of its radius r, is given by:

$$V = \frac{8}{3}\pi r^2 - \frac{2}{3}\pi^2 r^3$$
 (2 marks)



(b) Determine the radius of the tent that will maximise the volume, leaving your answer (4 marks) in terms of π . You are not required to prove it is a maximum.



2017 UNIT TEST 1

MATHEMATICS METHODS Year 12

Section Two:
Calculator-assumed

Student name	
Teacher name	

Time and marks available for this section

Reading time before commencing work: 3 minutes
Working time for this section: 30 minutes
Marks available: 30 marks

Materials required/recommended for this section To be provided by the supervisor

This Question/Answer Booklet Formula Sheet (retained from Section One)

To be provided by the candidate

Standard items: pens (blue/black preferred), pencils (including coloured), sharpener, correction fluid/tape, eraser, ruler, highlighters

Special items: drawing instruments, templates, and up to three calculators approved for use in the WACE examinations

Important note to candidates

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it

to the supervisor before reading any further.

Instructions to candidates

- 1. Write your answers in this Question/Answer Booklet.
- 2. Answer all questions.
- 3. Show all your working clearly. Your working should be in sufficient detail to allow your answers to be checked readily and for marks to be awarded for reasoning. Incorrect answers given without supporting reasoning cannot be allocated any marks. For any question or part question worth more than two marks, valid working or justification is required to receive full marks. If you repeat an answer to any question, ensure that you cancel the answer you do not wish to have marked.
- 4. It is recommended that you do not use pencil, except in diagrams.

Question 4 (8 marks)

(a) Using the rule $f(x + h) = f(x) + h \times f'(x)$ for the function $f(x) = \frac{1}{\sqrt[3]{x}}$ (4 marks) find an approximation for $\frac{1}{\sqrt[3]{1.05}}$ as x increases from 1 to 1.05. Your answer should be expressed as a fraction.

- (b) For the function $f(x) = \sin(2x)$ find:
- (i) the instantaneous rate of change when $x = \frac{\pi}{8}$. (1 mark)

(ii) the average rate of change in terms of π over the interval $\frac{\pi}{6} \le x \le \frac{\pi}{4}$. (3 marks)

4


Question 5

(5 marks)

Consider the functions $f(x) = ax^3 + \frac{b}{x}$ with f'(1) = 9 and f''(1) = 6. Determine the values of a and b.

Question 6 (4 marks)

The graph of y = g'(x) is sketched below. On the same axes, sketch y = g''(x).



6

Question 7

(4 marks)

A particle moves such that its displacement from the origin 0, at time t seconds, is x metres, where:

$$x(t) = \frac{2t^4 - t^3 - 28t^2}{t + 4} + 5 \qquad \text{for } t \ge 0.$$

Determine:

(a) the distance travelled by the particle in the first 5 seconds.

(2 marks)

(b) the acceleration of the particle when t = 5.

(2 marks)

Question 8 (3 marks)

Use calculus to approximate the small change in the side length of a cube (correct to 4 decimal places) when its area changes from $486 cm^2$ to $487 cm^2$.

Question 9 (6 marks)

A particle is in rectilinear motion and its velocity, v, at any time t seconds is given by

$$v = \cos(2t) \, ms^{-1}$$

- (a) Determine an expression for $\frac{dv}{dt}$, the acceleration of the particle. (1 mark)
- (b) What is the velocity and the acceleration of the particle when $t = \pi$? (2 marks)

(c) What nature of the velocity is indicated by the value of the acceleration when $t=\pi$? (1 mark)

(d) During a particular second, the acceleration increases from $-1.8 \text{ } ms^{-2}$ to $1.5 \text{ } ms^{-2}$. Describe the velocity of the particle during this second. (2 marks)