




## OUTPUT:

### Digital Wallet



## Digital Wallet



## Local storage:

Application		
Filter		
	Key	Value
ni...	amount	538

## CODE:

### Index.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<title>AssessmentApp</title>
```

```
<meta name="description" content="">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

```
{{content-for "head"}}
```

```
<link integrity="" rel="stylesheet" href="{{rootURL}}assets/vendor.css">
```

```
<link integrity="" rel="stylesheet" href="{{rootURL}}assets/assessment-app.css">
```

```
<link rel="preconnect" href="https://fonts.googleapis.com">
```

```
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
```

```
<link
```

```
  href="https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0,900;1,100;1,200;1,300;1,400;1,500;1,600;1,700;1,800;1,900&
  display=swap"
```

```
  rel="stylesheet">
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-icons.min.css">
```

```
{{content-for "head-footer"}}
```

```
</head>
```

```
<body>

  {{content-for "body"}}

  <script src="{{rootURL}}assets/vendor.js"></script>
  <script src="{{rootURL}}assets/assessment-app.js"></script>

  {{content-for "body-footer"}}
</body>

</html>
```

## Templates/application.hbs

```
{{page-title "AssessmentApp"}}

{{outlet}}

<h3>Digital Wallet </h3>

<div class="container">
  <div class="my-wallet">
    <h2>My Wallet</h2>
    <p class="amount-title">Current Balance</p>
    <span class="amount"><i class="bi bi-currency-rupee"></i> {{this.amount}}</span>
    <div class="wallet-btn-container">
      <button class="wallet-btn withdraw" type="button">Withdraw</button>
      <button class="wallet-btn add-money" type="button" {{on "click"
this.toggleModal}}>Add Money</button>
    </div>
```

```

{{#if this.isModelOpen}}
<div class="overlay"></div>
<div class="add-modal">
  <i class="bi bi-x-lg close-icon" {{on "click" this.toggleModal}}></i>
  <label for="amount-value">Amount</label>
  <input type="number" placeholder="Enter Amount" id="amount-value">
  <button class="wallet-btn" type="button" {{on "click" this.addToWallet}}>Add to
Wallet</button>
</div>

{{/if}}
</div>

```

## Controllers/application.js

```

import Controller from '@ember/controller';
import { tracked } from '@glimmer/tracking';
import { action } from '@ember/object'

export default class ApplicationController extends Controller {

  constructor() {
    super(...arguments)
    this.loadAmount();
    this.loadSubscription();
  }

  @tracked amount=0;

```

```
@tracked isModelOpen = false;
```

```
@action toggleModal() {  
  this.isModelOpen = !this.isModelOpen;  
}
```

```
@action toggleSubModal() {  
  this.isSubModelOpen = !this.isSubModelOpen;  
}
```

```
@action addToWallet() {  
  const value = document.getElementById('amount-value').value;  
  this.amount=parseInt(this.amount)+ parseInt(value);  
  localStorage.setItem("amount",this.amount);  
  this.toggleModal();  
}
```

```
@action loadAmount() {  
  const resAmount= localStorage.getItem("amount");  
  this.amount=resAmount;  
}  
}
```

## **Styles/app.css**

```
/* Ember supports plain CSS out of the box. More info:  
https://cli.emberjs.com/release/advanced-use/stylesheets/ */  
  
body {  
  font-family: Poppins;
```

```
}
```

```
.overlay {  
  width: 100%;  
  height: 100%;  
  background-color: #2a2a2a;  
  opacity: 0.7;  
  position: fixed;  
  top: 0;  
  left: 0;  
}
```

```
.container {  
  display: flex;  
  gap: 2rem;  
  padding: 1rem;  
  
}
```

```
.my-wallet {  
  background: linear-gradient(90deg, rgb(42 123 155 / 100%) 0%, rgb(87 199 133 / 100%)  
50%, rgb(237 221 83 / 100%) 100%);  
  color: #fff;  
  border-radius: 10px;  
  padding: 2rem;  
  width: 500px;  
  height: 350px;  
}
```

```
.amount-title {  
  color: #3e5058;  
}
```

```
.amount {  
  font-size: 48px;  
}
```

```
.wallet-btn-container {  
  margin: 1rem;  
  background-color: #fff;  
  border-radius: 20px;  
  padding: 2rem;  
  display: flex;  
  gap: 2rem;  
  justify-content: center;  
  align-items: center;  
}
```

```
.wallet-btn {  
  border: none;  
  padding: 1rem 3rem;  
  border-radius: 10px;  
  background-color: #2a2a2a;  
  color: #fff;  
  cursor: pointer;  
}
```



```
.add-modal {  
  background-color: #fff;  
  color: black;  
  border-radius: 10px;  
  padding: 2rem 4rem;  
  z-index: 5;  
  position: absolute;  
  top: 30%;  
  right: 30%;  
  display: flex;  
  flex-direction: column;  
  gap: 1rem;  
}
```

```
input {  
  padding: 0.5rem 1rem;  
  border-radius: 5px;  
  border: 1px solid #ccc;  
  width: auto;  
}
```

```
.close-icon {  
  position: absolute;  
  top: 1rem;  
  right: 1rem;  
  cursor: pointer;
```

}