



OUTPUT:

Task 4 : Delete

Digital Wallet & Subscriptions

Track your wallets and subscriptions



CODE:

Index.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<title>AssessmentApp</title>
```

```
<meta name="description" content="">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

{{content-for "head"}}

<link integrity="" rel="stylesheet" href="{{rootURL}}assets/vendor.css">

<link integrity="" rel="stylesheet" href="{{rootURL}}assets/assessment-app.css">

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

<link

href="https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0,900;1,100;1,200;1,300;1,400;1,500;1,600;1,700;1,800;1,900&display=swap"

rel="stylesheet">

<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css">

{{content-for "head-footer"}}

</head>

<body>

{{content-for "body"}}

<script src="{{rootURL}}assets/vendor.js"></script>

<script src="{{rootURL}}assets/assessment-app.js"></script>

{{content-for "body-footer"}}

</body>

</html>

Templates/application.hbs

```
{{page-title "AssessmentApp"}}
```

```
{{outlet}}
```

```
<span class="head-text">Digital Wallet & Subscriptions</span><br>
```

```
<span class="head-desc-text">Track your wallets and subscriptions</span>
```

```
<div class="container">
```

```
  <div class="my-wallet">
```

```
    <h2>My Wallet</h2>
```

```
    <p class="amount-title">Current Balance</p>
```

```
    <span class="amount"><i class="bi bi-currency-rupee"></i> {{this.amount}}</span>
```

```
    <div class="wallet-btn-container">
```

```
      <button class="wallet-btn withdraw" type="button">Withdraw</button>
```

```
      <button class="wallet-btn add-money" type="button" {{on "click" this.toggleModal}}><i class="bi bi-wallet"></i> Add Money</button>
```

```
    </div>
```

```
  {{#if this.isModelOpen}}
```

```
    <div class="overlay"></div>
```

```
    <div class="add-modal">
```

```
      <i class="bi bi-x-lg close-icon" {{on "click" this.toggleModal}}></i>
```

```
      <label for="amount-value">Amount</label>
```

```
      <input type="number" placeholder="Enter Amount" id="amount-value">
```

```
      <button class="add-btn" type="button" {{on "click" this.addToWallet}}>Add to Wallet</button>
```

```
    </div>
```

```
{{/if}}
```

```
</div>
```

```
<div class="subscription-tracker">
```

```
  <div class="subscription-tracker-header">
```

```
    <div class="subscription-tracker-head">
```

```
      <span class="heading">Subscription Tracker</span>
```

```
      <span class="description">Your subscriptions</span>
```

```
    </div>
```

```
    <button class="add-sub-btn" type="button" {{on "click" this.toggleSubModal}}>Add  
Subscription</button>
```

```
  </div>
```

```
<div class="subscriptions">
```

```
  {{#each this.subscriptions as |subscription index|}}
```

```
    <div class="subscription-card">
```

```
      <i class="bi bi-pencil-square edit-icon" {{on "click" (fn this.editSubscription  
index)}}></i>
```

```
      <i class="bi bi-trash edit-icon del" {{on "click" (fn this.dltSubscription index)}}></i>
```

```
      <span class="name">{{subscription.name}}</span>
```

```
      <span class="sub-plan">{{subscription.subplan}}</span>
```

```
    <div>
```

```
      <span class="sub-amount"><i class="bi bi-currency-rupee"></i>  
{{subscription.subamount}}</span>/
```

```
      <span class="billing-cycle">{{subscription.billcycle}}</span>
```

```
    </div>
```

```
  <div>
```

```
    <span class="category">{{subscription.category}}</span>
```

```

        <span class="payment-method">{{subscription.paymethod}}</span>

    </div>

</div>

{{else}}

<div class="empty-subscription">

    <p style="font-size: 18px; font-weight:600">No Subscriptions Found</p>

</div>

{{/each}}

</div>

{{#if this.isSubModelOpen}}

<div class="overlay"></div>

<div class="add-sub-modal">

    <i class="bi bi-x-lg close-icon" {{on "click" this.toggleSubModal}}></i>

    <label for="amount-value">Name</label>

    <input type="text" value={{this.name}} placeholder="Enter Name" id="name" {{on
"input" this.updateName}}>

    <PowerSelect @selected={{this.subplan}} @options={{this.plans}}
@onChange={{this.updatePlan}}

        @labelText="Subscription Plan" as |plan|>

            {{plan}}

    </PowerSelect>

    <PowerSelect @selected={{this.billcycle}} @options={{this.billings}}
@onChange={{this.updateBilling}}

        @labelText="Billing Cycle" as |billing|>

            {{billing}}

    </PowerSelect>

```

```

    <label for="sub-amount">Amount</label>

    <input type="number" value={{this.subamount}} placeholder="Enter Amount"
    id="sub-amount" {{on "input" this.updateAmount}}>

    <PowerSelect @selected={{this.category}} @options={{this.categories}}
    @onChange={{this.updateCategory}}

        @labelText="Category" as |category|>

        {{category}}

    </PowerSelect>

    <PowerSelect @selected={{this.paymethod}} @options={{this.paymentMethod}}
    @onChange={{this.updatePayment}}

        @labelText="Payment Method" as |pay|>

        {{pay}}

    </PowerSelect>

    <button class="add-sub-btn add" type="button" {{on "click"
    this.addSubscription}}>{{if this.isEditing "Update Subscription" "Add Subscription"}}
    </button>

    </div>

    {{/if}}

</div>

</div>

```

```

<BasicDropdownWormhole />

```

Controllers/application.js

```

import Controller from '@ember/controller';
import { tracked } from '@glimmer/tracking';
import { action } from '@ember/object'

```

```
export default class ApplicationController extends Controller {

  constructor() {
    super(...arguments)
    this.loadAmount();
    this.loadSubscription();
  }

  @tracked amount = 0;
  @tracked isModelOpen = false;
  @tracked isSubModelOpen = false;
  @tracked isEditing = false;
  @tracked editIndex = null;

  @tracked subscriptions = [];

  @tracked name = "";
  @tracked subplan = "";
  @tracked billcycle = "";
  @tracked subamount = "";
  @tracked category = "";
  @tracked paymethod = "";

  plans = ['Standard', 'Pro', 'Pro+'];
  billings = ['Weekly', 'Monthly', 'Yearly'];
  categories = ['Entertainment', 'Music', 'Amazon Prime', 'Jio Star'];
  paymentMethod = ['UPI', 'Debit Card', 'Net Banking', 'Wallet'];
```

```
@action toggleModal() {  
  this.isModelOpen = !this.isModelOpen;  
}
```

```
@action toggleSubModal() {  
  this.isSubModelOpen = !this.isSubModelOpen;  
}
```

```
@action addToWallet() {  
  const value = document.getElementById('amount-value').value;  
  this.amount = parseInt(this.amount) + parseInt(value);  
  localStorage.setItem("amount", this.amount);  
  this.toggleModal();  
}
```

```
@action loadAmount() {  
  const resAmount = localStorage.getItem("amount") || 0;  
  this.amount = resAmount;  
}
```

```
@action updateName(event) {  
  this.name = event.target.value;  
}
```

```
@action updatePlan(plan) {  
  this.subplan = plan;  
}
```



```
@action updateBilling(bill) {
```

```
  this.billcycle = bill;
```

```
}
```

```
@action updateAmount(event) {
```

```
  this.subamount = event.target.value;
```

```
}
```

```
@action updateCategory(cat) {
```

```
  this.category = cat;
```

```
}
```

```
@action updatePayment(pay) {
```

```
  this.paymethod = pay;
```

```
}
```

```
@action addSubscription() {
```

```
  let subscription = {
```

```
    name: this.name,
```

```
    subplan: this.subplan,
```

```
    billcycle: this.billcycle,
```

```
    subamount: this.subamount,
```

```
    category: this.category,
```

```
    paymethod: this.paymethod
```

```
  }
```

```
  if (!this.isEditing) {
```

```
    this.subscriptions = this.subscriptions?[...this.subscriptions,  
subscription]:this.subscriptions = [subscription];;
```

```

        localStorage.setItem("subscriptions", JSON.stringify(this.subscriptions));

        this.loadSubscription();

        this.toggleSubModal();

        this.resetInputs();
    } else {
        this.subscriptions[this.editIndex] = subscription;

        this.isEditing = !this.isEditing;

        localStorage.setItem("subscriptions", JSON.stringify(this.subscriptions))

        this.toggleSubModal();

        this.loadSubscription();

        this.resetInputs();
    }
}

```

```

@action editSubscription(index) {
    this.editIndex = index;

    this.isEditing = !this.isEditing;

    this.toggleSubModal();

    this.name = this.subscriptions[index].name;

    this.subplan = this.subscriptions[index].subplan;

    this.billcycle = this.subscriptions[index].billcycle;

    this.subamount = this.subscriptions[index].subamount;

    this.category = this.subscriptions[index].category;

    this.paymethod = this.subscriptions[index].paymethod;
}

```

```

@action dltSubscription(index) {
    this.subscriptions.splice(index,1);
}

```

```
    this.subscriptions =[...this.subscriptions]

    localStorage.setItem("subscriptions", JSON.stringify(this.subscriptions));

    this.loadSubscription();

}
```

```
@action resetInputs() {

    this.name = "";

    this.subplan = "";

    this.billcycle = "";

    this.subamount = "";

    this.category = "";

    this.paymethod = "";

}
```

```
@action loadSubscription() {

    const resSubscription = JSON.parse(localStorage.getItem("subscriptions"));

    this.subscriptions = resSubscription;

    console.log(this.subscriptions);

}

}
```

Styles/app.css

```
/* Ember supports plain CSS out of the box. More info:
https://cli.emberjs.com/release/advanced-use/stylesheets/ */

body {

    font-family: Poppins;
```

```
    margin: 1.5rem 3rem;
}
```

```
.overlay {
    width: 100%;
    height: 100%;
    background-color: #2a2a2a;
    opacity: 0.7;
    position: fixed;
    top: 0;
    left: 0;
    z-index: 1;
}
```

```
.head-text {
    font-size: 30px;
    font-weight: 500;
}
```

```
.head-desc-text, .description {
    font-size: 16px;
    color: #676767;
}
```

```
.container {
    display: flex;
    gap: 2rem;
    margin: 2rem 0;
```

```
}
```

```
.my-wallet {
```

```
    background:linear-gradient(90deg,rgb(42 123 155 / 100%) 0%, rgb(87 199 133 / 100%)  
50%, rgb(237 221 83 / 100%) 100%);
```

```
    color: #fff;
```

```
    border-radius: 10px;
```

```
    padding: 2rem;
```

```
    width: 30%;
```

```
    height: 250px;
```

```
}
```

```
.amount-title {
```

```
    color: #3e5058;
```

```
}
```

```
.amount {
```

```
    font-size: 48px;
```

```
}
```

```
.wallet-btn-container {
```

```
    display: flex;
```

```
    gap: 1rem;
```

```
    margin: 0.5rem 0;
```

```
}
```

```
.wallet-btn {
```

```
border: none;

padding: 1rem 2rem;

border-radius: 10px;

background-color: #fcfcfc;

color: #353535;

cursor: pointer;

font-weight: 800;

}
```

```
.wallet-btn i {

    font-weight: 800;

}
```

```
.add-modal {

    background-color: #fff;

    color: black;

    border-radius: 10px;

    padding: 2rem 4rem;

    z-index: 5;

    position: absolute;

    top: 30%;

    left: 40%;

    display: flex;

    flex-direction: column;

    gap: 1rem;

}
```

```
input {
```

```
padding: 0.5rem 1rem;

border-radius: 5px;

border: 1px solid #ccc;

width: auto;

}
```

```
.close-icon {

  position: absolute;

  top: 1rem;

  right: 1rem;

  cursor: pointer;

}
```

```
.subscription-tracker {

  background-color: #fff;

  box-shadow: 1px 2px 4px rgb(0 0 0 / 20%);

  padding: 2rem;

  display: flex;

  flex-direction: column;

  border: 1px solid #ddd;

  width: 60%;

  height: 100vh;

}
```

```
.add-btn, .add-sub-btn {

  border: none;

  padding: 0.6rem 1rem;
```

```
background-color: #2a2a2a;
color: white;
border-radius: 5px;
cursor: pointer;
}
```

```
.add {
  margin: 1rem 0;
}
```

```
.subscription-tracker-header {
  display: flex;
  align-items: start;
  justify-content: space-between;
  gap: 2rem;
}
```

```
.subscription-tracker-head {
  display: flex;
  flex-direction: column;
}
```

```
.heading {
  font-size: 20px;
  font-weight: bold;
}
```

```
.subscriptions {
```



```
display: flex;
gap: 1.5rem;
flex-wrap: wrap;
}
```

```
.subscription-card {
margin: 1rem 0;
padding: 1.5rem;
width: 350px;
border-radius: 20px;
display: flex;
flex-direction: column;
justify-content: center;
align-items: start;
gap: 0.5rem;
box-shadow: 1px 2px 4px rgba(0,0,0,0.3);
position: relative;
}
```

```
.subscription-card div {
margin: 1.5rem 0;
}
```

```
.edit-icon {
position: absolute;
top: 1rem;
right: 3rem;
cursor: pointer;
```

```
}
```

```
.del {
```

```
    right: 1rem;
```

```
    color: red;
```

```
}
```

```
.edit-del-modal {
```

```
    position: absolute;
```

```
    top: 1rem;
```

```
    right: 1rem;
```

```
    background-color: white;
```

```
    border: 1px solid #ccc;
```

```
    padding: 0.3rem 2rem;
```

```
    font-size: 12px;
```

```
    cursor: pointer;
```

```
}
```

```
.add-sub-modal {
```

```
    background-color: #fff;
```

```
    color: black;
```

```
    border-radius: 10px;
```

```
    padding: 2rem;
```

```
    z-index: 5;
```

```
    position: fixed;
```

```
    top: 8%;
```

```
    display: flex;
```

```
    flex-direction: column;
```

```
    gap: 1rem;
    width: 400px;
}
```

```
.name {
    font-size: 24px;
}
```

```
.sub-plan {
    font-size: 14px;
    color: #666666;
}
```

```
.billing-cycle {

}
```

```
.sub-amount {
    font-size: 30px;
}
```

```
.category, .payment-method {
    border-radius: 20px;
    padding: 0.3rem 0.7rem;
    font-size: 12px;
}
```

```
.category {
```

```
background-color: #ccc;
```

```
}
```

```
.payment-method {
```

```
background-color: #4cad6e;
```

```
color: white;
```

```
}
```