


## OUTPUT:

### Task 6: Transaction history for wallet.



## CODE:

### Index.html

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<title>AssessmentApp</title>
```

```
<meta name="description" content="">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

{{content-for "head"}}

<link integrity="" rel="stylesheet" href="{{rootURL}}assets/vendor.css">

<link integrity="" rel="stylesheet" href="{{rootURL}}assets/assessment-app.css">

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

<link

href="https://fonts.googleapis.com/css2?family=Poppins:ital,wght@0,100;0,200;0,300;0,400;0,500;0,600;0,700;0,800;0,900;1,100;1,200;1,300;1,400;1,500;1,600;1,700;1,800;1,900&display=swap"

rel="stylesheet">

<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.11.3/font/bootstrap-icons.min.css">

{{content-for "head-footer"}}

</head>

<body>

{{content-for "body"}}

<script src="{{rootURL}}assets/vendor.js"></script>

<script src="{{rootURL}}assets/assessment-app.js"></script>

{{content-for "body-footer"}}

</body>

</html>

## Templates/application.hbs

```
{{page-title "AssessmentApp"}}
```

```
{{outlet}}
```

```
<span class="head-text">Digital Wallet & Subscriptions</span><br>
```

```
<span class="head-desc-text">Track your wallets and subscriptions</span>
```

```
<div class="container">
```

```
  <div class="left">
```

```
    <div class="my-wallet">
```

```
      <h2>My Wallet</h2>
```

```
      <p class="amount-title">Current Balance</p>
```

```
      <span class="amount"><i class="bi bi-currency-rupee"></i> {{this.amount}}</span>
```

```
      <div class="wallet-btn-container">
```

```
        <button class="wallet-btn withdraw" type="button">Withdraw</button>
```

```
        <button class="wallet-btn add-money" type="button" {{on "click" this.toggleModal}}><i
```

```
          class="bi bi-wallet"></i> Add Money</button>
```

```
      </div>
```

```
    </div>
```

```
    <div class="transaction-history">
```

```
      <span class="heading">Transaction History</span>
```

```
      {{#each this.history as |hist|}}
```

```
        <div class="transaction">
```

```
          <span class="hist-name">{{hist.name}}</span>
```

```
          <span class="hist-desc">{{hist.transaction}}</span>
```

```
        <span class={{if (eq hist.transaction "Subscribed") "del" "plus"}}>{{if (eq  
hist.transaction "Subscribed") "-" "+"}}{{hist.subamount}}</span>
```

```
    </div>
```

```
    {{/each}}
```

```
</div>
```

```
{{#if this.isModelOpen}}
```

```
<div class="overlay"></div>
```

```
<div class="add-modal">
```

```
    <i class="bi bi-x-lg close-icon" {{on "click" this.toggleModal}}></i>
```

```
    <label for="amount-value">Amount</label>
```

```
    <input type="number" placeholder="Enter Amount" id="amount-value">
```

```
    <button class="add-btn" type="button" {{on "click" this.addToWallet}}>Add to  
Wallet</button>
```

```
</div>
```

```
{{/if}}
```

```
</div>
```

```
<div class="subscription-tracker">
```

```
    <div class="subscription-tracker-header">
```

```
        <div class="subscription-tracker-head">
```

```
            <span class="heading">Subscription Tracker</span>
```

```
            <span class="description">Your subscriptions</span>
```

```
        </div>
```

```
        <button class="add-sub-btn" type="button" {{on "click" this.toggleSubModal}}>Add  
Subscription</button>
```

```
    </div>
```

```

<div class="subscriptions">

  {{#each this.subscriptions as |subscription index|}}

    <div class="subscription-card">

      <i class="bi bi-pencil-square edit-icon" {{on "click" (fn this.editSubscription
index)}}></i>

      <i class="bi bi-trash edit-icon del" {{on "click" (fn this.dltSubscription index)}}></i>

      <button class="edit-icon cancel" {{on "click" (fn this.cancelSubscription
index)}}>Cancel

        Subscription</button>

      <span class="name">{{subscription.name}}</span>

      <span class="sub-plan">{{subscription.subplan}}</span>

      <div>

        <span class="sub-amount"><i class="bi bi-currency-rupee"></i>
{{subscription.subamount}}</span>/

        <span class="billing-cycle">{{subscription.billcycle}}</span>

      </div>

      <div>

        <span class="category">{{subscription.category}}</span>

        <span class="payment-method">{{subscription.paymethod}}</span>

      </div>

    </div>

  {{else}}

    <div class="empty-subscription">

      <p style="font-size: 18px; font-weight:600">No Subscriptions Found</p>

    </div>

  {{/each}}

```

</div>

{{#if this.isSubModelOpen}}

<div class="overlay"></div>

<div class="add-sub-modal">

<i class="bi bi-x-lg close-icon" {{on "click" this.toggleSubModal}}></i>

<label for="amount-value">Name</label>

<input type="text" value={{this.name}} placeholder="Enter Name" id="name" {{on "input" this.updateName}}>

<PowerSelect @selected={{this.subplan}} @options={{this.plans}}  
@onChange={{this.updatePlan}}

@labelText="Subscription Plan" as |plan|>

{{plan}}

</PowerSelect>

<PowerSelect @selected={{this.billcycle}} @options={{this.billings}}  
@onChange={{this.updateBilling}}

@labelText="Billing Cycle" as |billing|>

{{billing}}

</PowerSelect>

<label for="sub-amount">Amount</label>

<input type="number" value={{this.subamount}} placeholder="Enter Amount"  
id="sub-amount" {{on "input"  
this.updateAmount}}>

<PowerSelect @selected={{this.category}} @options={{this.categories}}  
@onChange={{this.updateCategory}}

@labelText="Category" as |category|>

{{category}}

</PowerSelect>

```

        <PowerSelect @selected={{this.paymethod}} @options={{this.paymentMethod}}
@onChange={{this.updatePayment}}

        @labelText="Payment Method" as |pay|>

        {{pay}}

    </PowerSelect>

    <button class="add-sub-btn add" type="button" {{on "click"
this.addSubscription}}>{{if this.isEditing

        "Update Subscription" "Add Subscription"}} </button>

    </div>

    {{/if}}

</div>
</div>

```

```

<BasicDropdownWormhole />

```

## Controllers/application.js

```

import Controller from '@ember/controller';
import { tracked } from '@glimmer/tracking';
import { action } from '@ember/object'

export default class ApplicationController extends Controller {

    constructor() {
        super(...arguments)
        this.loadAmount();
        this.loadSubscription();
    }

```

```
    this.loadHistory();  
}
```

```
@tracked amount = 0;  
@tracked isModelOpen = false;  
@tracked isSubModelOpen = false;  
@tracked isEditing = false;  
@tracked editIndex = null;
```

```
@tracked subscriptions = [];
```

```
@tracked name = "";  
@tracked subplan = "";  
@tracked billcycle = "";  
@tracked subamount = "";  
@tracked category = "";  
@tracked paymethod = "";
```

```
plans = ['Standard', 'Pro', 'Pro+'];  
billings = ['Weekly', 'Monthly', 'Yearly'];  
categories = ['Entertainment', 'Music', 'Amazon Prime', 'Jio Star'];  
paymentMethod = ['UPI', 'Debit Card', 'Net Banking', 'Wallet'];
```

```
@tracked history = [];
```

```
@action toggleModal() {  
    this.isModelOpen = !this.isModelOpen;  
}
```



```
@action toggleSubModal() {  
  this.isSubModelOpen = !this.isSubModelOpen;  
  this.resetInputs();  
}
```

```
@action addToWallet() {  
  const value = document.getElementById('amount-value').value;  
  this.amount = parseInt(this.amount) + parseInt(value);  
  localStorage.setItem("amount", this.amount);  
  this.toggleModal();  
}
```

```
@action loadAmount() {  
  const resAmount = localStorage.getItem("amount") || 0;  
  this.amount = resAmount;  
}
```

```
@action updateName(event) {  
  this.name = event.target.value;  
}
```

```
@action updatePlan(plan) {  
  this.subplan = plan;  
}
```

```
@action updateBilling(bill) {  
  this.billcycle = bill;
```

```
}
```

```
@action updateAmount(event) {  
    this.subamount = event.target.value;  
}
```

```
@action updateCategory(cat) {  
    this.category = cat;  
}
```

```
@action updatePayment(pay) {  
    this.paymethod = pay;  
}
```

```
@action addSubscription() {  
    let subscription = {  
        name: this.name,  
        subplan: this.subplan,  
        billcycle: this.billcycle,  
        subamount: this.subamount,  
        category: this.category,  
        paymethod: this.paymethod  
    }  
}
```

```
if (!this.isEditing) {  
    if (subscription.paymethod == "Wallet") {  
        if (parseInt(this.subamount) <= parseInt(this.amount)) {  
            this.amount = this.amount - this.subamount;  
        }  
    }  
}
```

```

        localStorage.setItem("amount", this.amount);

        this.subscriptions = this.subscriptions ? [...this.subscriptions, subscription] :
[subscription];

        localStorage.setItem("subscriptions", JSON.stringify(this.subscriptions));

        this.loadSubscription();

        this.toggleSubModal();

        this.resetInputs();

        subscription.transaction = "Subscribed";

        this.history = this.history ? [...this.history, subscription] : [subscription];

        localStorage.setItem("history", JSON.stringify(this.history));

        this.loadHistory();

    } else {

        alert("Insufficient Wallet Balance");

    }

} else {

    this.subscriptions = this.subscriptions ? [...this.subscriptions, subscription] :
[subscription];

    localStorage.setItem("subscriptions", JSON.stringify(this.subscriptions));

    this.loadSubscription();

    this.toggleSubModal();

    this.resetInputs();

}

} else {

    this.subscriptions[this.editIndex] = subscription;

    this.isEditing = !this.isEditing;

    localStorage.setItem("subscriptions", JSON.stringify(this.subscriptions))

    this.toggleSubModal();

    this.loadSubscription();

```

```
        this.resetInputs();  
    }  
}
```

```
@action editSubscription(index) {  
    this.editIndex = index;  
    this.isEditing = !this.isEditing;  
    this.toggleSubModal();  
    this.name = this.subscriptions[index].name;  
    this.subplan = this.subscriptions[index].subplan;  
    this.billcycle = this.subscriptions[index].billcycle;  
    this.subamount = this.subscriptions[index].subamount;  
    this.category = this.subscriptions[index].category;  
    this.paymethod = this.subscriptions[index].paymethod;  
}
```

```
@action dltSubscription(index) {  
    this.subscriptions.splice(index, 1);  
    this.subscriptions = [...this.subscriptions];  
    localStorage.setItem("subscriptions", JSON.stringify(this.subscriptions));  
    this.loadSubscription();  
}
```

```
@action cancelSubscription(index) {  
  
    let cancelled = {  
        name: this.subscriptions[index].name,
```

```
    subplan: this.subscriptions[index].subplan,  
    billcycle: this.subscriptions[index].billcycle,  
    subamount: this.subscriptions[index].subamount,  
    category: this.subscriptions[index].category,  
    paymethod: this.subscriptions[index].paymethod,  
    transaction: "Cancelled"  
}
```

```
if (this.subscriptions[index].paymethod == "Wallet") {  
    this.amount = parseInt(this.amount) + parseInt(this.subscriptions[index].subamount);  
    localStorage.setItem("amount", this.amount);  
    this.history = this.history ? [...this.history, cancelled] : [cancelled];  
    localStorage.setItem("history", JSON.stringify(this.history));  
    this.loadHistory();  
    alert("Amount refunded to wallet");  
}  
this.subscriptions.splice(index, 1);  
this.subscriptions = [...this.subscriptions];  
localStorage.setItem("subscriptions", JSON.stringify(this.subscriptions));  
this.loadSubscription();  
}
```

```
@action resetInputs() {  
    this.name = "";  
    this.subplan = "";  
    this.billcycle = "";  
    this.subamount = "";  
    this.category = "";
```

```
    this.paymethod = "";
  }

  @action loadSubscription() {
    const resSubscription = JSON.parse(localStorage.getItem("subscriptions"));
    this.subscriptions = resSubscription;
    console.log(this.subscriptions);
  }

  @action loadHistory() {
    const resHistory = JSON.parse(localStorage.getItem("history"));
    this.history = resHistory;
    console.log(this.history);
  }
}
```

## **Styles/app.css**

/\* Ember supports plain CSS out of the box. More info:  
<https://cli.emberjs.com/release/advanced-use/stylesheets/> \*/

```
body {
  font-family: Poppins;
  margin: 1.5rem 3rem;
}

.overlay {
  width: 100%;
  height: 100%;
  background-color: #2a2a2a;
```

```
    opacity: 0.7;
    position: fixed;
    top: 0;
    left: 0;
    z-index: 1;
}
```

```
.head-text {
    font-size: 30px;
    font-weight: 500;
}
```

```
.head-desc-text, .description {
    font-size: 16px;
    color: #676767;
}
```

```
.container {
    display: flex;
    gap: 2rem;
    margin: 2rem 0;
}
```

```
.left {
    display: flex;
    flex-direction: column;
    width: 30%;
}
```

```
.my-wallet {  
  background:linear-gradient(90deg,rgb(42 123 155 / 100%) 0%, rgb(87 199 133 / 100%)  
50%, rgb(237 221 83 / 100%) 100%);  
  color: #fff;  
  border-radius: 10px;  
  padding: 2rem;  
  height: 250px;  
}
```

```
.amount-title {  
  color: #2b3e47;  
}
```

```
.amount {  
  font-size: 48px;  
}
```

```
.wallet-btn-container {  
  display: flex;  
  gap: 1rem;  
  margin: 0.5rem 0;  
}
```

```
.wallet-btn {  
  border: none;  
  padding: 1rem 2rem;  
  border-radius: 10px;
```



```
background-color: #fcfcfc;
color: #353535;
cursor: pointer;
font-weight: 800;
}
```

```
.wallet-btn i {
  font-weight: 800;
}
```

```
.add-modal {
  background-color: #fff;
  color: black;
  border-radius: 10px;
  padding: 2rem 4rem;
  z-index: 5;
  position: absolute;
  top: 30%;
  left: 40%;
  display: flex;
  flex-direction: column;
  gap: 1rem;
}
```

```
input {
  padding: 0.5rem 1rem;
  border-radius: 5px;
  border: 1px solid #ccc;
```

```
width: auto;
```

```
}
```

```
.close-icon {
```

```
  position: absolute;
```

```
  top: 1rem;
```

```
  right: 1rem;
```

```
  cursor: pointer;
```

```
}
```

```
.transaction-history {
```

```
  margin-top: 1rem;
```

```
  padding: 2rem;
```

```
  background-color: #fff;
```

```
  box-shadow: 1px 2px 4px rgb(0 0 0 / 20%);
```

```
  border: 1px solid #ddd;
```

```
}
```

```
.transaction {
```

```
  border-bottom: 1px solid #ccc;
```

```
  margin: 1.5rem auto;
```

```
  display: flex;
```

```
  justify-content: space-between;
```

```
  align-items: center;
```

```
  gap: 3rem;
```

```
}
```

```
.transaction span {  
  width: 100px;  
}
```

```
.hist-name {  
  font-size: 16px;  
}
```

```
.hist-desc {  
  font-size: 14px;  
  color: #575757;  
}
```

```
.subscription-tracker {  
  background-color: #fff;  
  box-shadow: 1px 2px 4px rgb(0 0 0 / 20%);  
  border: 1px solid #ddd;  
  padding: 2rem;  
  display: flex;  
  flex-direction: column;  
  width: 60%;  
}
```

```
.add-btn, .add-sub-btn {  
  border: none;  
  padding: 0.6rem 1rem;  
  background-color: #2a2a2a;  
  color: white;
```

```
border-radius: 5px;  
cursor: pointer;  
}
```

```
.add {  
  margin: 1rem 0;  
}
```

```
.subscription-tracker-header {  
  display: flex;  
  align-items: start;  
  justify-content: space-between;  
  gap: 2rem;  
  margin-bottom: 1.5rem;  
}
```

```
.subscription-tracker-head {  
  display: flex;  
  flex-direction: column;  
}
```

```
.heading {  
  font-size: 22px;  
  font-weight: 600;  
}
```

```
.subscriptions {  
  display: flex;
```

```
    gap: 1.5rem;
    flex-wrap: wrap;
}
```

```
.subscription-card {
    margin: 1rem 0;
    padding: 1.5rem;
    width: 350px;
    border-radius: 20px;
    display: flex;
    flex-direction: column;
    justify-content: center;
    align-items: start;
    gap: 0.5rem;
    box-shadow: 1px 2px 4px rgba(0,0,0,0.3);
    position: relative;
    border: 1px solid #ddd;
}
```

```
.subscription-card div {
    margin: 1.5rem 0;
}
```

```
.edit-icon {
    position: absolute;
    top: 1rem;
    right: 3rem;
```

```
    cursor: pointer;
}
```

```
.del {
    right: 1rem;
    color: red;
    font-weight: 600;
}
```

```
.plus {
    color: green;
    font-weight: 600;
}
```

```
.cancel {
    right: 5rem;
    border: 1px solid #e64646;
    border-radius: 10px;
    padding: 0.3rem 0.8rem;
    background: transparent;
    color: #e64646;
    font-size: 12px;
}
```

```
/* .edit-del-modal {
    position: absolute;
    top: 1rem;
    right: 1rem;
```

```
background-color: white;

border: 1px solid #ccc;

padding: 0.3rem 2rem;

font-size: 12px;

cursor: pointer;

} */
```

```
.add-sub-modal {

background-color: #fff;

color: black;

border-radius: 10px;

padding: 2rem;

z-index: 5;

position: fixed;

top: 8%;

display: flex;

flex-direction: column;

gap: 1rem;

width: 400px;

}
```

```
.name {

font-size: 24px;

font-weight: 500;

}
```

```
.sub-plan {

font-size: 14px;
```

```
    color: #666666;  
}
```

```
.sub-amount {  
    font-size: 30px;  
}
```

```
.category, .payment-method {  
    border-radius: 20px;  
    padding: 0.3rem 0.7rem;  
    font-size: 12px;  
}
```

```
.category {  
    background-color: #ccc;  
    margin-right: 0.5rem;  
}
```

```
.payment-method {  
    background-color: #4cad6e;  
    color: white;  
}
```

```
.empty-subscription {  
    display: flex;  
    justify-content: center;  
    align-items: center;  
    flex-direction: column;
```



width: 100%;

height: 50vh;

}