Booking API Documentation

> **Audience:** Frontend Developers
> **Base URL:** `/api`
> **Auth:** All booking endpoints require a Bearer token (`Authorization: Bearer {token}`) and a **verified** email account.

Table of Contents

1. Overview
2. Authentication & Headers
3. Create Booking — Single Service
4. Create Booking — Multiple Services
5. List My Bookings
6. Get Booking Details
7. Cancel Booking
8. Response Schema Reference
9. Error Responses
10. Business Rules & Constraints
11. Status & Payment Enums

Overview

The booking system allows a customer to book **one or more services** in a single appointment. All services in one booking share the same **date**, but each service has its own **provider** and **start_time**.

When multiple services are booked together:

- Services are automatically sorted by their `start_time`
- Each service must start **after** the previous one ends (no overlaps)
- The appointment `start_time` = first service start, `end_time` = last service end
- Total duration = sum of all service durations
- Total price = sum of all service prices (with tax applied per-item)

Authentication & Headers

```
Authorization: Bearer {your_token}
Content-Type: application/json
Accept: application/json
```

> **Important:** The user's email must be verified. If not verified, all booking endpoints return `403 Forbidden`.

1. Create Booking — Single Service

Book one service with one provider at a specific time.

Request

```
POST /api/bookings
```

```
{
  "date": "2026-04-10",
  "payment_method": "cash",
  "notes": "Please use scissors, not a razor.",
  "services": [
    {
      "service_id": 3,
      "provider_id": 7,
      "start_time": "10:00"
    }
  ]
}
```

Field Descriptions

Field	Type	Required	Description
`date`	`string`	✅ Yes	Appointment date in `YYYY-MM-DD` format. Must be today or future.
`payment_method`	`string`	✅ Yes	`"cash"` or `"online"`
`notes`	`string`	❌ No	Extra notes for the barber. Max 1000 characters.
`services`	`array`	✅ Yes	Array of service objects. Min 1, Max 10.

Field	Type	Required	Description
`services[].service_id`	`integer`	✅ Yes	ID of the service to book.
`services[].provider_id`	`integer`	✅ Yes	ID of the provider (barber) who will perform the service.
`services[].start_time`	`string`	✅ Yes	Time in `HH:MM` format (24-hour). Example: `"09:30"`

Success Response — `201 Created`


```
{
  "success": true,
  "message": "Booking created successfully",
  "data": {
    "id": 42,
    "number": "APT-20260410-A3F9C1",

    "appointment_date": "2026-04-10",
    "formatted_date": "Friday, April 10, 2026",
    "start_time": "10:00",
    "end_time": "10:30",
    "time_range": "10:00 - 10:30",
    "duration_minutes": 30,
    "formatted_duration": "30 minutes",

    "subtotal": 45.38,
    "tax_amount": 6.62,
    "total_amount": 52.00,

    "status": "PENDING",
    "status_value": 0,
    "status_label": "Pending",
    "payment_status": "PENDING",
    "payment_status_value": 0,
    "payment_status_label": "Pending",
    "payment_method": "cash",

    "cancellation_reason": null,
    "cancelled_at": null,

    "provider": {
      "id": 7,
      "full_name": "Ahmed Al-Barber",
      "email": "ahmed@example.com",
      "phone": "+966500000001",
      "avatar_url": "https://example.com/avatars/ahmed.jpg",
      "profile_image_url": "https://example.com/profiles/ahmed.jpg"
    },

    "services_details": [
      {
        "id": 101,
        "service_id": 3,
        "service_name": "Classic Haircut",
        "duration_minutes": 30,
```

```
        "formatted_duration": "30 minutes",
        "price": 52.00,
        "formatted_price": "SAR 52.00",
        "sequence_order": 1,
        "service": {
          "id": 3,
          "name": "Classic Haircut",
          "image_url": "https://example.com/services/haircut.jpg",
          "color_code": "#4A90D9"
        }
      }
    ],

    "notes": "Please use scissors, not a razor.",
    "created_at": "2026-04-05 12:00:00",
    "updated_at": "2026-04-05 12:00:00",

    "is_upcoming": true,
    "is_past": false,
    "is_cancelled": false,
    "is_completed": false,
    "can_cancel": true
  }
}
```


2. Create Booking — Multiple Services

Book two or more services in a single appointment. Each service can have a different provider, but must be sequential (no time overlaps).

Request

```
POST /api/bookings
```

```json
{
  "date": "2026-04-10",
  "payment_method": "cash",
  "notes": "Birthday session, please be careful.",
  "services": [
    {
      "service_id": 3,
      "provider_id": 7,
      "start_time": "10:00"
    },
    {
      "service_id": 5,
      "provider_id": 7,
      "start_time": "10:30"
    },
    {
      "service_id": 8,
      "provider_id": 9,
      "start_time": "11:00"
    }
  ]
}
```

> **Rule:** Each service's `start_time` must be **after or equal** to the previous service's calculated end time.
> The system calculates end time as: `start_time + service_duration_minutes`.
> If service #1 starts at `10:00` and takes 30 min, service #2 must start at `10:30` or later.

Success Response — `201 Created`


```json
{
  "success": true,
  "message": "Booking created successfully",
  "data": {
    "id": 43,
    "number": "APT-20260410-B7D2E5",

    "appointment_date": "2026-04-10",
    "formatted_date": "Friday, April 10, 2026",
    "start_time": "10:00",
    "end_time": "11:45",
    "time_range": "10:00 - 11:45",
    "duration_minutes": 105,
    "formatted_duration": "1 hour 45 minutes",

    "subtotal": 119.27,
    "tax_amount": 17.73,
    "total_amount": 137.00,

    "status": "PENDING",
    "status_value": 0,
    "status_label": "Pending",
    "payment_status": "PENDING",
    "payment_status_value": 0,
    "payment_status_label": "Pending",
    "payment_method": "cash",

    "cancellation_reason": null,
    "cancelled_at": null,

    "provider": {
      "id": 7,
      "full_name": "Ahmed Al-Barber",
      "email": "ahmed@example.com",
      "phone": "+966500000001",
      "avatar_url": "https://example.com/avatars/ahmed.jpg",
      "profile_image_url": "https://example.com/profiles/ahmed.jpg"
    },

    "services_details": [
      {
        "id": 201,
        "service_id": 3,
        "service_name": "Classic Haircut",
        "duration_minutes": 30,
```

```
      "formatted_duration": "30 minutes",
      "price": 52.00,
      "formatted_price": "SAR 52.00",
      "sequence_order": 1,
      "service": {
        "id": 3,
        "name": "Classic Haircut",
        "image_url": "https://example.com/services/haircut.jpg",
        "color_code": "#4A90D9"
      }
    },
    {
      "id": 202,
      "service_id": 5,
      "service_name": "Beard Trim",
      "duration_minutes": 30,
      "formatted_duration": "30 minutes",
      "price": 35.00,
      "formatted_price": "SAR 35.00",
      "sequence_order": 2,
      "service": {
        "id": 5,
        "name": "Beard Trim",
        "image_url": "https://example.com/services/beard.jpg",
        "color_code": "#E67E22"
      }
    },
    {
      "id": 203,
      "service_id": 8,
      "service_name": "Hair Coloring",
      "duration_minutes": 45,
      "formatted_duration": "45 minutes",
      "price": 50.00,
      "formatted_price": "SAR 50.00",
      "sequence_order": 3,
      "service": {
        "id": 8,
        "name": "Hair Coloring",
        "image_url": "https://example.com/services/color.jpg",
        "color_code": "#9B59B6"
      }
    }
  ],

  "notes": "Birthday session, please be careful.",
  "created_at": "2026-04-05 12:00:00",
  "updated_at": "2026-04-05 12:00:00",
```

```
    "is_upcoming": true,
    "is_past": false,
    "is_cancelled": false,
    "is_completed": false,
    "can_cancel": true
  }
}
```

3. List My Bookings

Returns all bookings for the authenticated customer.

Request

```
GET /api/bookings
GET /api/bookings?status=0       ← pending only
GET /api/bookings?status=1       ← completed only
GET /api/bookings?status=-1      ← cancelled by customer
GET /api/bookings?status=-2      ← cancelled by admin
```

Query Parameters

Parameter	Type	Required	Description
`status`	`integer`	❌ No	Filter by status value. See Status Enums.

Success Response — `200 OK`

```
{
  "success": true,
  "message": "Bookings retrieved successfully",
  "data": [
    { /* AppointmentResource object */ },
    { /* AppointmentResource object */ }
  ]
}
```

> Results are ordered by `appointment_date DESC`, then `start_time DESC` (newest first).

4. Get Booking Details

Fetch full details of a single booking. Only the owner can access their own bookings.

Request

```
GET /api/bookings/{id}
```

URL Parameters

Parameter	Type	Description
`id`	`integer`	The booking ID.

Success Response — `200 OK`

```
{
  "success": true,
  "message": "Booking details retrieved successfully",
  "data": {
    /* Full AppointmentResource object */
  }
}
```

Error — Booking Not Yours — `403 Forbidden`

```
{
  "success": false,
  "message": "Unauthorized access to this appointment",
  "error_type": "authorization_error"
}
```

5. Cancel Booking

Cancel a pending booking. Only bookings with `status = 0 (PENDING)` can be cancelled.

Request

```
POST /api/bookings/{id}/cancel
```

```
{
  "cancellation_reason": "Plans changed"
}
```

Body Parameters

Field	Type	Required	Description
`cancellation_reason`	`string`	❌ No	Optional reason for cancellation.

Success Response — `200 OK`

```
{
  "success": true,
  "message": "Booking cancelled successfully",
  "data": {
    "id": 42,
    "status": "USER_CANCELLED",
    "status_value": -1,
    "status_label": "Cancelled",
    "cancellation_reason": "Plans changed",
    "cancelled_at": "2026-04-05 14:30:00",
    "is_cancelled": true,
    "can_cancel": false
    /* ...rest of AppointmentResource */
  }
}
```

Error — Cannot Cancel — `422 Unprocessable`

```
{
  "success": false,
  "message": "Only pending appointments can be cancelled",
  "error_type": "validation_error"
}
```

Response Schema Reference

AppointmentResource (Full Object)

Field	Type	Description
`id`	`integer`	Unique booking ID
`number`	`string`	Human-readable booking number e.g. `APT-20260410-A3F9C1`
`appointment_date`	`string`	Date in `YYYY-MM-DD`
`formatted_date`	`string`	Human-readable date e.g. `"Friday, April 10, 2026"`
`start_time`	`string`	Time in `HH:MM`
`end_time`	`string`	Time in `HH:MM`
`time_range`	`string`	Combined e.g. `"10:00 - 11:45"`
`duration_minutes`	`integer`	Total duration in minutes
`formatted_duration`	`string`	Human-readable duration
`subtotal`	`float`	Price before tax
`tax_amount`	`float`	Tax amount
`total_amount`	`float`	Final price (subtotal + tax)
`status`	`string`	Status name: `PENDING`, `COMPLETED`, `USER_CANCELLED`, `ADMIN_CANCELLED`
`status_value`	`integer`	Status numeric value. See Enums.
`status_label`	`string`	Localized status label
`payment_status`	`string`	Payment status name
`payment_status_value`	`integer`	Payment status numeric value
`payment_status_label`	`string`	Localized payment status label
`payment_method`	`string`	`"cash"` or `"online"`
`cancellation_reason`	`string|null`	Reason for cancellation if cancelled
`cancelled_at`	`string|null`	Cancellation datetime in `YYYY-MM-DD HH:MM:SS`
`provider`	`object`	Provider details (see below)
`services_details`	`array`	Array of service line items (see below)

Field	Type	Description
`notes`	`string|null`	Customer notes
`created_at`	`string`	Datetime in `YYYY-MM-DD HH:MM:SS`
`updated_at`	`string`	Datetime in `YYYY-MM-DD HH:MM:SS`
`is_upcoming`	`boolean`	`true` if appointment is in the future
`is_past`	`boolean`	`true` if appointment is in the past
`is_cancelled`	`boolean`	`true` if status is -1 or -2
`is_completed`	`boolean`	`true` if status is 1
`can_cancel`	`boolean`	`true` if status is PENDING and appointment is upcoming

provider Object

Field	Type	Description
`id`	`integer`	Provider ID
`full_name`	`string`	Full name
`email`	`string`	Email address
`phone`	`string`	Phone number
`avatar_url`	`string|null`	Avatar image URL
`profile_image_url`	`string|null`	Profile image URL

services_details Item

Field	Type	Description
`id`	`integer`	Record ID (appointment_service row)
`service_id`	`integer`	Original service ID
`service_name`	`string`	Service name at time of booking
`duration_minutes`	`integer`	Duration in minutes
`formatted_duration`	`string`	Human-readable duration
`price`	`float`	Price of this service
`formatted_price`	`string`	Formatted price with currency

Field	Type	Description
`sequence_order`	`integer`	Order of this service in the booking (1, 2, 3...)
`service.id`	`integer`	Service ID
`service.name`	`string`	Service current name
`service.image_url`	`string|null`	Service image
`service.color_code`	`string|null`	Hex color for UI theming

Error Responses

Validation Error — `422 Unprocessable`

Triggered when the request body has invalid data (form validation).

```
{
  "success": false,
  "message": "بيانات غير صحيحة",
  "errors": {
    "date": ["تاريخ الحجز مطلوب"],
    "services.0.start_time": ["وقت البدء يجب أن يكون بصيغة HH:MM"]
  },
  "error_type": "validation_error"
}
```

Business Rule Error — `422 Unprocessable`

Triggered when data passes format validation but fails a business rule.

```
{
  "success": false,
  "message": "Time slot 10:00 - 10:30 is already booked for provider 'Ahmed Al-Barber'",
  "error_type": "validation_error"
}
```

Possible business rule error messages:

Situation	Example Message
Past date	`"Cannot book in the past"`

Situation	Example Message
Too far in advance	`"Cannot book more than 10 days in advance"`
Too many services	`"Maximum 10 services per booking"`
Duplicate service IDs	`"Duplicate services are not allowed in the same booking"`
Daily limit hit	`"Maximum 10 bookings per day reached"`
Provider doesn't offer service	`"Provider 'Ahmed' does not offer service 'Classic Haircut'"`
Provider inactive	`"Provider 'Ahmed' is not active"`
Service inactive	`"Service 'Classic Haircut' is not active"`
Outside working hours	`"Time slot is outside provider's working hours (09:00 - 18:00)"`
Provider day off	`"Provider 'Ahmed' does not work on Friday"`
Provider on leave	`"Provider 'Ahmed' is not available on 2026-04-10"`
Slot conflict	`"Time slot 10:00 - 10:30 is already booked for provider 'Ahmed'"`
Services overlap	`"Service at position 2 start time (10:15) must be after previous service end time (10:30)"`
Too soon to book	`"Booking must be at least 60 minutes in advance"`
Duplicate booking	`"You already have a booking for the same time and services"`
Not owner	`"Unauthorized access to this appointment"`

Situation	Example Message
Cannot cancel completed	`"Only pending appointments can be cancelled"`

Authorization Error — `403 Forbidden`

```
{
  "success": false,
  "message": "Unauthorized access to this appointment",
  "error_type": "authorization_error"
}
```

Server Error — `500 Internal Server Error`

```
{
  "success": false,
  "message": "An error occurred while creating the booking",
  "error_type": "server_error"
}
```

Business Rules & Constraints

Timing Rules

- `date` must be **today or future** (format: `YYYY-MM-DD`)
- `start_time` must be in **24-hour** `HH:MM` format
- Each service's start time must be **≥ previous service's end time** (sequential, no overlap)
- The system calculates `end_time` automatically: `start_time + service.duration_minutes`
- Bookings must be placed at least **N minutes** in advance (default: 60 minutes, controlled by system settings)
- Cannot book more than **N days** in advance (default: 10 days, controlled by system settings)

Service Rules

- Minimum **1** service per booking
- Maximum **10** services per booking
- You **cannot repeat** the same service twice in one booking
- Each service must be **active** and offered by the selected provider
- The provider must **work on the selected day** and the time must fall within their working hours

- The provider must **not have time-off** during the requested slot
- The slot must **not conflict** with an existing confirmed appointment for that provider

Payment Rules

`payment_method`	Behaviour
`"cash"`	Booking is immediately **confirmed** (`created_status = 1` , payment_status = `PAID_ONSITE_CASH`)
`"online"`	Booking is **pending payment** (`created_status = 0` , payment_status = `PENDING`)

Pricing & Tax

- Service price is resolved in this order: **provider custom price** → **service discount price** → **service regular price**
- Tax is calculated **per service** (reverse tax — price is treated as tax-inclusive)
- Tax rate is configured in system settings

Status & Payment Enums

Appointment Status (`status_value`)

Value	Name	Description
`0`	`PENDING`	Booking confirmed, awaiting the appointment
`1`	`COMPLETED`	Appointment was completed
`-1`	`USER_CANCELLED`	Cancelled by the customer
`-2`	`ADMIN_CANCELLED`	Cancelled by the admin

Payment Status (`payment_status_value`)

Value	Name	Description
`0`	`PENDING`	Payment not yet made (online booking)
`1`	`PAID_ONSITE_CASH`	Will pay in cash on arrival
`2`	`PAID_ONLINE`	Paid online successfully
`-1`	`FAILED`	Online payment failed

Value	Name	Description
`-2`	`REFUNDED`	Payment was refunded

Quick Reference — Endpoint Summary

Method	Endpoint	Description	Auth
`POST`	`/api/bookings`	Create a booking (1 or more services)	✅ Required + Verified
`GET`	`/api/bookings`	List my bookings	✅ Required + Verified
`GET`	`/api/bookings/{id}`	Get booking details	✅ Required + Verified
`POST`	`/api/bookings/{id}/cancel`	Cancel a booking	✅ Required + Verified