

IT-PC1 (Command Prompt)

Cisco Packet Tracer PC Command Line 1.0

C:\>ping 192.168.10.11

Pinging 192.168.10.11 with 32 bytes of data:

Reply from 192.168.10.11: bytes=32 time<1ms TTL=128

Reply from 192.168.10.11: bytes=32 time<1ms TTL=128

Reply from 192.168.10.11: bytes=32 time<1ms TTL=128

Reply from 192.168.10.11: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.10.11:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.20.10

Pinging 192.168.20.10 with 32 bytes of data:

Request timed out.

Request timed out.

Request timed out.

Request timed out.

Ping statistics for 192.168.20.10:

Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>ping 192.168.30.10

Pinging 192.168.30.10 with 32 bytes of data:

Request timed out.

Request timed out.

Request timed out.

Request timed out.

Ping statistics for 192.168.30.10:

Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),

C:\>

C:\>

HR-PC1 (Command Prompt)

Cisco Packet Tracer PC Command Line 1.0

C:\>ping 192.168.20.11

Pinging 192.168.20.11 with 32 bytes of data:

Reply from 192.168.20.11: bytes=32 time=1ms TTL=128

Reply from 192.168.20.11: bytes=32 time=1ms TTL=128

Reply from 192.168.20.11: bytes=32 time<1ms TTL=128

Reply from 192.168.20.11: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.20.11:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>

Management-PC1 (Command Prompt)

Cisco Packet Tracer PC Command Line 1.0

C:\>ping 192.168.30.11

Pinging 192.168.30.11 with 32 bytes of data:

Reply from 192.168.30.11: bytes=32 time<1ms TTL=128

Reply from 192.168.30.11: bytes=32 time<1ms TTL=128

Reply from 192.168.30.11: bytes=32 time<1ms TTL=128

Reply from 192.168.30.11: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.30.11:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.30.1

Pinging 192.168.30.1 with 32 bytes of data:

Request timed out.

Reply from 192.168.30.1: bytes=32 time<1ms TTL=255

Reply from 192.168.30.1: bytes=32 time<1ms TTL=255

Reply from 192.168.30.1: bytes=32 time<1ms TTL=255

Ping statistics for 192.168.30.1:

Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>ping 192.168.30.2

Pinging 192.168.30.2 with 32 bytes of data:

Request timed out.

Reply from 192.168.30.2: bytes=32 time=1ms TTL=255

Reply from 192.168.30.2: bytes=32 time<1ms TTL=255

Reply from 192.168.30.2: bytes=32 time<1ms TTL=255

Ping statistics for 192.168.30.2:

Packets: Sent = 4, Received = 3, Lost = 1 (25% loss),

Approximate round trip times in milli-seconds:

Minimum = 0ms, Maximum = 1ms, Average = 0ms

C:\>