

Tradaverse — Deep Functional & API Verification (Pass 2)

Date: 2026-09-13 · **Environment:** mfe-dev.tradaverse.io (ALPHA) + lapi-dev / facts / of-auth

Account: salman-1 · **Viewport:** 1600×1000 desktop

Focus: every module’s functionality · every button & navigation target · desktop UI/UX · data integrity · **API-call audit for duplicate/redundant calls**

Companion: full_app_test_report.pdf (pass 1 — functional findings). This pass adds the API audit, the navigation/dead-route audit and a button-by-button action verification.

Headline: ~40 % of every API call the app makes on a cold page load is a duplicate. Across 26 routes the app issued **576 XHR/fetch calls, of which 229 were redundant repeats** (39.8 %). Three routes exceed 55 % waste — /tools/watchlist (63.7 %, incl. the *same* price-stream endpoint called 9× on *two* different hosts), /symbol-details/AAPL_NASDAQ (62 %), and /portfolio/paper (57.9 %, with paper/quotes called **18×**). This pass also found **3 new P1 defects**: dead cashtag routes (/stock/... → 404), two **contradictory live price feeds** up to 10.6 % apart, and a dead **Edit** button on the profile.

New in pass 2	Count	Status
P1 New high-severity defects	3	Dead cashtag route · contradictory price feeds · dead Edit button
P2 New medium defects	4	Truncated stat labels · unexplained disabled Add · crypto country “UN” · API redundancy
P3 New low defects	3	Guild counts · flat equity curve · menu a11y
CLEARED Suspected defects disproved	4	Verified working — see §6 (avoiding false positives)

1 · API-call audit — duplicate & redundant requests

Method: full cold navigation (page.goto) to each route with all xhr / fetch requests recorded, normalised to METHOD + path (query strings stripped so polling/timestamps collapse together). “Redundant” = total calls – unique calls.

Route	Calls	Unique	Redundant	Waste	Worst offenders
/tools/watchlist	113	41	72	63.7 %	symbol/price-stream-api ×9 (facts) + ×9 (lapi-dev); per-symbol premium tables: market-cap-history ×8, institutional-holders ×8, executives ×4, executive-compensation ×4, share-stats ×4, dividends ×4, earnings ×4, splits ×4
/symbol-details/AAPL_NASDAQ	100	38	62	62.0 %	same N+1 premium pattern on a <i>single-symbol</i> page: market-cap-history ×8, institutional-

					holders ×8, price-stream ×7, executives ×4, dividends ×4, earnings ×4
/portfolio/paper	38	16	22	57.9 %	paper/quotes ×18, paper/performance/{id} ×5, paper/briefing/{id} ×2
/community/guilds	26	11	15	57.7 %	guilds/api/colonies/channels ×9, colonies/all/v2 ×3, colonies/invites/me ×3, auth/handle-callback ×2
/feed	81	41	40	49.4 %	feed/api/interactions/counts ×24, feed/api/post/{id} ×2 per post (N+1), nats/auth ×2
/explore/news	24	17	7	29.2 %	neonews/api/news/headlines ×4, news/latest ×3, news-discord-ws/socket ×3
/traderversity	23	17	6	26.1 %	users/me/preferences ×4, catalog/metadata ×2, assistant/threads ×2, assistant/inbox ×2
/tools/charts	16	13	3	18.8 %	PUT /v1/charts/state/{id} ×2, /calendar ×2 per symbol
/user/salman-1	19	18	1	5.3 %	portfolio/{id}/performanceChart ×2
/community/discussion	10	9	1	10.0 %	community/guilds/api/role/{id} ×2
/explore/markets	22	22	0	0 %	—
/community/traderboard	12	12	0	0 %	—
/user/salman-1/portfolio	14	14	0	0 %	—
/user/salman-1/insights	9	9	0	0 %	—
/tools/screener	8	8	0	0 %	—
/explore/symbols	7	7	0	0 %	—
/tools/backtester	7	7	0	0 %	—
/user/salman-1/relations	7	7	0	0 %	—
/community/chat	6	6	0	0 %	—
/community/leaderboard	6	6	0	0 %	—
/tools/traderflow	6	6	0	0 %	—

/explore/traders	5	5	0	0 %	—
/portfolio/brokerage	5	5	0	0 %	—
/explore/buzz	4	4	0	0 %	—
/trading · /marketplace	4 · 4	4 · 4	0	0 %	—
TOTAL (26 routes)	576	347	229	39.8 %	—

P2-API-1 The same endpoint is called on two different hosts, 9× each

On the Watchlist the price stream is requested from **both** `facts.tradaverse.io` **and** `lapi-dev.tradaverse.io`, 9 calls each, for the same path `/symbol/price-stream-api/` — 18 calls where, at most, one host should be authoritative.

Fix: single host per data domain; delete the second client.

P2-API-2 Premium company data is fetched per symbol instead of batched (N+1)

Watchlist (9 symbols) and Symbol Details (1 symbol) both fan out *eight* premium endpoints **per symbol** — `market-cap-history`, `institutional-holders`, `executives`, `executive-compensation`, `share-stats`, `dividends`, `earnings`, `splits` — with each URL repeated 4–8×. On a *single-symbol* page this costs 100 requests; on the watchlist 113.

Fix: batch endpoints accepting `symbols[]`; cache per symbol with a TTL; de-duplicate in-flight identical requests.

P2-API-3 Polling is unbounded and duplicated

GET `/feed/api/interactions/counts` fires **24 times** for 40 posts on one feed load; GET `/portfolio/paper/api/paper/quotes` fires **18 times**; GET `/community/guilds/api/colonies/channels` fires **9 times**; `feed/api/post/{id}` is fetched twice per post.

Fix: subscription/aggregate endpoint for interaction counts; one quote poll for the whole portfolio; de-dupe identical in-flight calls in the HTTP layer; N+1 → include post bodies in the feed response.

2 · New P1 defects


P1-N1 Cashtags in the feed link to a route that does not exist (/stock/...)

The feed renders **two different cashtag implementations**. Auto-detected tags carry class `anchor_tag--cash` and point at `/stock/{SYM}_{EXCH}`; composer-inserted tags carry `tiptap-mention post-content-tag--cash` and correctly point at `/symbol-details/...`


Rendered tag	Class	href	Result
APP , RUN , \$AAPL	anchor_tag--cash	/stock/APP_NASDAQ ...	404 "Page not found"
\$AAPL , \$TSLA , \$AMZN , \$RYDAF	tiptap-mention post-content-tag--cash	/symbol-details/AAPL_NASDAQ ...	OK

Verified directly: `/stock/AAPL_NASDAQ` , `/stock/BTC_CRYPTO` and `/stock/APP_NASDAQ` all render the app’s own “Page not found — The route you requested does not exist.” Every click on an auto-linked cashtag is a dead end.

Fix: point `anchor_tag--cash` at `/symbol-details/{SYM}_{EXCH}` (the working family) and delete the legacy `/stock/` builder.



Clicking an auto-linked cashtag → `/stock/AAPL_NASDAQ` → “Page not found”



Feed context: two cashtag classes coexist in the same timeline


P1-N2 Two contradictory price feeds, up to 10.6 % apart, captured seconds apart

The Watchlist (Tools) and Explore ► Symbols show **different prices and wildly different change percentages** for the same instruments at the same moment:


Symbol	Watchlist (Tools)	Explore ► Symbols	Divergence
AAPL	\$303.42 -8.68 %	\$332.60 +0.10 %	-8.8 % price / 8.8 pt %
NVDA	\$206.64 -5.34 %	\$218.25 -0.02 %	-5.3 %
GOOGL	\$373.51 +10.34 %	\$338.39 -0.03 %	+10.4 %
MSFT	\$487.65 -1.61 %	\$494.89 -0.15 %	-1.5 %
AMZN	\$284.02 +10.61 %	\$256.70 -0.03 %	+10.6 %
META	\$590.24 -8.92 %	\$647.58 -0.07 %	-8.9 %

Note the pattern: every Explore value sits at **±0.0x %** (-0.02, +0.10, -0.03, -0.15, -0.03, -0.07) — a stale snapshot being presented as live — while the Watchlist carries the live tape. This is the same defect class as pass-1 **P1-4** (AAPL +0.10 % vs +1.85 %) and **P1-5** (market cap 4.62 T / 4.80 T / 4.88 T), now quantified across six symbols with a 10.6 % maximum spread.

Fix: one quote service, one cache TTL, one authoritative host (see P2-API-1); add a CI assertion that every module surfaces identical price/change for a symbol.



Watchlist (live tape): AAPL \$303.42 -8.68 %, GOOGL \$373.51 +10.34 %




Explore ► Symbols, seconds later: AAPL \$332.60 +0.10 %, GOOGL \$338.39 -0.03 %

P1-N3 Profile ► Edit is a dead button

On `/user/salman-1` the **Edit** button is visible, enabled and unobstructed — `elementFromPoint()` at the button's centre returns the button itself, `pointer-events: auto`, `disabled: false`, 62×36 px at (1504, 77). Clicking it produces **no dialog, no route change, no inline editor**; the page is byte-for-byte identical after the click (DOM snapshot diff of `role="dialog"` and editable fields: 0 → 0).

Fix: wire the button to the profile-edit flow or remove it.



After clicking **Edit**: no modal, no editor, no navigation — profile unchanged (also shows the truncated Top-Stats labels, P2-N1)

3 · New P2 defects

P2-N1 Profile “Top Stats” labels are truncated at desktop width

At 1600 px the six headline metrics render as **“Total...”**, **“Total...”**, **“Win...”**, **“Win...”**, **“Avg...”**, **“Sharp...”** — the user cannot tell *Total Trades* from *Total Assets*, or the two different “Win” metrics apart. The numbers (3 / 23 / 0.0 % / 0.00 / −0.2 % / 0.00) are meaningless without their labels.

Fix: allow labels to wrap or widen the tile; tooltip alone is not sufficient for primary KPIs.

P2-N2 Watchlist “Add” is disabled with no explanation

The **Add** button is disabled with no title /tooltip. The reason — *“1 / 1 lists — limit reached”* — is rendered elsewhere on the panel, so the control simply appears broken. Clicking it performs no action and issues no request.

P2-N3 Explore ▶ Symbols shows country code “UN” for crypto assets

Filtering Symbols by **Crypto** returns BTC/ETH with country column “UN” (`title="UN"`). “UN” is not an ISO 3166 country code (and reads as *United Nations*); the country facet offers `US IN UN CA SA QA AE KW EG` , where `UN` is a placeholder standing in for “no country”.

Fix: use `- /“Global”` for crypto, or omit the column for non-equity asset classes.

P2-N4 Duplicate API traffic (see §1)

229 redundant calls per cold route sweep; the clinical impact is on **P2-1/P2-2** from pass 1 (25–45 s module hydration), since every module’s time-to-content is spent re-requesting data it already has.

4 · New P3 defects

ID	Issue
P3-N1	Guild filter counts don’t add up: Community ▶ Guilds shows <i>BY RELATIONS · All 77 · Owner 1 · Member 8</i> . The two sub-buckets total 9 against an “All” of 77 with no explanation of what “All” includes.
P3-N2	Flat equity curve with a non-zero headline: Profile ▶ Trader Performance draws an EQUITY CURVE flat at \$0.0 while the same panel prints <code>+\$0.02</code> in green.
P3-N3	Post action menus lack accessible names: 17 <code><menu></code> nodes (<i>Copy Link / Repost / Delete</i>) are pre-rendered in the feed DOM with no <code>aria-label</code> , and the like/comment/share controls expose only bare counts (“0”, “1”) with no label or <code>aria-label</code> .

5 · Navigation audit

Target	Source	Result
<code>/feed</code> <code>/explore</code> <code>/tools</code> <code>/portfolio</code> <code>/community</code> <code>/tradiversity</code> <code>/trading</code> <code>/marketplace</code>	Left rail (8 items)	OK all resolve
<code>/about</code>	Left rail (About icon)	404 “Page not found” (pass-1 P2-3, re-confirmed)
<code>/stock/{SYM}</code>	Feed auto-linked cashtags	404 new P1-N1
<code>/symbol-details/{SYM}_{EXCH}</code>	Explore ▶ Symbols rows, composer	OK (35 links verified on Symbols)

	cashtags, global search	
/user/salman-1/{feed,portfolio,insights,relations}	Profile tabs	 5/5 distinct panels
/portfolio/{paper,brokerage}	Portfolio tabs	
/explore/{buzz,traders,symbols,news,markets}	Explore tabs	
/tools/{watchlist,screener,backtester,traderflow,charts,calendar}	Tools tabs	
/community/{guilds,traderboard,chat,discussion,leaderboard}	Community tabs	

6 · Action verification — what was clicked and what happened

Module	Action performed	Observed result	API fired
Portfolio	Add (menu)	 menu opens: <i>Create portfolio / Add shared portfolio</i>	—
Portfolio	Create portfolio dialog	 title + starting balance + Private/Public + Cancel/Create	—
Portfolio	Active / Archived switch	 list + detail re-render	—
Portfolio	Overview/Holdings/Summary/Orders/Analytics	 all 5 panels render distinct content	—
Portfolio	Summary ▶ Cards/Table toggle, All/Open/Partial/Closed filters, Stocks/Crypto/ETFs	 toggle + filters present and switch state	—
Portfolio	Trade ticket: Buy/Sell, Market/Limit, Dollars/Shares	 Dollars → ≈0.1503 shares of AAPL on \$50; Limit reveals price field and disables Advanced protection with a reason	trade/create → 200
Explore ▶ Traders	Follow → Following → Follow	 counted 15 Follow / 6 Following → 14 / 7 → 15 / 6	POST /api/connections
Explore ▶ Symbols	Market = Crypto	 list switches to BTC/ETH/BNB...	GET facts/symbols/api/search

Explore ▶ Symbols	Click a symbol row	OK link → /symbol- details/BTC_CRYPTOC	—
Tools ▶ Watchlist	Load, inspect rows, click <i>Add</i>	P2-N2 Add disabled, no reason surfaced	none
Community ▶ Guilds	Inspect filters, relations, categories	OK Search guilds / Create Guild / BY RELATIONS / CATEGORIES	—
Community ▶ Discussion	<i>Add topic</i>	OK inline composer (Title... / Description); Add topic correctly disabled while empty	none (expected)
Community ▶ Discussion	Sort selector, Bookmarks, Upvote/Downvote/Bookmark	OK controls present with accessible names	—
Community ▶ Leaderboard	Region → Pakistan; Portfolio/Prediction/Signal	P2-15 "No data for this selection." with no guidance; filters applied client-side	none
Community ▶ Chat	Open conversation, composer	OK thread + 0/5000 + attach/emoji	socket timed out (pass-1 P2-4)
Tradiversity	Catalog, category/level/grade filters, sidebar search, course tabs, lesson open	OK all render; search filters the 183- course catalog	catalog/metadata
Feed	<i>Open filters</i> , composer, publish, cashtag link	OK filters dialog opens; post published (201); composer cashtag links correctly; auto cashtag 404s (P1-N1)	POST feed/posts → 201
Global	Global search (Anything/Profiles/Ticker), country selector, Messages, Settings	OK all functional; Notifications still a no-op (pass-1 P1-1)	users/api/search
Profile	Tabs, Follow/Following lists, Edit	P1-N3 Edit dead; tabs OK	none on Edit

Checks that looked like defects but were verified **working — recorded to prevent false positives in the tracker:**

- **Feed ▶ “Open filters”** — an earlier read suggested it was inert; on re-test it opens `dialog[aria-label="Feed filters"]` with FILTERS / Tickers / For You / Types / Tags / Global. **Works.**
- **Explore ▶ Traders ▶ Follow** — initial runs reported “silent no-op”; caused by a whitespace-sensitive text selector. With `getByRole('button',{name:'Follow',exact:true})` the toggle works and calls `POST /api/connections`. **Works.**
- **Community ▶ Discussion ▶ “Add topic”** — not a dialog: it is an inline composer, and the Add button is *correctly* disabled until Title + Description are filled. **Works as designed.**
- **Explore ▶ Symbols rows** — rows are anchors to the working `/symbol-details/...` route (35 links verified). Only the feed’s `/stock/...` builder is broken. **Works.**

7 · Recommended fix order (incremental to pass 1)

#	Action	Why
1	P1-N1 point <code>anchor_tag--cash</code> at <code>/symbol-details/...</code>	One-line template fix; removes a 100 %-failure navigation from every feed cashtag
2	P1-N2 single authoritative quote feed + host de-duplication (P2-API-1)	Removes the 10.6 % price contradiction and a large slice of duplicate traffic
3	P1-N3 wire or remove the Profile Edit button	Dead primary action on a core screen
4	P2-API-2/3 batch premium endpoints, de-dupe in-flight requests, cap polling	Feeds directly into the 25–45 s hydration problem from pass 1
5	P2-N1...N3 stat labels, disabled-Add reason, crypto country code	Cheap UX/data-correctness wins

Generated 2026-09-13 · Tradaverse deep functional & API verification (pass 2) · 26 cold routes, 576 XHR analysed, button/link actions driven live as `salman-1` at 1600×1000.

Evidence: new screenshots `79 – 97` plus pass-1 `evidence/` set in the same folder. Companion: `full_app_test_report.pdf` (pass 1).