

Custom Invoice Module in Shopify

Requirement Brief

On the accompanying sample invoice, confidential values are masked and shown as XXX. The layout, structure and field set are unchanged.

1. Requirement

The client issues invoices from its back-office system. It wants its customers to be able to see and download those invoices from the Shopify store.

A separate Invoice module is required in the customer account. It is not attached to an individual order.

Required behaviour:

1. The customer signs in to their account on the Shopify store.
2. An Invoice module is available in the account, reached from the account navigation.
3. The module lists every invoice raised for that customer, and each entry identifies the invoice and the order it relates to.
4. The customer can download any invoice as a PDF, and the downloaded document carries all the details set out in Section 3, laid out as on the sample supplied.

Two points that shape the work:

- Only structured invoice data will be supplied to Shopify. No PDF will be sent. The downloadable document must be produced within Shopify from that data.
- A single order can carry more than one invoice, because back-ordered lines ship and are invoiced later. Each is a separate entry in the list.

2. Scope of the module

Requirement	Detail
Location	A dedicated Invoice section in the signed-in customer account area, reached from the account navigation. It is a module in its own right and is not placed inside an individual order.
Listing	Every invoice raised for that customer, newest first.
Row content	Invoice number, invoice date, the related order number, total amount and amount due, at minimum.
Download	A download action per invoice, returning the invoice as a PDF.
Access	Only the signed-in customer may view and download their own invoices.
Large lists	Paging or equivalent where a customer has many invoices. The list must stay usable as invoice history builds up.
No invoices yet	A clear message. No error, and no empty or broken section.

Requirement	Detail
Device support	Usable on mobile as well as desktop.

Two points to propose on and price:

- Whether the module additionally displays the full invoice on screen, or only lists invoices and offers the download.
- Whether search or filtering, for example by invoice number, order number or date range, is included in the first release.

3. Invoice content

The following is the complete field set on the document the client issues today, taken from the supplied sample. The downloaded invoice must carry all of it.

3.1 Page header, repeated on every page

Field	Notes
Company logo	Top left. Asset to be supplied by the client.
Company name	Centred banner, letter-spaced.
Legal entity line	Single line beneath the company name.
Street address	Two lines.
Telephone and fax	Two labelled lines.
Document type	The word "Invoice", top right.
Invoice date	Boxed, upper right.
Page number	Boxed, beside the invoice date.
Invoice number	Boxed, below the invoice date. Alphanumeric, issued by the back-office system.

3.2 Party blocks, repeated on every page

Two labelled blocks side by side: Sold To on the left, Ship To on the right. Each carries name, street address, city, province, postal code and country. The two differ in the sample, so both must be carried and shown independently.

3.3 Order reference strip, repeated on every page

Seven boxed cells in a single horizontal row, in this order:

Field	Notes
Customer No.	Back-office customer account number.
Order Date	Date format as printed on the sample.
Order No.	Back-office sales order number.

Field	Notes
Salesperson	Short code.
PO Number	Customer purchase order reference.
Ship Via	Carrier name.
Terms	Payment terms code.

3.4 Line grid

The sample carries 23 lines across two pages, thirteen on the first and ten on the second. Columns, left to right:

Column	Definition
Qty. Ord.	Quantity ordered.
Qty. Shp.	Quantity shipped on this invoice.
Qty. B/O	Quantity back-ordered. Non-zero on three lines in the sample.
Item Number	Back-office item code. Short alphanumeric with hyphens.
Description	Free text. Wraps to a second line in the sample.
Unit Price	Right-aligned, two decimal places.
UOM	Unit of measure.
Extended Price	Right-aligned, two decimal places, comma thousands separator on larger values.

3.5 Totals and tax, final page only

On earlier pages this area is present but empty. It is populated only on the final page.

Field	Notes
Tax summary	One line per tax code, each with its own amount. Two codes appear in the sample.
Tax Exempt Code	Printed beside the tax summary.
Subtotal	Supplied by the back-office system.
Total sales tax	Supplied.
Total amount	Supplied.
Less payment	Supplied.
Amount due	Supplied.

3.6 Static footer, repeated on every page

- Tax registration number, labelled.
- Returns and RMA clause.
- Overdue account interest clause.

- Claims period clause.
- Credit card surcharge clause.
- Continuation marker on every page except the last, bottom left, italic: "Invoice continued on next page ..."

4. Business rules

These govern the content of the document and are not optional.

4.1 Values are printed as supplied, never recalculated

Every figure on the invoice arrives already calculated from the back-office system. The document must print those values exactly as received.

- No summing of line values to derive a subtotal.
- No multiplication of quantity by unit price to derive a line value.
- No tax calculation, and no re-derivation of amount due.
- No rounding. Values arrive at the precision at which they are to be printed.
- If a value needed for the document is missing from the data, the invoice must not be offered for download. The value must never be calculated or defaulted to zero to fill the gap.

The reason is that the document carries the client's tax registration number and states an amount due. A difference of one cent produces a customer-facing tax document that disagrees with the client's accounting records.

4.2 Several invoices can relate to one order

Where a line is back-ordered, it ships and is invoiced later, producing a second invoice against the same order. Each invoice is a separate document with its own number, date and totals, and appears as its own entry in the list. A later invoice must never overwrite or replace an earlier one.

4.3 Freight is a line item

Freight appears within the line grid, not as a separate shipping charge. It uses a non-catalogue item code, carries the carrier name and the tracking reference inside the description text, and has no quantity and no unit price. The tracking reference wraps onto a second line in the sample.

4.4 Zero-value lines are printed

Where quantity shipped is 0 and quantity back-ordered is greater than 0, the line still appears on the invoice with unit price and line value shown as 0.00. These lines must not be suppressed.

4.5 Multi-page behaviour

- The header block, both party blocks, the order reference strip and the static footer repeat on every page.
- The totals and tax block appears only on the final page. On earlier pages the area is present but empty.
- Every page except the last carries the continuation marker.

- A single line item must not be split across a page boundary.

4.6 An issued invoice does not change

Once an invoice has been raised, the document a customer downloads must not change unless a correction is formally issued. If corrected data arrives for an invoice number already in use, it must be handled as a new revision rather than silently replacing what the customer may already hold. Whether corrections are issued as a revised invoice or as a credit note is to be confirmed with the client.

5. Data supplied to Shopify

Invoice data will be pushed to Shopify by the integration when an invoice is posted in the back-office system, one record per invoice. Values below are masked; types, formats and structure are as they will be sent.

```
{
  "shopify_customer_id": "XXXXXXXXXXXX",
  "shopify_order_id": "XXXXXXXXXXXX",
  "invoice_number": "XXX",
  "invoice_date": "2026-09-11",
  "order_no": "XXX",
  "order_date": "2026-09-11",
  "customer_no": "XXX",
  "po_number": "XXX",
  "salesperson": "XXX",
  "terms": "XXX",
  "ship_via": "XXX",
  "currency": "CAD",
  "sold_to": {
    "name": "XXX",
    "address1": "XXX",
    "city": "XXX", "province": "XXX",
    "postal": "XXX", "country": "XXX"
  },
  "ship_to": {
    "name": "XXX",
    "address1": "XXX",
    "city": "XXX", "province": "XXX",
    "postal": "XXX", "country": "XXX"
  },
  "lines": [
    { "item_number": "XXX",
      "description": "Free-text product description, may wrap",
      "qty_ordered": 3, "qty_shipped": 3, "qty_backorder": 0,
      "unit_price": "0.00", "uom": "EACH",
      "extended_price": "0.00" },
    { "item_number": "XXX",
      "description": "Back-ordered line, still printed",
      "qty_ordered": 3, "qty_shipped": 0, "qty_backorder": 3,
      "unit_price": "0.00", "uom": "EACH",
      "extended_price": "0.00" },
    { "item_number": "XXX",
      "description": "FREIGHT - <carrier> <tracking reference>",
      "qty_ordered": null, "qty_shipped": null,
      "qty_backorder": null,
      "unit_price": null, "uom": null,
      "extended_price": "0.00" }
  ],
  "tax_lines": [
    { "code": "XXX", "amount": "0.00" },
    { "code": "XXX", "amount": "0.00" }
  ]
}
```

```

"tax_exempt_code": "XXX",
"tax_registration_no": "XXX",
"subtotal": "0.00",
"total_tax": "0.00",
"total_amount": "0.00",
"less_payment": "0.00",
"amount_due": "0.00",
"revision": 1
}

```

Notes on the data:

- The Shopify customer ID determines whose invoice list the record appears in. It is the key the module lists against.
- The Shopify order ID identifies the order the invoice relates to, and is what the list shows as the related order.
- Both IDs are supplied by the integration. A record that cannot be matched to a valid Shopify customer and order is rejected by the API with an error, and is not stored.
- Monetary values are sent as strings to avoid rounding differences in transit. If numbers are preferred, say so and the contract will be aligned before development starts.
- Null quantity and unit price on the freight line reproduce the blank cells on the printed document.
- Line detail is included so that the full invoice can be displayed on screen later without a change to the data being sent.
- The company block, logo, tax registration number and footer clauses do not vary by invoice. They may be held as fixed content rather than taken from each record, but must be editable without a code change.
- Any change you want to this structure should be raised now. It is inexpensive to change before the integration is built and expensive afterwards.

6. Open items

6.1 To be supplied by the client

#	Item
1	Logo asset, vector or high resolution.
2	Further sample invoices covering a single-page invoice, an invoice of three or more pages, a fully back-ordered invoice, and a multi-tax invoice if one exists.
3	Confirmation of the typeface used on the printed invoice, or approval of a close substitute.
4	Written confirmation that a Shopify-generated PDF is acceptable as the customer-facing invoice document. This should be confirmed by the client's accountant rather than its web team.
5	Page numbering preference: the bare page number as printed on the sample, or a "page N of M" form.
6	Required behaviour when the totals block does not fit on the last page of lines.
7	Whether corrections are issued as a revised invoice or as a credit note.

6.2 Assumptions. Price against these and flag any sensitivity

#	Open item	Working assumption
1	Several invoices against one order	Yes, evidenced by back-ordered quantities in the sample. Build for it.
2	Invoices with no matching Shopify order, from offline or telephone orders	The API returns an error. The record is not stored and the invoice does not appear.
3	Placement	A standalone list of all invoices for the customer, in the customer account.
4	Historical invoices to be loaded at go-live	Assumed. Volume not yet known.
5	Credit notes and RMA documents in the same module	Out of the first release.
6	Invoice volume per day and lines per invoice	Low volume. The sample carries 23 lines across two pages.

7. Acceptance criteria

Functional expectations the delivered module must satisfy.

#	Scenario	Expected result
1	Customer signs in and opens the Invoice module with one invoice raised	The invoice is listed, shows its related order, and can be downloaded.
2	Downloaded invoice compared against the sample layout	All fields in Section 3 present, laid out as on the sample.
3	Every printed value compared against the data supplied	Identical. No value recalculated.
4	Invoice whose lines fill exactly one page	Single page, totals block present, no continuation marker.
5	Invoice spanning three or more pages	Header, party blocks, reference strip and footer repeat on every page. Continuation marker on all but the last.
6	Line whose description wraps to two lines at a page boundary	The line is not split across pages.
7	Back-ordered line with quantity shipped 0	The line is printed with 0.00 values and is not suppressed.
8	Freight line	Printed with blank quantity and unit price, with description and line value shown.
9	Order with a first invoice, then a second after the back-order ships	Two separate entries in the list, newest first, both showing the same related order. The first is not overwritten.
10	Same invoice number supplied twice	Still one entry in the list. Handled per Section 4.6.

#	Scenario	Expected result
11	Customer with no invoices yet	Clear message. No error, and no empty or broken section.
12	Data supplied with a required total missing	The invoice is not offered for download, and the problem is reported.
13	Record supplied with no matching Shopify customer or order	The API returns an error. Nothing is stored.
14	Attempt to open an invoice belonging to another customer	Refused.
15	Customer with a long invoice history	The list remains usable, with paging or equivalent.
16	Same data downloaded twice	Identical document both times.
17	Mobile viewport	Invoice list readable and the download action reachable.

8. Required in your response

1. Your proposed approach, in outline, and the effort and cost to deliver it.
2. Whether the module will display the invoice on screen as well as offering the download, and the cost difference between the two.
3. Whether search or filtering is included, and what it would add if not.
4. Any prerequisite work on the store that the build depends on, itemised separately.
5. Any change you want to the data structure in Section 5.
6. Confirmation that printed values will be taken as supplied and never recalculated, per Section 4.1, and how missing or malformed data will be reported.
7. Anything you need from the client or from us before you can start.
8. Ongoing support arrangement, if the solution requires one.
9. Indicative timeline from confirmed scope to a build ready for user acceptance testing.