

MOHAMDAO AHMAD

FA23-RCE-1

•  
•

ASSICINMENT

Find  $x_n = \frac{1}{2}, \frac{1}{2}, \dots$  or  $n=0, 1, 2, \dots$   
 $h_n = \frac{1}{2}, \frac{1}{2}, \dots$   
 $x_n = \frac{1}{2}, \frac{1}{2}, \dots$   
 $h_n = \frac{1}{2}, \frac{1}{2}, \dots$

$L_n = \frac{1}{2}, \frac{1}{2}, \dots$

$h_n = \frac{1}{2}, \frac{1}{2}, \dots$

$-1 \quad -2$

2

3 2

3 2

( DDDDOO

Q<sub>No 2</sub>:

Find  $q(t) = z(t) * h(t)$

$$y_c(t) = (y_h(t) - E) t$$

$$h(t) = e^{-\alpha t} \cos(\omega t)$$

No overlap  $(0)$ .

$$p_{\text{partial}}(t) = \int_{-\infty}^{\infty} h(t-\tau) f(\tau) d\tau$$

$$y_c(t) = e^{-\alpha t} \sin(\omega t)$$

Complete overlap  $e^{-Ct-2}d$

gCt ) I-et

+ )  
-et

No 3:

(t)/1  
T/2cter

Fourier sesies coel&icent an

an z t) e

2  
T

an T att -e lt

}st

-Jnwt J.

T

So e

an  $r_{2eot}$

an = 2

$n$   $)-\sin(nt)$

n -2.

een

So

n-do> n.

So.

an =

fo h30 (en)  
fn nr lo (od

Find time domain  $\chi(t)$

$\chi(t) = \frac{1}{2} e^{-\gamma t} \cos(\omega_d t)$

$\chi(t) = \frac{1}{2} e^{-\gamma t} \cos(\omega_d t)$   
 $\chi(0) = \frac{1}{2}$  (not)