

Name: _____

Roll number: _____

Time Allowed: 15 min

Total Marks: 15

Question#1 (5+5+5=15 Marks) ----- CLO1

Interpret the following code and write the exact output produced during execution.

```
#include<iostream>
using namespace std;
class Test
{
private:
    int i;
    int j;
public:
    Test(){
        cout << "Default Constructor" << endl;
        i = 0;
        j = 0;
    }
    Test(int k, int l){
        cout << "parameterized Constructor" << endl;
        i = k;
        j = l;
    }
    Test(const Test & ref){
        cout << "copy Constructor" << endl;
        i = ref.i;
        j = ref.j;
    }
    void setI(int k){
        i = k;
    }
    void setJ(int k){
        j = k;
    }
    int getI()const {
        return i;
    }
    int getJ()const {
        return j;
    }
    ~Test() {
        cout << "Destructor " << endl;
    }
};

void f(Test t){
    cout << "f () " << endl;
}

void g(Test &t){
    cout << "g () " << endl;
}

int main(){
    Test t[3] = {Test(1,2)};
    f(t[0]);
    g(t[1]);
    return 0;
}
```

parameterized
Constructor
Default Constructor
Default Constructor
copy Constructor
f()
Destructor
g()
Destructor
Destructor
Destructor

<pre> #include<iostream> using namespace std; struct S { int * ptr; }; int main() { S *sp; sp = new S[2]; sp[0].ptr = new int; sp[1].ptr = new int[2]{60,70}; *sp[0].ptr = 10; *sp[1].ptr = 20; cout <<*((*(sp+1)).ptr)<<" "<<*(sp).ptr<< endl; cout <<*(sp+1)->ptr+1<<" "<<*((*(sp+1)).ptr+1)<<endl; return 0; } </pre>	20 10 21 70
<pre> #include<iostream> using namespace std; double ** GetWeeklySalary() { double w = 11.259; double *ws = &w; double **wwss = &ws; return wwss; } int main() { double WeeklySalary = **GetWeeklySalary(); cout << "Weekly Salary: " << WeeklySalary << endl; return 0; } </pre>	Weekly Salary: 11.259