Enterprise Courier & Logistics Data Warehouse Solution (LogiTrack DWBI)

Student Name / ID: Taha Imran /24L-2560, Muhammad Ibrahim/24L-2602, Muhammad Ayan /24L-2568, Rai Fahd/ 24L-2509
Module: DL3004 Data Warehousing & Business Intelligence
Project Phase: Phase 1 — Business Analysis & Dimensional Design (30% Weightage)
Domain: Courier, Express, and Parcel (CEP) Last-Mile Logistics
Methodology: Ralph Kimball Dimensional Modeling Lifecycle

1. Executive Summary

The rapid growth of e-commerce has placed unprecedented demand on parcel delivery networks. Mid-sized courier firms face systemic operational hurdles: elevated failure rates on first-attempt deliveries, sorting bottlenecks at regional hubs, unmonitored parcel dwell times, and uneven fleet workload distribution. Furthermore, operational data is typically trapped in siloed legacy systems (dispatch logs, manual spreadsheets, and billing software), leaving leadership unable to determine route, regional, or customer profitability.

This project designs an enterprise-grade Dimensional Data Warehouse and Business Intelligence solution utilizing the **Kimball Dimensional Modeling Methodology**. By modeling three foundational fact table archetypes—**Transaction Fact** (Delivery Attempts), **Periodic Snapshot Fact** (Daily Hub Backlog), and **Factless Fact** (Rider Route Assignments)—supported by a unified bus architecture of conformed dimensions, the solution provides end-to-end analytical intelligence to maximize on-time deliveries, minimize operational waste, and drive profitable revenue growth.

2. Business Problem Statement

The client operates a hub-and-spoke delivery network spanning several metropolitan regions and secondary cities. The network includes central sorting hubs, last-mile delivery routes, and a mixed fleet of full-time and contractual riders serving business-to-business (B2B) corporate contracts and business-to-consumer (B2C) parcel deliveries.

Operational assessments have identified five core business challenges:

1. **High First-Attempt Delivery Failures & SLA Breaches:** First-attempt delivery failure rates currently fluctuate between 18% and 24% (*assumed baseline figures for this case study*). Repeated delivery attempts sharply escalate last-mile fulfillment costs and trigger contractual SLA breach penalties with enterprise corporate accounts.
2. **Hub Parcel Congestion & Unmonitored Dwell Times:** Regional distribution hubs regularly encounter parcel accumulation and backlogs during evening sorting shifts. Without historical periodic snapshots, management cannot distinguish whether delays originate from line-haul transit delays, sorting capacity bottlenecks, or dispatch driver shortages.
3. **Sub-optimal Fleet & Rider Capacity Utilization:** Workforce allocation across delivery routes is largely handled via localized heuristics and ad-hoc spreadsheets. While high-density urban corridors experience severe rider overburdening and burnout, suburban routes suffer from excess idle capacity.
4. **Opaque Profitability Across Routes, Hubs, and Customers:** The business offers tiered delivery services (Same-Day, Express, Standard) with flat-rate or volume-discounted customer pricing. Operating costs (fuel, vehicle maintenance, rider payouts, re-delivery attempt overhead) are disconnected from billing, preventing the business from recognizing loss-making delivery corridors or unprofitable corporate contracts.
5. **Absence of a Single Source of Truth (SSOT):** Operations, finance, and customer service teams rely on disparate, non-standardized reports, leading to conflicting KPI figures and prolonged latency in strategic decision-making.

3. Project Objectives

The objective of Phase 1 is to conduct comprehensive business analysis and establish a rigorous dimensional model that aligns technical implementation with executive analytical goals:

- **Adopt the Kimball Lifecycle Methodology:** Deconstruct courier operations into discrete business processes using a standardized Enterprise Dimensional Bus Matrix.
- **Model All Three Fundamental Fact Archetypes:**
    - *Transaction Fact:* Model shipment and delivery attempt events at atomic granularity to evaluate driver performance, customer delivery windows, and failure reason codes.
    - *Periodic Snapshot Fact:* Model daily hub inventory balances and backlogs to measure dwell times, inflow/outflow velocity, and sorting capacity utilization over time.
    - *Factless Fact:* Model scheduled rider-to-route daily assignments as a pure factless fact containing foreign keys only (`Date_Key`, `Rider_Key`, `Route_Key`, `Hub_Key`, `Shift_Key`). It records scheduled workforce coverage events with zero numeric measures.
- **Architect a Robust Conformed Dimensional Framework:** Build enterprise dimensions (Date, Hub, Route/Region, Rider, Customer, Service Type, Delivery Status, Parcel Type, Shift) to enable drill-across analytics across all three facts.

- **Support Derived Productivity Metrics:** Enable multi-fact drill-across calculations for complex metrics such as *Deliveries per Rider-Hour* by joining `Fact_Rider_Route_Assignment` with `Fact_Delivery_Attempt` (for delivered counts) and referencing standard shift hours from `Dim_Shift`.
- **Address Attribute Volatility via SCD Techniques:** Implement Slowly Changing Dimension (SCD Type 2) tracking for structural changes (e.g., rider home hub relocations, customer address/tier transitions) to maintain historical attribution accuracy.
- **Define Actionable Executive & Operational KPIs:** Provide standard metric definitions for On-Time Delivery Rate (OTDR), First-Attempt Delivery Rate (FADR), Hub Backlog Ratio, Deliveries per Rider-Hour, and Route Net Contribution Margin.

4. Project Scope

4.1 In-Scope

- **Dimensional Modeling:** Conceptual, Logical, and Physical star schema design; formal grain definitions for transaction, periodic snapshot, and factless processes; strict surrogate key strategy, natural business key tracking, and audit/lineage attributes; Enterprise Bus Matrix mapping facts against conformed dimensions.
- **Operational Business Processes:** Last-mile delivery attempts and status lifecycle; daily sorting hub inventory snapshots and backlog dwell metrics; daily workforce/rider route assignments and coverage rosters (pure factless fact).
- **Data Governance & Documentation:** Production-ready Data Dictionary (data types, key designations, constraints, example values); dbdiagram.io DBML physical schema script; visual model descriptions tailored for Draw.io architecture diagrams.

4.2 Out-of-Scope

- **Real-Time IoT Vehicle Telematics:** Sub-second GPS streaming, engine telemetry, and speed-sensor streams (the warehouse is designed for micro-batch and daily operational refreshes).
- **Full Payroll & Financial ERP Accounting:** Rider compensation calculations (tax withholding, statutory insurance) are excluded; the warehouse models operational workforce coverage via factless assignments, while shift durations are maintained in `Dim_Shift` and delivered package counts reside in `Fact_Delivery_Attempt`.
- **Reverse Logistics & Warehouse Conveyor Automation:** Specialized automation systems (e.g., conveyor PLC control logic, automated optical sorting scan bins) are excluded, focusing instead on parcel status milestones across the transportation network.

5. Stakeholder Matrix & Personas

Stakeholder Persona	Key Analytical Needs	Primary Decisions Influenced	Key Metrics Consumed
Chief Operating Officer (COO)	Network-wide SLA compliance, cross-hub efficiency, bottleneck resolution.	Regional capital allocation, line-haul schedule adjustments, network expansion.	Network On-Time Delivery % (OTDR), SLA Breach Rate, Network Transit Velocity.
Hub / Logistics Center Manager	Daily throughput, sorting backlog, parcel dwell hours, peak load shifts.	Staffing shifts, sorting equipment capacity, dispatch timing.	End-of-Day Backlog Count, Average Dwell Time (Hrs), Inflow vs. Outflow Ratio.
Fleet & Dispatch Supervisor	Rider productivity, route balance, first-attempt success rates, idle riders.	Daily route coverage, dispatch re-assignments, delivery zone balancing.	First-Attempt Delivery Rate (FADR), Deliveries per Rider-Hour (*derived via drill-across*), Route Coverage %.
CFO / Commercial Director	Account profitability, service-tier yield, cost of failed re-delivery attempts.	Contract renegotiation, pricing adjustments, minimum parcel commitment terms.	Cost-to-Serve per Route, Revenue per Package, Corporate Account Net Margin.
Customer Support Lead	Delivery failure root causes, customer delivery satisfaction, exception alerts.	Targeted communication protocols, address verification policies.	Failure Code Distribution (e.g., Customer Unavailable, Incorrect Address).

6. Expected Business Benefits

The target performance improvements and baseline metrics presented below represent **assumed baseline figures for this case study** to guide warehouse modeling and establish analytical return on investment (ROI) benchmarks.

Benefit Category	Operational / Strategic Impact	Measurable Target (*Assumed Baseline Target for Case Study*)
Last-Mile Delivery Cost Reduction	Analyzing the root causes of failed delivery attempts enables proactive SMS pre-notifications and route sequencing, eliminating redundant repeat trips.	**15% – 20% reduction** in re-delivery operational expenses.
Hub Congestion Mitigation	Periodic snapshot visibility identifies hubs exceeding holding capacity thresholds, enabling dynamic dispatch and line-haul re-routing before parcels become delayed.	**25% reduction** in average parcel dwell time at sorting facilities.
Optimized Workforce Productivity	Matching route density against rider assignments eliminates unassigned route gaps and balances workload across fleet personnel.	**12% – 18% increase** in successful parcel deliveries per rider-day.
Margin Expansion by Service Tier	Cross-dimensional analysis of billing revenue against labor, fuel, and re-attempt overhead exposes loss-making corporate contracts and routes.	**5% – 8% improvement** in gross operating margin across B2B contracts.
Single Source of Analytical Truth	Eliminates contradictory manual spreadsheets across regional offices through standardized, certified dimensional data marts.	**90% reduction** in recurring management report preparation time.

7. Methodology Justification

7.1 Architecture Selection: Kimball Dimensional Modeling vs. Inmon 3NF

Query Performance & Simplicity: A 3NF normalized database prioritizes transaction insertion efficiency (OLTP) by decomposing entities across dozens of tables. To answer a routine question such as *"What is the on-time delivery rate by hub and service type?"*, a 3NF model requires 10 to 15 joins, causing high CPU overhead and complex SQL queries. The Kimball star schema denormalizes dimensions around business processes, enabling sub-second analytical aggregations and intuitive drag-and-drop querying in modern BI tools.

Agile, Process-Driven Deployment: Inmon's Enterprise Data Warehouse requires modeling the entire enterprise upfront before answering business questions. Kimball's bottom-up approach allows us to deliver immediate business value by focusing on specific business processes (Delivery Attempts, Hub Backlogs, Rider Assignments) linked seamlessly through **Conformed Dimensions**.

7.2 Business Process Alignment: Justification of the Three Fact Archetypes

1. Transaction Fact (`Fact_Delivery_Attempt`):
Delivery attempts are discrete, point-in-time events. Capturing them at atomic granularity guarantees maximum analytical flexibility—allowing aggregation by any dimension (time of day, driver, customer, status) without loss of fidelity.

2. Periodic Snapshot Fact (`Fact_Daily_Hub_Backlog`):
Inventory is a state, not an event. Querying a transaction log to calculate how many parcels were resting in Hub A at midnight on a specific date in the past requires scanning and reconstructing millions of historical scan rows. A periodic snapshot pre-aggregates and preserves this point-in-time balance at regular, predictable intervals, optimizing OLAP performance.

3. Factless Fact (`Fact_Rider_Route_Assignment`):
Captures the occurrence of an event or coverage relationship without any numeric facts or measures—it is composed strictly of foreign keys (`Date_Key`, `Rider_Key`, `Route_Key`, `Hub_Key`, `Shift_Key`). It answers questions regarding *coverage and non-events* (e.g., *"Which routes had no rider assigned on Monday?"* or *"Which riders were scheduled but attempted zero deliveries?"*), which cannot be derived from shipment facts alone.
To compute composite productivity metrics such as *Deliveries per Rider-Hour*, the BI/OLAP query drills across between `Fact_Rider_Route_Assignment` and `Fact_Delivery_Attempt`, referencing standard scheduled hours from `Dim_Shift`. Storing hours worked or delivered counts directly in the assignment table would violate the factless fact pattern and distort its grain.