Implementing a Secure and Scalable VPC on AWS:



What is Amazon VPC?

Amazon VPC is a secure, isolated cloud network within AWS that allows you to control IP ranges, subnets, route tables, and gateways. It enhances security, enables flexible traffic routing, and lets you create private and internet accessible services.

How I used Amazon VPC in this project:

I used Amazon VPC to set up a public subnet for EC2 instances needing internet access. I enabled auto-assign IPs, so each instance received a public IP. An Internet Gateway was added to allow the instances to connect to the internet.

One thing I didn't expect in this project was:

I underestimated the complexity of managing security groups to ensure instances were both accessible and secure. Balancing public access for users with strict controls required more detailed inbound and outbound rules than I had anticipated to prevent vulnerabilities.

This project took me:

This project took me 2 hours, including time spent learning key concepts: CIDR blocks, subnets, and the purposes of public and private subnets. This foundational knowledge was essential for configuring the VPC properly to meet project objectives.

Virtual Private Clouds (VPCs):

A Virtual Private Cloud is an isolated section of a cloud provider's network where you can launch resources securely. It enables control over network settings like IPs, subnets, route tables, and security configurations for resource management.

The default VPC in AWS provides a simplified network setup for launching resources. It includes subnets in all Availability Zones, an internet gateway for public access, and a security group that allows inbound and outbound traffic.

An IPv4 CIDR (Classless Inter-Domain Routing) block specifies an IP address and network prefix in a compact format (e.g. 192.168.1.0/24). The suffix indicates the number of bits for the network, ensures IP address allocation and efficient routing.



Subnets:

Subnets are segments of a network with specific IP ranges that improve management and security. Public subnets allow internet access, while private ones restrict it. They isolate resources and control data flow with routing tables, security groups.

AWS creates default subnets in each region to simplify setup, allowing users to launch resources quickly without needing custom networks. These subnets ensure resources in the default VPC can easily connect to the internet for general use.

For a subnet to be considered public, it has to have a route to an internet gateway in its route table, allowing resources within it to access the internet directly.



Internet gateways:

Internet gateways are components in a VPC that enable communication between resources in your AWS network and the internet. They provide bidirectional access, allowing instances in public subnets to securely send and receive data from the internet.

Attaching an internet gateway to a VPC allows resources in public subnets to access—and be accessed from—the internet, subject to their security settings. This crucial step enables internet connectivity in the VPC, supporting web servers and other internet-facing services.


Internet gateway igw-0a021c38d14ff8c5f successfully attached to vpc-0b96a1045414d93ec
VPC
Internet gateways
igw-0a021c38d14ff8c5f
igw-0a021c38d14ff8c5f / Kaif-internet-gateway
Actions
Details
Info
Internet gateway ID
igw-0a021c38d14ff8c5f
State
Attached
VPC ID
vpc-0b96a1045414d93ec | kaif-vpc-version1project
Owner
339712767429
Tags
Manage tags
Search tags
Key
Value
Name
Kaif-internet-gateway