1) START
2) FUNCTION GetValidDays () RETURNS INTEGER
3) DECLARE Days : INTEGER
4) REPEAT
5) OUTPUT "Enter number of festival days (1-7): "
6) INPUT Days
7) IF Days < 1 OR Days > 7 THEN
8) OUTPUT "Invalid input. (out of Range)"
9) ENDIF
10) UNTIL Day >= 1 AND Days <= 7
11) RETURN Days
12) ENDFUNCTION
// Calculating Daily Sales
13) FUNCTION CalculateDailySales (DayNumber : INTEGER)
RETURNS REAL
14) DECLARE Orders, i : INTEGER
15) DECLARE Amount, Total, Highest, Average : REAL
16) Total ← 0
17) Highest ← 0
18) OUTPUT "Day ", DayNumber, " - Number of orders: "
19) INPUT Orders

Scanned with CamScanner

Date:

```
20) FOR i ← 1 TO orders
21) REPEAT
22)     OUTPUT "Enter amount of order ", i
23)     INPUT Amount
24)     IF Amount <= 0 THEN
25)         OUTPUT "Amount should be greater than 0"
26)     ENDIF
27) UNTIL Amount > 0
28) Total ← Total + Amount
29)     IF Amount > Highest THEN
30)         Highest ← Amount
31)     ENDIF
32) NEXT i
33) Average ← Total / Orders
34) OUTPUT "Total sales : Rs. ", Total
35) OUTPUT "Average order amount : Rs. ", ROUND(Average,2)
36) OUTPUT "Highest order amount : Rs. ", Highest
37) RETURN Total
38) ENDFUNCTION
```

Scanned with CamScanner

Date:

// Finding the Highest Sales Day

39) FUNCTION FindHighestSalesDay (DailySales : ARRAY[1:7] OF REAL, NumberOfDays : INTEGER) RETURNS INTEGER

40) DECLARE i, Best : INTEGER

41) Best ← 1

42) FOR i ← 2 TO NumberOfDays

43) IF DailySales[i] > DailySales[Best] THEN

44) Best ← i

45) ENDIF

46) NEXT i

47) RETURN Best

49) ENDFUNCTION

// This is the function that will show the Bar chart according to Data

50) PROCEDURE DisplayBarChart (DailySales : ARRAY[1:7] OF REAL, NumberOfDays : INTEGER)

51) DECLARE i, j, Stars : INTEGER

52) DECLARE Line : STRING

53) OUTPUT "Daily Sales Bar Chart (* = Rs. 100)"

54) FOR i ← 1 TO NumberOfDays

55) Stars ← INT(DailySales[i] / 100)

56) Line ← ""

Scanned with CamScanner

```
57)     FOR j ← 1 TO Stars
58)         Line ← Line & "*"
59)     NEXT j
60)     OUTPUT "Day ", i, ": ", Line
61) NEXT i
62) ENDPROCEDURE

// Main Program
63) DECLARE DailySales : ARRAY[1:7] OF REAL
64) DECLARE Days, i, BestDay    : INTGER
65) DECLARE FestivalTotal       : REAL
66) FestivalTotal ← 0
67) Days ← GetValidDays()
68) FOR i ← 1 TO Days
69)     DailySales[i] ← CalculateDailySales(i)
70)     FestivalTotal ← FestivalTotal + DailySales[i]
71) NEXT i
72) BestDay ← FindHighestSalesDay(DailySales, Days)
73) OUTPUT "Festival Sales Summary"
74) OUTPUT "Total festival sales: Rs.", FestivalTotal
75) OUTPUT "Day with highest sales: Day", BestDay,
    "(Rs.", DailySales[BestDay], ")"
76) CALL DisplayBarChart(DailySales, Days)
```

Scanned with CamScanner