TO CD 1301
20-503-EP-DR-003   1"-OUTLET-TRV-002

SET @ 15.8 BAR
TRV 3/4" D 1"
002

1"x3/4"
1/2"
FB
LO

AAC BAC   1"-P-005-AAC

BV-400 BV-401
8"   8"
NO   NO 8"x6"
3/4"

0-42 BAR
PI
1301A
1/2"
3/4"
INST.
PIPING 3/4"

501-PL-001
PIG LAUNCHER
RATING-300#
MAJOR BARREL-8"
MINOR BARREL-6"

501-PR-001
PIG RECEIVER
RATING-300#
MAJOR BARREL-8"
MINOR BARREL-6"

P-1305A/B
FLOW : 119m³/hr
HEAD : 219m
POWER : 173.5KW

6" 6"
NO
BV-402

P-1305A
NOTE-22
M
MCC

SET@
10 BAR

ESD
SI   HS   STOP
1305A2   1305A2
STOP
RI   HS   START
1305A1   1305A1
RUNNING

RUNNING
RI   SI   STOP
1305A1   1305A2

COMMAND   XB   XS   COMMAND
RUN   1305A1 1305A2 STOP

PI PAL
1303 1303
NOTE-19

PIT
1303
1/2"
3/4"
3/4"
INST.
PIPING

FIC
1301

FIT
1301
6"

NOTE-12
8" BV-420
3/4"
8" BV-419
8"x6"

0-42 BAR
PI
1301B
1/2"
3/4"
3/4"
INST.
PIPING

FROM EDC
STORAGE AT EVTL
20-503-EP-DR-002   8"-EDL-034-AAC
NOTE-14

TIE-IN
002

8"-EDL-036-AAC

TIE-IN
003

FROM EDC
STORAGE AT EVTL
20-503-EP-DR-002   8"-EDL-035-AAC
NOTE-14

BV-412 BV-413
8"   8"
SR-301B NO
NO   8"x6"
3/4"

P-1305B
6"x3"
6" 6"
NO
BV-414

AAC BAC
ESD
I   M
SI   HS   STOP
1305B2   MCC
STOP
RI   HS   START
1305B1   1305B1
RUNNING

RUNNING
RI   SI   STOP
1305B1   1305B2

COMMAND   XB   XS   COMMAND
RUN   1305B1 1305B2 STOP

FCV
1302
6"
BV-403
1/2"
6" FC
BV-405 NC GV-406

NOTE-17
6"
BV-404

6" 6"
BV-409 NC GV-410

CAMLOCK
2"

2"-P-003-BAC
BALANCE LINE

QUICK COUPLING
2" 2"

PI
1302 0-42 BAR
1/2"
PIG
3/4" SIGNALLER
XI
1301
INST.
PIPING 2"

501-PL-001 ø8"
ø6"

2"
BV-421 NC   BV-418
CAMLOCK 2"

FI
1302

TW   TI
1301 1301
BV-407 6"
NO
BV-40

6"-P-001-BAC

FIT
1302

6" 6"
BV-408 LO

PIG SIGNALLER
XI
1302

BV-415 BV-416
6"   6"
FB   FB
1/2"   BARRED TEE
6"-P-009-BAC

SET @ 43 BAR
TRV 1" D 2"
001
AAC BAC
2"x1"
FB
1/2"

2"-OUTLET-TRV-001

ELECTRIC
SIGNAL
(ELECTRO
HYDRAULIC SDV)

ZIC   ZIO
1303 1303

ZSC   ZSO
1303 1303

SDV   ESD
1303
FC
6"
ISO
FC
BV-411

LO 2"
2"-P-004-BAC

EVTL   FLOWLINE
B31.3   B31.4

MONOLITHIC JOINT

A/G
U/G

TO EPCL

TIE-IN
001

2"-OUTLET-TRV-001
TO CD 1301
20-503-EP-DR-003

TO EVTL TANKS
20-503-EP-DR-002   4"-EDL-031-BAC

NOTE-16
FCV
1301
BV-4023 BV-4022
4" 4"x3" 4"x3"
NO   NO
4"
FC
1/2"

GV-4025 BV-4024
4"   4"
NC   NC

2"-EDL-033-BAC

4"-EDL-030-BAC

HOLD:
1. D E L E T E D.

NOTES:
1. ISOLATING GASKET INSTALLED WHERE DISSIMILAR MATERIAL OF PIPING USED.
2. D E L E T E D.
3. D E L E T E D.
4. D E L E T E D.
5. D E L E T E D.
6. D E L E T E D.
7. D E L E T E D.
8. PIPING SPECIFICATION "BAC" USED FOR PIPING, "BAC" REFERS TO 300# PIPING.
9. D E L E T E D.
10. D E L E T E D.
11. D E L E T E D.
12. TIE-IN CONNECTION FOR FUTURE EDC TRANSFER FROM STORAGE TANK TO JETTY.
13. D E L E T E D.
14. EXISTING ACN 8" PIPING (BOTH RUNS FROM EXISTING ACN TANKS) TIED-IN POINTS FOR NEW PUMPING ARRANGEMENT OF EDC SYSTEM. GASCO CONNECTED THEIR PIPING AS PER TIE-IN LOCATION.
15. D E L E T E D.
16. FCV-1301 SUPPLIED BY EVTL. ALL CONFIGURATION W.R.T CONTROL AND TERMINATION WITH COMPLETE RESPONSIBILITY.
17. FCV-1302 SUPPLIED BY EVTL. ALL CONFIGURATION W.R.T CONTROL AND TERMINATION COMPLETE RESPONSIBILITY.
18. D E L E T E D.
19. PALL-1303 TRIP P-1305A/B AT LOW LOW PRESSURE CONDITION AT PUMP DISCHARGE.
20. D E L E T E D.
21. D E L E T E D.
22. P-1305A/B TRIP ON LAHH OF ENRAF SYSTEM INSTALLED AT T-1301/1302.
23. D E L E T E D.
24. D E L E T E D.

AS-BUILT

REV.	DATE	DESCRIPTION OF REVISION	DRAWN	CHECKED	APPR.
Z2	15-09-2021	AS-BUILT	RM	RAK	MSK
Z1	08-01-2020	AS-BUILT	RM	RAK	MSK
2	26-06-2019	RE-ISSUED FOR CONSTRUCTION	ZSA	MAK	MSK
1	21-06-2019	ISSUED FOR CONSTRUCTION	ZSA	MAK	MSK
1E	03-06-2019	RE-ISSUED FOR APPROVAL	ZSA	MAK	MSK
1D	16-05-2019	RE-ISSUED FOR APPROVAL	ZSA	MAK	MSK
1C	14-05-2019	ISSUED FOR APPROVAL	ZSA	MAK	MSK
1B	01-05-2019	ISSUED FOR HAZOP	ASM	SZH	MSK
1A	22-04-2019	ISSUED FOR REVIEW / APPROVAL	ASM	SZH	MSK

Gasco Engineering (Pvt.) Ltd.
An ISO 9001-14001 certified company
501, AMBER ESTATE, SHAHRA-E-FAISAL, KARACHI, (PAKISTAN)
TEL: (92-21) 34547334, & 34541228, Fax: (92-21) 34548275
E-Mail: info@gascoengineering.com.pk Website: www.gascoengineering.com.pk

DWG. NO.
20-503-EP-DR-001
REV. Z2

CLIENT : ENGRO VOPAK TERMINAL LTD.

PROJECT : EXPANSION OF EDC FACILITY AT EVTL

TITLE : PIPING & INSTRUMENTATION DIAGRAM FOR PUMP HOUSE AND FLOWLINE

JOB NO.
20-503

SIZE	SCALE	SHEET
A3	-	1 OF 1