



COOLDOWN MONITORING - PLAN VIEW



BOTTOM COOLDOWN MONITORING - PLAN VIEW (INSIDE TANK) NOTE 1



**APPROVED** By Ismail at 9:50 am, Dec 17, 2014

	LEGEND			
	PLC BASED INSTRUMENT LOCAL, PANEL MOUNTED INSTRUMEN			
LOCAL, DIRECT MOUNTED INSTRUMENT REMOTE MOUNTED INSTRUMENT				
	PROCESS EQUIPMENT TRIP FUNCTION			
	CARDINAL LINES			

## GENERAL NOTES

VENTS / TESTING DRAINS TO BE PLACED IN APPROPRIATE POSITIONS BY OTHERS I/P'S AND REMOTE OPEN/CLOSE FACILITIES PROVIDED FOR ALL CONTROL VALVES RUNNING AND FAULT INDICATION PROVIDED FOR ALL MOTIES ALL PSY AND TSY OUTLETS TO CONNECT INTO TOP OF HEADER

- 1. TEMPERATURE ELEMENTS (9 OFF) FOR COOLDOWN LOCATED ON THE TANK BOTTOM INSIDE SURFACE.
- 2. TEMPERATURE ELEMENTS (10 OFF) FOR COOLDOWN LOCATED ON THE INTERNAL SKIN OF THE INNER TANK. ELEMENTS TO BE EVENLY DISTRIBUTED AROUND QUADRANT OF THE TANK AND UP THE TANK HEIGHT
- 3. TEMPERATURE ELEMENTS (2 OFF) ON SUSPENDED DECK BELOW INSULATION.
- 5. COOLDOWN ALARM GENERATED IF THERE IS MORE THAN 5°C BETWEEN ADJACENT COOLDOWN TEMPERATURE ELEMENTS (DURING COMMISSIONING)
- 6. ALL TEMPERATURE ELEMENTS TO BE DUPLEX 3-WIRE RTD'S.
- 7. 3 OFF 10" NOZZLE FOR RTD CABLING SHOWN ON 07006-PD-10-001-02 (K6A-K6C)

ALIE!	A11P) F						
REV.	DATE	DESCRIPTION	DRAWN	CHECKED	APPR.		
00	20/07/07	FOR DESIGN REVIEW / HAZOP	js	ГC	AJ <b>S</b>		
01	19/10/07	POST DESIGN REVIEW / HAZOP (CR-002)	JS	LUC	MH		
02	14/03/08	APPROVED FOR CONSTRUCTION (CR-032)	JS	TÜÇ	МН		
03		AS BUILT (CR-088)	JS	LUC	MH		
04	05/09/09	AS BUILT	SZH	BIK	-		



ETHYLENE STORAGE AND HANDLING FACILITY KARACHI, PAKISTAN

WEIR LGE PROCESS Young House 42 Discovery Terrace Edinburgh EH14 4AP Scotland U.K.
Tel. : +44(0)131 317 8787
Fax. : +44(0)131 452 3333
E-mail : Info@lgeprocess.com

## P&I Diagram ETHYLENE STORAGE TANK TEMPERATURE MONITORING

REV. NEXT SHEET SCALE SIZE DRAWING No. 07006-PD-10-001-04 NTS A1

THE DOCUMENT IS CONTIDENTIAL ALL RIGHTS RESERVED COPYRIGHT & LIQUID CAS EQUIPMENT LIG. DISTRIBUTION, COPYING OR RETENTION OF THIS DRAWNIG, WHETHER IN WHOLE OR IN PART AND IRRESPECTIVE OF THE TYPE OF VEIGO IN WHICH IS HELD OR TRAINMENTED, IS PROHIBITED EXCEPT WITH OUR EXPRESS PRIOR WRITTEN CONSENT.

INNER WALL COOLDOWN MONITORING - PLAN VIEW