Muhammad Usman

Registration No: FA24-BCS-149


CSC336 Web Technologies - FA26 BCS B Lab Mid Term

N = 49, BP = 649px, H = 343 (accent hsl(343, 70%, 45%)), K = 4, max adds per product = 3


Screenshots are taken from the page opened in the browser at 375px, 649px (BP) and 1280px.

Task 1 - Mega-menu (screenshots)

375px: hamburger menu open, accordion (Men and Kids opened)




649px (BP): Shop by Category panel open on hover




Task 1 - Mega-menu (screenshots, 1280px)

1280px: panel open, 4 columns




Task 2 - Checkout form (screenshots)

375px: one column, labels above inputs




649px (BP): two fieldsets side by side, labels on the left




Task 2 - Checkout form (screenshots, 1280px)

1280px: errors shown only after the fields were touched




Task 3 - Cart badge and mini cart (screenshots)

375px: cart open (5 items, total $645)




649px (BP): cart open




Task 3 - Cart badge and mini cart (screenshots, 1280px)

1280px: cart open, 5 items, total $645



1280px: cart closed. Air Max 90 added 3 times shows Limit reached, badge shows 5



Task 1 - Code

index.html and product.html: the new menu item inside <ul class="navbar-nav menu">

```
<li class="nav-item mega">
 <a class="nav-link" href="index.html">Shop by Category</a>


 <div class="mega-panel">
  <div class="container">
   <div class="mega-col">
    <h3>Men</h3>
    <ul>
     <li><a href="index.html">Shoes</a></li>
     <li><a href="index.html">Clothing</a></li>
     <li><a href="index.html">Accessories</a></li>
     <li><a href="index.html">Sale</a></li>
    </ul>
   </div>
   <div class="mega-col">
    <h3>Women</h3>
    <ul>
     <li><a href="index.html">Shoes</a></li>
     <li><a href="index.html">Clothing</a></li>
     <li><a href="index.html">Accessories</a></li>
     <li><a href="index.html">Sale</a></li>
    </ul>
   </div>
   <div class="mega-col">
    <h3>Kids</h3>
    <ul>
     <li><a href="index.html">Boys</a></li>
     <li><a href="index.html">Girls</a></li>
     <li><a href="index.html">Baby</a></li>
     <li><a href="index.html">Sale</a></li>
    </ul>
   </div>
   <div class="mega-col">
    <h3>Sport</h3>
    <ul>
     <li><a href="index.html">Running</a></li>
     <li><a href="index.html">Football</a></li>
     <li><a href="index.html">Basketball</a></li>
     <li><a href="index.html">Training</a></li>
    </ul>
   </div>
  </div>
 </div>
```

```
 <div class="mega-acc">
  <details>
   <summary>Men</summary>
   <ul>
    <li><a href="index.html">Shoes</a></li>
    <li><a href="index.html">Clothing</a></li>
    <li><a href="index.html">Accessories</a></li>
    <li><a href="index.html">Sale</a></li>
   </ul>
  </details>
  <details>
   <summary>Women</summary>
   <ul>
    <li><a href="index.html">Shoes</a></li>
    <li><a href="index.html">Clothing</a></li>
    <li><a href="index.html">Accessories</a></li>
    <li><a href="index.html">Sale</a></li>
   </ul>
  </details>
  <details>
   <summary>Kids</summary>
   <ul>
    <li><a href="index.html">Boys</a></li>
    <li><a href="index.html">Girls</a></li>
    <li><a href="index.html">Baby</a></li>
    <li><a href="index.html">Sale</a></li>
   </ul>
  </details>
  <details>
   <summary>Sport</summary>
   <ul>
    <li><a href="index.html">Running</a></li>
    <li><a href="index.html">Football</a></li>
    <li><a href="index.html">Basketball</a></li>
    <li><a href="index.html">Training</a></li>
   </ul>
  </details>
 </div>
</li>
```

style.css: outside the media query (below BP, accordion)

```
/* task 1: mega menu (below BP: accordion) */
.mega-panel {
  display: none;
}

.mega-col ul,
```

```
.mega-acc ul {
  list-style: none;
  padding: 0;
}

.mega-acc summary {
  padding: 10px 0;
  cursor: pointer;
  font-weight: 500;
}

.mega-acc ul {
  padding-bottom: 10px;
}

.mega-acc li a {
  display: block;
  padding: 6px 0;
  color: #707072;
}
```

style.css: inside @media (min-width: 649px)

```
/* task 1: mega menu (BP and wider: hover / focus panel) */
.mega-acc {
  display: none;
}

.mega-panel {
  position: absolute;
  top: 100%;
  left: 0;
  right: 0;
  z-index: 2000;
  background-color: #fff;
  border-bottom: 1px solid #ddd;
  padding: 24px 0;
  text-align: left;
}

.mega:hover .mega-panel,
.mega:focus-within .mega-panel {
  display: block;
}

.mega-panel .container {
```

```
  display: grid;
  grid-template-columns: repeat(4, 1fr);
  gap: 24px;
}

.navbar .menu .nav-link {
  padding-left: 0.25rem;
  padding-right: 0.25rem;
}

.mega>.nav-link {
  position: relative;
}

.mega>.nav-link::after {
  content: "";
  position: absolute;
  left: 0;
  right: 0;
  top: 100%;
  height: 1.5rem;
}

.mega:hover>.nav-link,
.mega:focus-within>.nav-link {
  color: hsl(343, 70%, 45%);
}

.mega-col h3 {
  font-size: 1rem;
  font-weight: 700;
  margin-bottom: 8px;
  padding-bottom: 4px;
  border-bottom: 2px solid hsl(343, 70%, 45%);
}

.mega-col a {
  display: block;
  padding: 4px 0;
}

.mega-col a:hover {
  color: hsl(343, 70%, 45%);
}
```

Task 2 - Code

checkout.html: the form (the cart icon in the navbar links to checkout.html)

```
<form action="#" method="get">
    <div class="fields">


      <fieldset>
        <legend>Contact</legend>
        <label for="fullname">Full name</label>
        <input type="text" id="fullname" name="fullname" placeholder=" " required>
        <span class="msg">Please enter your full name.</span>
        <label for="email">Email</label>
        <input type="email" id="email" name="email" placeholder=" " required>
        <span class="msg">Enter a valid email, e.g. name@mail.com.</span>
        <label for="phone">Phone</label>
        <input type="tel" id="phone" name="phone" placeholder="0300-1234567"
          pattern="03[0-9]{2}-[0-9]{7}"
           title="Format: 03XX-XXXXXXX" required>
        <span class="msg">Use the format 03XX-XXXXXXX.</span>
      </fieldset>


      <fieldset>
        <legend>Delivery</legend>
        <label for="address">Address</label>
        <input type="text" id="address" name="address" placeholder=" " required>
        <span class="msg">Please enter your address.</span>
        <label for="city">City</label>
        <select id="city" name="city" required>
          <option value="">Choose a city</option>
          <option>Lahore</option>
          <option>Karachi</option>
          <option>Islamabad</option>
          <option>Faisalabad</option>
        </select>
        <span class="msg">Please choose a city.</span>
        <label for="date">Delivery date</label>
        <input type="date" id="date" name="date" min="2026-10-29" max="2026-12-17" required>
        <span class="msg">Pick a date from 29 Oct 2026 to 17 Dec 2026.</span>
      </fieldset>


    </div>


    <button type="submit" class="btn">Place Order</button>
  </form>
```

style.css: outside the media query (below BP)

```
/* task 2: checkout form (below BP: one column) */
.fields {
  display: grid;
  gap: 24px;
  margin-bottom: 24px;
}

fieldset {
  display: grid;
  gap: 6px;
  padding: 0;
  border: none;
  min-width: 0;
}

legend {
  float: none;
  width: 100%;
  padding: 0 0 4px;
  margin: 0 0 10px;
  font-size: 1.1rem;
  font-weight: 700;
  border-bottom: 2px solid hsl(343, 70%, 45%);
}

fieldset label {
  font-weight: 500;
}

fieldset input,
fieldset select {
  width: 100%;
  padding: 8px;
  border: 1px solid #999;
  border-radius: 4px;
  font: inherit;
}

.msg {
  display: none;
  color: #d00000;
  font-size: 0.85rem;
}

input:user-invalid,
```

```
select:user-invalid {
  border: 2px solid #d00000;
}

input:user-invalid+.msg,
select:user-invalid+.msg {
  display: block;
}
```

style.css: inside @media (min-width: 649px)

```
/* task 2: checkout form (BP and wider: 2 fieldsets, labels on the left) */
.fields {
  grid-template-columns: 1fr 1fr;
  align-items: start;
}

fieldset {
  grid-template-columns: auto 1fr;
  align-items: center;
  column-gap: 12px;
  row-gap: 10px;
}

.msg {
  grid-column: 2;
}
```

Task 3 - Code

index.html: cart icon with badge

```
<a class="cart" href="checkout.html" aria-label="Cart">
  <span class="cart-icon"><i class="bi bi-cart"></i><span id="cart-count">0</span></span>
</a>
```

index.html: mini cart panel (inside <nav>, after the navbar container)

```
<div class="mini-cart-wrap container">
  <div class="mini-cart" id="mini-cart" hidden>
    <h3>Your Cart</h3>
    <p id="cart-empty">Your cart is empty.</p>
    <ul id="cart-list"></ul>
    <p class="cart-total">Total: <span id="cart-total">$0</span></p>
    <a class="btn" href="checkout.html">Checkout</a>
  </div>
</div>
```

index.html: script link (before </body>)

```
<script src="script.js"></script>
```

script.js

```
var MAX = 3;
var cart = [];
var boxes = document.querySelectorAll('.box');


function countOf(name) {
    var n = 0;
    for (var i = 0; i < cart.length; i++) {
        if (cart[i].name === name) n++;
    }
    return n;
}


function render() {
    document.getElementById('cart-count').textContent = cart.length;
    document.getElementById('cart-empty').hidden = cart.length > 0;


    var list = document.getElementById('cart-list');
    list.innerHTML = '';
    for (var i = 0; i < cart.length; i++) {
        list.innerHTML += '<li>' + cart[i].name + ' - $' + cart[i].price +
```

```
        ' <button class="remove" onclick="removeItem(' + i + ')">Remove</button></li>';
    }

    var total = cart.reduce(function (sum, item) { return sum + item.price; }, 0);
    document.getElementById('cart-total').textContent = '$' + total;

    boxes.forEach(function (box) {
        var btn = box.querySelector('.btn');
        if (countOf(box.querySelector('.title').textContent) >= MAX) {
            btn.disabled = true;
            btn.textContent = 'Limit reached';
        } else {
            btn.disabled = false;
            btn.textContent = 'Add to Cart';
        }
    });
}

function removeItem(i) {
    cart.splice(i, 1);
    render();
}

boxes.forEach(function (box) {
    box.querySelector('.btn').onclick = function () {
        var name = box.querySelector('.title').textContent;
        var price = parseFloat(box.querySelector('.price').textContent.replace('$', ''));
        cart.push({ name: name, price: price });
        render();
    };
});

document.querySelector('.cart').onclick = function (e) {
    e.preventDefault();
    var panel = document.getElementById('mini-cart');
    panel.hidden = !panel.hidden;
};

render();
```

style.css: end of file

```
/* task 3: cart badge and mini cart */
.cart-icon {
  position: relative;
  display: inline-block;
```

```
}

#cart-count {
  position: absolute;
  top: -6px;
  right: -10px;
  min-width: 18px;
  padding: 0 5px;
  border-radius: 9px;
  background-color: hsl(343, 70%, 45%);
  color: #fff;
  font-size: 0.7rem;
  line-height: 18px;
  text-align: center;
}

.mini-cart-wrap {
  position: absolute;
  top: 100%;
  left: 0;
  right: 0;
  z-index: 2000;
  pointer-events: none;
}

.mini-cart {
  pointer-events: auto;
  width: 320px;
  max-width: 100%;
  margin-left: auto;
  padding: 16px;
  background-color: #fff;
  border: 1px solid #ddd;
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.15);
}

.mini-cart h3 {
  font-size: 1.1rem;
  margin-bottom: 8px;
}

.mini-cart ul {
  list-style: none;
  padding: 0;
}

.mini-cart li {
```

```
  display: flex;
  justify-content: space-between;
  align-items: center;
  gap: 8px;
  padding: 6px 0;
  border-bottom: 1px solid #eee;
}

.mini-cart .remove {
  border: 1px solid #999;
  background: #fff;
  border-radius: 4px;
  padding: 2px 8px;
  cursor: pointer;
}

.mini-cart .cart-total {
  margin: 10px 0;
  font-weight: 700;
}

.mini-cart .btn {
  text-align: center;
}

.btn:disabled {
  background-color: #999;
  cursor: not-allowed;
}
```