Name: Usman

Roll Number: FA24-BCS-149

Lab 2 - Responsive Navbar and Grid Drill

Lab Statement


Difficulty: Easy-Medium. Covers: Lectures 7-10. Folder: lab-2/

A focused, smaller-scale rehearsal for Assignment 2: build just a responsive navbar (logo left, links center, cart icon right, collapsing into a hamburger menu below 768px) and a 4-column-desktop / 2-column-tablet / 1-column-phone product grid, using Flexbox or Grid plus Bootstrap or Tailwind. Content can be placeholder text/images - the point is the responsive mechanics, not the final design.


Deliverables in lab-2/: index.html, your CSS/framework files, and your completion PDF (with screenshots at phone/tablet/desktop widths).

Screenshots


Phone width



Tablet width



Desktop width



Code

index.html

```
<!DOCTYPE html>
<html>
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Lab 2</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
  <link href="style.css" rel="stylesheet">
</head>
<body>

  <nav class="navbar navbar-expand-md bg-light">
    <div class="container-fluid">
      <a class="navbar-brand fs-3" href="#">MyShop</a>

      <button class="navbar-toggler" data-bs-toggle="collapse" data-bs-target="#menu">
        <span class="navbar-toggler-icon"></span>
      </button>

      <div class="collapse navbar-collapse" id="menu">
        <ul class="navbar-nav mx-auto">
          <li class="nav-item"><a class="nav-link fs-5" href="#">Home</a></li>
          <li class="nav-item"><a class="nav-link fs-5" href="#">Shop</a></li>
          <li class="nav-item"><a class="nav-link fs-5" href="#">About</a></li>
        </ul>
        <a href="#" class="nav-link fs-5">■ Cart</a>
      </div>
    </div>
  </nav>

  <div class="container-fluid mt-4">
    <div class="row">

      <div class="col-12 col-sm-6 col-lg-3">
        <div class="box">
          <img src="https://placehold.co/300x200">
          <p class="fs-5">Product 1</p>
        </div>
      </div>
      <div class="col-12 col-sm-6 col-lg-3">
        <div class="box">
          <img src="https://placehold.co/300x200">
          <p class="fs-5">Product 2</p>
        </div>
      </div>
      <div class="col-12 col-sm-6 col-lg-3">
        <div class="box">
          <img src="https://placehold.co/300x200">
          <p class="fs-5">Product 3</p>
        </div>
      </div>
      <div class="col-12 col-sm-6 col-lg-3">
        <div class="box">
          <img src="https://placehold.co/300x200">
          <p class="fs-5">Product 4</p>
        </div>
      </div>
      <div class="col-12 col-sm-6 col-lg-3">
        <div class="box">
          <img src="https://placehold.co/300x200">
          <p class="fs-5">Product 5</p>
        </div>
      </div>
      <div class="col-12 col-sm-6 col-lg-3">
        <div class="box">
          <img src="https://placehold.co/300x200">
          <p class="fs-5">Product 6</p>
        </div>
      </div>
      <div class="col-12 col-sm-6 col-lg-3">
        <div class="box">
```

```
          <img src="https://placehold.co/300x200">
          <p class="fs-5">Product 7</p>
        </div>
      </div>
      <div class="col-12 col-sm-6 col-lg-3">
        <div class="box">
          <img src="https://placehold.co/300x200">
          <p class="fs-5">Product 8</p>
        </div>
      </div>

    </div>
  </div>

  <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

style.css

```
html {
  font-size: 20px;
}

.box {
  border: 1px solid gray;
  text-align: center;
  margin-bottom: 20px;
}

.box img {
  width: 100%;
}
```