


1



The image shows a screenshot of a C++ IDE with a dark theme. The top toolbar includes icons for file operations and tabs for open files: `.c`, `#include<stdio.h> Untitled-1`, `n.c`, and `Untitled-2`. The main editor displays a C program with line numbers 1 through 9. The code is as follows:

```
1  #include<stdio.h>
2  int main(){
3      int a;
4      printf("enter your number");
5      scanf("%d",&a);
6      printf("your square is :%d\n",a*a);
7      printf("ypur cube is :%d",a*a*a);
8
9  }
```

Below the editor is a panel with tabs for `Problems`, `Output`, `Debug Console`, `Terminal` (which is active), and `Ports`. The terminal window shows the following commands and output:

```
PS C:\Users\Ideal> cd "c:\Users\Ideal"
PS C:\Users\Ideal> cd "c:\Users\Ideal\" ; if ($?) { gcc n.c -o n } ; if ($?) { .\n }
enter your number8
your square is :64
ypur cube is :512
PS C:\Users\Ideal> 
```

2

```

C:\Users\Ideal > cd "c:\Users\Ideal" > main()
1  #include<stdio.h>
2  int main(){
3      float calcius;
4      float fahrenheit;
5      printf("enter your calcius temperature");
6      scanf("%f",&calcius);
7      fahrenheit=(calcius*9.0/5.0)+32;
8
9      printf("your farengait tempreture is: %f\n",fahrenheit);
10 }

```

Problems Output Debug Console Terminal Ports

```

PS C:\Users\Ideal> cd "c:\Users\Ideal"
PS C:\Users\Ideal> cd "c:\Users\Ideal\" ; if ($?) { gcc bhi.c -o bhi } ; if ($?) { .\bhi }
enter your calcius temperature45
your farengait tempreture is: 113.000000
PS C:\Users\Ideal>

```

3

```

#include <stdio.h>

int main() {
    char fullName[50];
    char section;

    printf("Enter student's full name: ");
    fgets(fullName, sizeof(fullName), stdin);

    printf("Enter student's section (single character, e.g., 'A'): ");
    scanf(" %c", &section);

    puts("Registration Summary\n");

    printf("Full Name: ");
    puts(fullName);
    printf("Section: %c\n", section);

    return 0;
}

```

```

PS C:\Users\Ideal\Desktop\VSCode> cd "c:\Users\Ideal\Desktop\VSCode"
PS C:\Users\Ideal\Desktop\VSCode> cd "c:\Users\Ideal\Desktop\VSCode\" ; if ($?) { gcc tempCodeRunnerFile.c -o tempCodeRunnerFile } ; if ($?) { .\tempCodeRunnerFile }
Enter student's full name: muhammad kamran
Enter student's section (single character, e.g., 'A'): A
Registration Summary

Full Name: muhammad kamran

Section: A
PS C:\Users\Ideal\Desktop\VSCode>

```

4

```

C:\> Users > Ideal > C bhi.c > main()

 2  int main(){
 3      int num1;
 4      int num2;
 5      int num3;
 6      printf("enter your numbers");
 7      scanf("%d %d %d",&num1,&num2,&num3);
 8      printf("your average of three numbers is: %d\n", (num1+num2+num3)/3 );
 9
10  }

```

Problems Output Debug Console Terminal Ports

```

PS C:\Users\Ideal> cd "c:\Users\Ideal"
PS C:\Users\Ideal> cd "c:\Users\Ideal\" ; if ($?) { gcc bhi.c -o bhi } ; if ($?) { .\bhi }
enter your numbers4
4
4
your average of three numbers is: 4
PS C:\Users\Ideal>

```

5

C: > Users > Ideal > C bhi.c > main()

```
1  #include<stdio.h>
2  int main(){
3      int marks;
4      printf("enter your marks");
5      scanf("%d",&marks);
6      if(marks>=50)
7      { printf("pass");}
8      else
9      {
10         printf("fail");
11     }
12 }
```

Problems Output Debug Console Terminal Ports Code + -

```
PS C:\Users\Ideal> cd "c:\Users\Ideal"
PS C:\Users\Ideal> cd "c:\Users\Ideal\" ; if ($?) { gcc bhi.c -o bhi } ; if ($?) { .\bhi }
enter your marks45
fail
PS C:\Users\Ideal>
```

C: > Users > Ideal > C bhi.c > main()

```
1  #include<stdio.h>
2  ∨ int main(){
3      int late_days;
4      printf("enter your late days");
5      scanf("%d",&late_days);
6  ∨  if(late_days ==0)
7      {
8          printf("no fine");
9      }
10 ∨ else if(late_days >1 && late_days <=5)
11     {
12         printf("fine RS:50");
13     }
14 ∨ else if(late_days>6 && late_days<=10)
15     {
16         printf("fine RS:100");
17     }
18 ∨ else if(late_days>10)
19     {
20         printf("fine RS:200");
21     }
22
23 }
```

PS C:\Users\Ideal> cd "c:\Users\Ideal"

PS C:\Users\Ideal> cd "c:\Users\Ideal\" ; if (\$?) { gcc bhi.c -o bhi } ; if (\$?) { .\bhi }

enter your late days11

fine RS:200

PS C:\Users\Ideal> █