



Lab Task(s) Report – Lab 00

Name:

Muhammad Abu Bakar

NU ID:

24K-0826

January 31st, 2026

—

Syllabus:

Database Systems Lab

Syllabus Code: CL-2005

—

Instructor:

Sir Osama Tahir

Q1)

SQL Query Text:

SELECT * FROM HR.EMPLOYEES;

Screenshot:

Query Result x

SQL | Fetched 50 rows in 0.03 seconds

	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER	HIRE_DATE	JOB_ID	SALARY	COMMISSION_PCT	MANAGER_ID	DEPARTMENT_ID
1	100	Steven	King	SKING	515.123.4567	17-JUN-03	AD_PRES	24000	(null)	(null)	90
2	101	Neena	Kochhar	NKOCHHAR	515.123.4568	21-SEP-05	AD_VP	17000	(null)	100	90
3	102	Lex	De Haan	LDEHAAN	515.123.4569	13-JAN-01	AD_VP	17000	(null)	100	90
4	103	Alexander	Hunold	AHUNOLD	590.423.4567	03-JAN-06	IT_PROG	9000	(null)	102	60
5	104	Bruce	Ernst	BERNST	590.423.4568	21-MAY-07	IT_PROG	6000	(null)	103	60
6	105	David	Austin	DAUSTIN	590.423.4569	25-JUN-05	IT_PROG	4800	(null)	103	60
7	106	Valli	Pataballa	VPATABAL	590.423.4560	05-FEB-06	IT_PROG	4800	(null)	103	60
8	107	Diana	Lorentz	DLORENTZ	590.423.5567	07-FEB-07	IT_PROG	4200	(null)	103	60
9	108	Nancy	Greenberg	NGREENBE	515.124.4569	17-AUG-02	FI_MGR	12008	(null)	101	100
10	109	Daniel	Faviet	DFAVIET	515.124.4169	16-AUG-02	FI_ACCOUNT	9000	(null)	108	100
11	110	John	Chen	JCHEN	515.124.4269	28-SEP-05	FI_ACCOUNT	8200	(null)	108	100
12	111	Ismael	Sciarra	ISCIARRA	515.124.4369	30-SEP-05	FI_ACCOUNT	7700	(null)	108	100
13	112	Jose Manuel	Urman	JMURMAN	515.124.4469	07-MAR-06	FI_ACCOUNT	7800	(null)	108	100
14	113	Luis	Popp	LPOPP	515.124.4567	07-DEC-07	FI_ACCOUNT	6900	(null)	108	100
15	114	Den	Raphaely	DRAPHEAL	515.127.4561	07-DEC-02	PU_MAN	11000	(null)	100	30
16	115	Alexander	Khoo	AKHOO	515.127.4562	18-MAY-03	PU_CLERK	3100	(null)	114	30
17	116	Shelli	Baida	SBAIDA	515.127.4563	24-DEC-05	PU_CLERK	2900	(null)	114	30
18	117	Sigal	Tobias	STOBIAS	515.127.4564	24-JUL-05	PU_CLERK	2800	(null)	114	30
19	118	Guy	Himuro	GHIMURO	515.127.4565	15-NOV-06	PU_CLERK	2600	(null)	114	30
20	119	Karen	Colmenares	KCOLMENA	515.127.4566	10-AUG-07	PU_CLERK	2500	(null)	114	30
21	120	Matthew	Weiss	MWEISS	650.123.1234	18-JUL-04	ST_MAN	8000	(null)	100	50
22	121	Adam	Fripp	AFRIPP	650.123.2234	10-APR-05	ST_MAN	8200	(null)	100	50
23	122	Payam	Kaufling	PKAUFLIN	650.123.3234	01-MAY-03	ST_MAN	7900	(null)	100	50
24	123	Shanta	Vollman	SVOLLMAN	650.123.4234	10-OCT-05	ST_MAN	6500	(null)	100	50
25	124	Kevin	Mourgos	KMOURGOS	650.123.5234	16-NOV-07	ST_MAN	5800	(null)	100	50
26	125	Julia	Nayer	JNAYER	650.124.1214	16-JUL-05	ST_CLERK	3200	(null)	120	50
27	126	Irene	Mikkilineni	IMIKKILI	650.124.1224	28-SEP-06	ST_CLERK	2700	(null)	120	50
28	127	James	London	JLONDON	650.124.1234	14-JAN-07	ST_CLERK	2400	(null)	120	50

Q2)

SQL Query Text:

```
SELECT FIRST_NAME, LAST_NAME, SALARY
FROM HR.EMPLOYEES;
```

Screenshot:



The screenshot shows a 'Query Result' window with a toolbar at the top containing icons for a pin, print, refresh, and delete, along with a 'SQL' label and a status bar indicating 'Fetched 50 rows in 0.004 second'. The main area displays a table with three columns: FIRST_NAME, LAST_NAME, and SALARY. The table contains 27 rows of employee data, numbered 1 through 27 in the first column.

	FIRST_NAME	LAST_NAME	SALARY
1	Steven	King	24000
2	Neena	Kochhar	17000
3	Lex	De Haan	17000
4	Alexander	Hunold	9000
5	Bruce	Ernst	6000
6	David	Austin	4800
7	Valli	Pataballa	4800
8	Diana	Lorentz	4200
9	Nancy	Greenberg	12008
10	Daniel	Faviet	9000
11	John	Chen	8200
12	Ismael	Sciarra	7700
13	Jose Manuel	Urman	7800
14	Luis	Popp	6900
15	Den	Raphaely	11000
16	Alexander	Khoo	3100
17	Shelli	Baida	2900
18	Sigal	Tobias	2800
19	Guy	Himuro	2600
20	Karen	Colmenares	2500
21	Matthew	Weiss	8000
22	Adam	Fripp	8200
23	Payam	Kaufling	7900
24	Shanta	Vollman	6500
25	Kevin	Mourgos	5800
26	Julia	Nayer	3200
27	Irene	Mikkilineni	2700


Q3)

1st Method

SQL Query Text:

```
SELECT EMPLOYEE_ID, FIRST_NAME, LAST_NAME  
FROM HR.EMPLOYEES  
WHERE DEPARTMENT_ID = 60;
```

Screenshot:



The screenshot shows a 'Query Result' window with a toolbar containing icons for a pin, print, refresh, and close. The status bar indicates 'All Rows Fetched: 5 in 0.008 seconds'. The table below displays the results of the SQL query.


	EMPLOYEE_ID	FIRST_NAME	LAST_NAME
1	103	Alexander	Hunold
2	104	Bruce	Ernst
3	105	David	Austin
4	106	Valli	Pataballa
5	107	Diana	Lorentz

2nd Method

SQL Query Text:

```
SELECT EMPLOYEES.EMPLOYEE_ID, EMPLOYEES.FIRST_NAME, EMPLOYEES.LAST_NAME,  
DEPARTMENTS.DEPARTMENT_NAME  
FROM HR.EMPLOYEES  
JOIN HR.DEPARTMENTS ON EMPLOYEES.DEPARTMENT_ID = DEPARTMENTS.DEPARTMENT_ID  
WHERE DEPARTMENTS.DEPARTMENT_NAME = 'IT';
```

Screenshot:



The screenshot shows a 'Query Result' window with a toolbar containing icons for a pin, printer, refresh, and close. The status bar indicates 'All Rows Fetched: 5 in 0.008 seconds'. The table below displays the results of the SQL query.


	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	DEPARTMENT_NAME
1	103	Alexander	Hunold	IT
2	104	Bruce	Ernst	IT
3	105	David	Austin	IT
4	106	Valli	Pataballa	IT
5	107	Diana	Lorentz	IT

Q4)

SQL Query Text:

```
SELECT FIRST_NAME, LAST_NAME, SALARY  
FROM HR.EMPLOYEES  
WHERE SALARY > 60000;
```

Screenshot:




Q5)

1st Method

SQL Query Text:

```
SELECT FIRST_NAME, LAST_NAME, JOB_ID
FROM HR.EMPLOYEES
WHERE JOB_ID LIKE '%MAN%';
```

Screenshot:



The screenshot shows a 'Query Result' window with the following data:


	FIRST_NAME	LAST_NAME	JOB_ID
1	Michael	Hartstein	MK_MAN
2	Den	Raphaely	PU_MAN
3	John	Russell	SA_MAN
4	Karen	Partners	SA_MAN
5	Alberto	Errazuriz	SA_MAN
6	Gerald	Cambrault	SA_MAN
7	Eleni	Zlotkey	SA_MAN
8	Matthew	Weiss	ST_MAN
9	Adam	Fripp	ST_MAN
10	Payam	Kaufling	ST_MAN
11	Shanta	Vollman	ST_MAN
12	Kevin	Mourgos	ST_MAN

2nd Method

SQL Query Text:

```
SELECT FIRST_NAME, LAST_NAME, EMPLOYEES.JOB_ID
FROM HR.EMPLOYEES
JOIN HR.JOBS ON JOBS.JOB_ID = EMPLOYEES.JOB_ID
WHERE UPPER(JOB_TITLE) LIKE '%MANAGER%';
```

Screenshot:



The screenshot shows a SQL query result window titled "Query Result". It displays 14 rows of data fetched in 0.006 seconds. The data is presented in a table with four columns: FIRST_NAME, LAST_NAME, and JOB_ID. The first column is an implicit row number.


	FIRST_NAME	LAST_NAME	JOB_ID
1	Nancy	Greenberg	FI_MGR
2	Shelley	Higgins	AC_MGR
3	John	Russell	SA_MAN
4	Karen	Partners	SA_MAN
5	Alberto	Errazuriz	SA_MAN
6	Gerald	Cambrault	SA_MAN
7	Eleni	Zlotkey	SA_MAN
8	Den	Raphaely	PU_MAN
9	Matthew	Weiss	ST_MAN
10	Adam	Fripp	ST_MAN
11	Payam	Kaufling	ST_MAN
12	Shanta	Vollman	ST_MAN
13	Kevin	Mourgos	ST_MAN
14	Michael	Hartstein	MK_MAN

Q6)

SQL Query Text:

```
SELECT EMPLOYEE_ID, FIRST_NAME, LAST_NAME, SALARY
FROM HR.EMPLOYEES
WHERE SALARY < 30000;
```

Screenshot:



The screenshot shows a 'Query Result' window with a toolbar containing icons for a pin, printer, refresh, and delete. The status bar indicates 'SQL | Fetched 50 rows in 0.009 seconds'. The table below displays the results of the SQL query, listing employee IDs, first names, last names, and salaries.


	EMPLOYEE_ID	FIRST_NAME	LAST_NAME	SALARY
1	100	Steven	King	24000
2	101	Neena	Kochhar	17000
3	102	Lex	De Haan	17000
4	103	Alexander	Hunold	9000
5	104	Bruce	Ernst	6000
6	105	David	Austin	4800
7	106	Valli	Pataballa	4800
8	107	Diana	Lorentz	4200
9	108	Nancy	Greenberg	12008
10	109	Daniel	Faviet	9000
11	110	John	Chen	8200
12	111	Ismael	Sciarra	7700
13	112	Jose Manuel	Urman	7800
14	113	Luis	Popp	6900
15	114	Den	Raphaely	11000
16	115	Alexander	Khoo	3100
17	116	Shelli	Baida	2900
18	117	Sigal	Tobias	2800
19	118	Guy	Himuro	2600
20	119	Karen	Colmenares	2500
21	120	Matthew	Weiss	8000
22	121	Adam	Fripp	8200
23	122	Payam	Kaufling	7900
24	123	Shanta	Vollman	6500
25	124	Kevin	Mourgos	5800
26	125	Julia	Nayer	3200

Q7)

SQL Query Text:

```
SELECT FIRST_NAME, LAST_NAME  
FROM HR.EMPLOYEES  
WHERE UPPER(LAST_NAME) = 'JOHN';
```

Screenshot:




Q8)

SQL Query Text:

```
SELECT EMPLOYEE_ID, FIRST_NAME, LAST_NAME, SALARY  
FROM HR.EMPLOYEES  
WHERE SALARY = 50000;
```

Screenshot:



The screenshot shows a window titled "Query Result" with a close button. Below the title bar is a toolbar with icons for a pin, print, refresh, and delete, followed by the text "SQL | All Rows Fetched: 0 in 0.003 seconds". The main area of the window displays a table with four columns: "EMPLOYEE...", "FIRST_NA...", "LAST_NAME", and "SALARY". Each column header has a double-headed arrow icon to its left. The table body is currently empty.

EMPLOYEE...	FIRST_NA...	LAST_NAME	SALARY
-------------	-------------	-----------	--------