


MEDIA QUERY BREAKPOINTS


How to check web-page is mobile friendly or not?

<https://search.google.com/test/mobile-friendly>

copy the web-page URL and paste it in above site then test and view results.



Ways to Make your website perfect on mobile & pc



2. Make a Separate Mobile Site



Brought to you by
London App Brewery



3. Make it Responsive!



HTML:

`<h1>Hello World!</h1>`

CSS:


```
@media print{
```

```
h1{
```

```
  color:red;
```

```
}
```


```
}
```



Hello World!



But when I print this it shows h1 color: red as shown below.




Media Query

@media <type> <feature>



@media

The `@media` [CSS at-rule](#) can be used to apply part of a style sheet based on the result of one or more [media queries](#). With it, you specify a media query and a block of CSS to apply to the document if and only if the media query matches the device on which the content is being used.



```
@media print{
```

```
  h1{
    color:red;
  }
}
```

```
@media (max-width:900px){
/* If the width is 900px or less then change the h1 color */
h1{
  color:red;
}
```

```
}
```

```
}
```

```
h1{
```

```
    font-size:30px; //when width is greater than 900px
```

```
}
```

```
@media (max-width:900px){
```

```
h1{
```

```
    font-size:60px; //when width is equal to 900px
```

```
}
```

```
}
```

```
h1{
```

```
    font-size:30px;
```

```
}
```

```
@media (min-width:900px) and (max-width:1000px){
```

```
    /* 2 conditions (Nested Condition) when width range is 900px to 1000px */
```

```
h1{
```

```
    font-size:60px;
```

```
}
```

```
}
```

Code:

Index8.html:

```
<!DOCTYPE html>

<html lang="en" dir="ltr">

<head>

  <meta charset="utf-8">

  <title>TinDog</title>

  <!-- Google Fonts -->

  <link rel="stylesheet"
href="http://fonts.googleapis.com/css?family=Montserrat|Ubuntu">

  <!-- Add Bootstrap Here-->

  <!-- Stylesheet -->

  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JX
m" crossorigin="anonymous">

  <link rel="stylesheet" href="css/styles7.css">

  <!--Add style sheet-->

  <!-- Font Awesome -->

  <script defer src="http://use.fontawesome.com/releases/v5.0.7/js/all.js"></script>

  <!--Add awesome fonts and icons like button icons-->

  <!-- Link JavaScript of Bootstrap -->

  <!-- Bootstrap Scripts -->
```

```
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>
```

```
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js" integrity="sha384-ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q" crossorigin="anonymous"></script>
```

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js" integrity="sha384-JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl" crossorigin="anonymous"></script>
```

```
</head>
```

```
<body>
```

```
<!-- section 1 -->
```

```
<section id="title">
```

```
<div class="container-fluid">
```

```
<!-- Nav Bar -->
```

```
<nav class="navbar navbar-expand-lg navbar-dark ">
```

```
<!-- Make transparent Header so remove bg-dark -->
```

```
<a class="navbar-brand" href="">tindog</a>
```

```
<button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarTogglerDemo02" aria-controls="navbarTogglerDemo02" aria-expanded="false" aria-label="Toggle navigation">
```

```
<span class="navbar-toggler-icon"></span>
```

```
</button>
```

```
<div class="collapse navbar-collapse" id="navbarTogglerDemo02">
```



```
<ul class="navbar-nav ml-auto">
  <li class="nav-item">
    <a class="nav-link" href="">Contact</a>
  </li>
  <li class="nav-item">
    <a class="nav-link" href="">Pricing</a>
  </li>
  <li class="nav-item">
    <a class="nav-link" href="">Download</a>
  </li>
</ul>
</div>
</nav>
```

```
<!-- title -->
```

```
<div class="row">
  <!-- Now take a row and divide it into 2 columns of large 6 units -->
  <div class="col-lg-6">
    <!-- First column contains heading and buttons -->
    <h1>Meet new and interesting dogs nearby.</h1>
    <button type="button" class="btn btn-dark btn-lg download-button"><i
class="fab fa-apple"></i> Download</button>
    <button type="button" class="btn btn-outline-light btn-lg download-
button"><i class="fab fa-google-play"></i> Download</button>
  </div>
  <div class="col-lg-6">
    <!-- @nd column contains image -->
```

```
 <!--
Or simply link is images\iphone6.png -->
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!-- Next Section starts here section 2 -->
```

```
<!-- Features -->
```

```
<section id="features">
```

```
<div class="row">
```

```
<div class="feature-box col-lg-4">
```

```
<i class="icon fas fa-check-circle fa-4x"></i> <!-- check circle icon 4x is size -->
```

```
<h3>Easy to use.</h3>
```

```
<p>So easy to use, even your dog could do it.</p>
```

```
</div>
```

```
<div class="feature-box col-lg-4">
```

```
<i class="icon fas fa-bullseye fa-4x"></i> <!-- bullseye icon -->
```

```
<h3>Elite Clientele</h3>
```

```
<p>We have all the dogs, the greatest dogs.</p>
```

```
</div>
```

```
<div class="feature-box col-lg-4">
```

```
<i class="icon fas fa-heart fa-4x"></i> <!-- heart icon -->
```

<h3>Guranteed to work.</h3>

<p>Find the love of your dog's life or your money back</p>

</div>

</div>

</section>

<!-- Next Section starts here section 3 -->

<!-- Testimonials -->

<section id="testimonials">

<div id="testimonial-carousel" class="carousel slide" data-ride="false">

<div class="carousel-inner">

<div class="carousel-item active">

<h2>I no longer have to sniff other dogs for love. I've found the hottest Corgi on TinDog. Woof.</h2>

Pebbles, New York

</div>

<div class="carousel-item">

<h2 class="testimonial-text">My dog used to be so lonely, but with TinDog's help, they've found the love of their life.

I think.</h2>

Beverly, Illinois

</div>

```
</div>

<a class="carousel-control-prev" href="#testimonial-carousel" role="button"
data-slide="prev">

    <span class="carousel-control-prev-icon"></span>

</a>

<a class="carousel-control-next" href="#testimonial-carousel" role="button"
data-slide="next">

    <span class="carousel-control-next-icon"></span>

</a>

</div>
```

```
</section>
```

```
<!-- Next Section starts here section 4 -->
```

```
<!-- Press -->
```

```
<section id="press">
```

```
    
```

```
    
```

```
    
```

```
    
```

```
</section>
```

```
<!-- Next Section starts here section 5 -->
```

```
<!-- Pricing -->
```

```
<section id="pricing">
```

```
    <h2>A Plan for Every Dog's Needs</h2>
```

```
    <p>Simple and affordable plan for you and your dog.</p>
```

```
<!--<div class="card-deck"> This class is used to place cards horizontally -->
<div class="row">
```

```
<div class="pricing-column col-lg-4 ">
```

```
  <div class="card "> <!-- col-md-6 when this site is opened in mobile or tab it will
change site cards layout -->
```

```
    <div class="card-header">
```

```
      <h3>Chihuahua</h3>
```

```
    </div>
```

```
    <div class="card-body">
```

```
      <h2>Free</h2>
```

```
      <p>5 Matches Per Day</p>
```

```
      <p>10 Messages Per DAy</p>
```

```
      <p>Unlimited App Usage</p>
```

```
      <button class=" btn-lg btn-block btn-outline-dark" type="button">Sign
Up</button>
```

```
    </div>
```

```
  </div>
```

```
</div>
```

```
<div class="pricing-column col-lg-4 ">
```

```
  <div class="card">
```

```
    <div class="card-header">
```

```
      <h3>Labrador</h3>
```

```
    </div>
```

```
<div class="card-body">
  <h2>$49 / mo</h2>
  <p>Unlimited Matches</p>
  <p>Unlimited Messages</p>
  <p>Unlimited App Usage</p>
  <button class=" btn-lg btn-block btn-dark" type="button">Sign Up</button>
</div>
</div>
</div>
```

```
<div class="pricing-column col-lg-4 ">
  <div class="card">
    <div class="card-header">
      <h3>Mastiff</h3>
    </div>

    <div class="card-body">
      <h2>$99 / mo</h2>
      <p>Priority Listing</p>
      <p>Unlimited Matches</p>
      <p>Unlimited Messages</p>
      <p>Unlimited App Usage</p>
      <button class=" btn-lg btn-block btn-dark" type="button">Sign Up</button>
    </div>
  </div>
</div>
<!--</div> -->
```

```
</div>

</section>

<!-- Next Section starts here section 6 -->
<!-- Call To Action -->
<section id="cta">
  <h3>Find the True Love of Your Dog's Life Today.</h3>
  <button type="button">Download</button>
  <button type="button">Download</button>

</section>

<!-- Next Section starts here section 7 -->
<!-- Footer -->
<section id="footer">
  <p>© Copyright TinDog</p>

</section>

</body>

</html>
```

Styles7.css:

```
/****** TAG SSELECTORS *****/
/* These are global tags because they change the whole body */
h1{
```

```
font-family: "Montserrat-Black";
font-size: 3.5rem;
line-height: 1.5;
font-weight: bold;
}
h2{
font-family: "Montserrat-Bold";
font-size: 3rem;
line-height: 1.5;
font-weight: bold;
}
h3{
font-family: "Montserrat-Bold";
}
p{
color: #8f8f8f;
}
body{
font-family: "Montserrat";
}
```

```
/****** CLASS SSELECTORS *****/
.container-fluid{
padding: 3% 15% 7%;
}
```



```
/* Navigatioon Bar */
.navbar{
    padding: 0 0 4.5rem; /* 0 on top 0 on left and right and 4.5rem on bottom */
}

.navbar-brand{
    font-family: "Ubuntu"; /* tindog t style changes */
    font-size: 2.5rem;
    font-weight: bold;
}

.nav-item{
    padding: 0 18px;
}

.nav-link{
    font-size: 1.2rem;
    font-family: "Montserrat-Light";
}


/* Download Buttons */
.download-button{
    margin: 5% 3% 5% 0; /* top=5%, right=3%, bottom=5%, left=0 */
}

/* Title Image */
.title-image{
    width: 60%;
    transform: rotate(25deg); /* Rotate image to style */
    right: 30%; /* or margin-right: 30%; */
    position: absolute;
```

```
/* z-index: -1; */  
}
```

```
.feature-box{  
  text-align: center;  
  padding: 4.5%;  
}
```

```
.icon{  
  color: #ef8172;  
  margin-bottom: 1rem;  
}
```

```
.icon:hover{  
  color: #ff4c68;  
}
```

```
/* Testimonial Section */
```

```
.testimonial-image{  
  width: 10%;  
  border-radius: 100%;  
  margin: 20px;  
}
```

```
/* Press Section */
```

```
.press-logo{  
  width: 15%;
```

```
    margin: 20px 20px 50px;
}

/* Carousel Section */
.carousel-item{
    padding: 7% 50px;
    height: 500px;
}

/* Pricing Section */
.pricing-column{
    padding: 3% 2%;
}

/***** ID SSELECTORS *****/
#title{
    background-color: #ff4c68;
    color:#fff; /* white = #fff */
}

/* Features Section */
#features{
    padding: 7% 15%;
    background-color: #fff; /*white*/
    position: relative; /* This position is to move image z index */
    /* z-index: 1; // This part hides some part of image behind features section */ /*
    Postion is moved as required. See flow chart to learn this. */
}
```

```
/* Testimonial Section */
```

```
#testimonials{  
    padding: 7% 15%;  
    text-align: center;  
    background-color: #ef8172;  
    color: #fff;  
}
```

```
/* Press Section */
```

```
#press{  
    background-color: #ef8172;  
    text-align: center;  
    padding-bottom: 3%;  
  
}
```

```
/* Pricing Section */
```

```
#pricing{  
    padding: 100px;  
    text-align: center;  
}
```

```
/* Media Query Breakpoints */
```

```
@media (max-width:1028px) { /* If width is less or equal to 1028px then this  
property holds */
```

```
    #title{  
        text-align: center;  
    }
```

```
.title-image{
```

```
position: static;
transform: rotate(0);
}
}
```