


Task no 8



Microprocessor Based System Design

Spring 2022

Submitted by

Name Registration no

Muhammad Ali 19pwse1801

Submitted to: Dr Bilal Habib

Data: 27/6/2022

Department of Computer System Engineering

Code: -

```
#include
<reg51.h>
#include <stdio.h>
int wave_sts=0;

void Delay(unsigned int
x) { unsigned int i;
    for(i=0;i<x;i++);
}

void external_interrupt_initialize()
{
    IE=0x81; //external interrupt 0 is enabled
    IT0=1; // Select Ext. interrupt0 on falling edge }

void ext(void) interrupt 0 //ISR for external interrupt 0;
{
    wave_sts++;
    if(wave_sts==4)
    {
        wave_sts=0;
    }
}

void main(void)
{
    external_interrupt_initialize();
    while(1)
    {
```

```

        if(wave_sts==0)        {
//sine wave
        unsigned int

        sine[]={128,156,192,226,238,255,238,226,192,128,64,32,6,4,0,16,32,64};        int

        i;

for(i=0;i<18;i++)
{
        P1=sine[i];
        Delay(400);
}
}
else if(wave_sts==1) //saw tooth
{
        P1=0;    P1 =
0xFF;    while(P1
!= 0x00)
{
        P1--;
        Delay(40);        //Delay
}
}

else if(wave_sts==2) //Square Wave
{
        P1 = 0x00;
        P1 = 0xFF;
        Delay(4400);        //Delay
        P1 = 0x00;
        Delay(4400);        //Delay
}

else        //triangular wave

```

```

{
    P1 = 0x00;
    while(P1 != 0xFF) {
        P1++;
        Delay(45); //Delay
    }


    while(P1 != 0x00)
    {
        P1--;
        Delay(45); //Delay
    }

}

}



```

Schematic:




Output:

Sine Wave:



Square Wave:



Triangular Wave:

