

TABLE OF CONTENTS

Selectors	3
Attributes / CSS	5
Manipulation	6
Traversing	7
Events	8
Effects	10
AJAX	11
Core	12

SELECTORS

Basics

*

.class

element

#id

selector1, selectorN, ...

Heirarchy

parent > child

ancestor descendant

prev + next

prev ~ siblings

Basic Filters

:animated

:eq()

:even

:first

:gt()

:header

:lang()

:last

:lt()

:not()

:odd

:root

:target

Content Filters

:contains()

:empty

:has()

:parent

Visibility Filters

:hidden

:visible

Attribute

[name]="value"

[name*]="value"

[name~]="value"

[name\$]="value"

[name]="value"

[name!="value"]

[name^]="value"

[name]

[name="value"] [name2="value2"]

Child Filters

:first-child

:first-of-type

:last-child

:last-of-type

:nth-child()

:nth-last-child()

:nth-last-of-type()

:nth-of-type()

:only-child

:only-of-type()

length

%

border-box | padding-box |
content-box | no-clip

Forms

:button

:checkbox

:checked

:disabled

:enabled

:focus

:file

:image

:input

:password

:radio

:reset

:selected

:submit

:text

ATTRIBUTES / CSS

Attributes

`.attr()`

`.prop()`

`.removeAttr()`

`.removeProp()`

`.val()`

CSS

`.addClass()`

`.css()`

`jQuery.cssHooks`

`jQuery.cssNumber`

`jQuery.escapeSelector()`

`.hasClass()`

`.removeClass()`

`.toggleClass()`

Dimensions

`.height()`

`.innerHeight()`

`.innerWidth()`

`.outerHeight()`

`.outerWidth()`

`.width()`

Offset

`.offset()`

`.offsetParent()`

`.position()`

`.scrollLeft()`

`.scrollTop()`

Data

`jQuery.data()`

`.data()`

`jQuery.hasData()`

`jQuery.removeData()`

`.removeData()`

MANIPULATION

Copying

`.clone()`

DOM Insertion, Around

`.wrap()`

`.wrapAll()`

`.wrapInner()`

DOM Insertion, Inside

`.append()`

`.appendTo()`

`.html()`

`.prepend()`

`.prependTo()`

`.text()`

DOM Insertion, Outside

`.after()`

`.before()`

`.insertAfter()`

`.insertBefore()`

DOM Removal

`.detach()`

`.empty()`

`.remove()`

`.unwrap()`

DOM Replacement

`.replaceAll()`

`.replaceWith()`

TRAVERSING

Filtering

`.eq()`

`.filter()`

`.first()`

`.has()`

`.is()`

`.last()`

`.map()`

`.not()`

`.slice()`

Miscellaneous Traversing

`.add()`

`.addBack()`

`.andSelf()`

`.contents()`

`.each()`

`.end()`

Tree Traversal

`.children()`

`.closest()`

`.find()`

`.next()`

`.nextAll()`

`.nextUntil()`

`.parent()`

`.parents()`

`.parentsUntil()`

`.prev()`

`.prevAll()`

`.prevUntil()`

`.siblings()`

EVENTS

Browser Events

`.error()`
.....
`.resize()`
.....
`.scroll()`
.....

Document Loading

`.load()`
.....
`.ready()`
.....
`.unload()`
.....

Event Handler Attachment

`.bind()`
.....
`.delegate()`
.....
`.die()`
.....
`.live()`
.....
`.off()`
.....
`.on()`
.....
`.one()`
.....
`.trigger()`
.....
`.triggerHandler()`
.....
`.unbind()`
.....
`.undelegate()`
.....

Form Events

`.blur()`
.....
`.change()`
.....

`.focus()`
.....
`.focusin()`
.....
`.focusout()`
.....
`.select()`
.....
`.submit()`
.....

Keyboard Events

`.keydown()`
.....
`.keypress()`
.....
`.keyup()`
.....

Mouse Events

`.click()`
.....
`.contextMenu()`
.....
`.dblclick()`
.....
`.hover()`
.....
`.mousedown()`
.....
`.mouseenter()`
.....
`.mouseleave()`
.....
`.mousemove()`
.....
`.mouseout()`
.....
`.mouseover()`
.....
`.mouseup()`
.....
`.toggle()`
.....

Event Object

`event.currentTarget`
.....
`event.delegateTarget`
.....

```
event.data
.....
event.isDefaultPrevented()
.....
event.isImmediatePropagationStopped()
.....
event.isPropagationStopped()
.....
event.metaKey
.....
event.namespace
.....
event.pageX
.....
event.pageY
.....
event.preventDefault()
.....
event.relatedTarget
.....
event.result
.....
event.stopImmediatePropagation()
.....
event.stopPropagation()
.....
event.target
.....
event.timeStamp
.....
event.type
.....
event.which
.....
```


EFFECTS

Basics

`.hide()`

`.show()`

`.toggle()`

Custom

`.animate()`

`.clearQueue()`

`.delay()`

`.dequeue()`

`jQuery.dequeue()`

`.finish()`

`jQuery.fx.interval`

`jQuery.fx.off`

`jQuery.speed`

`.queue()`

`jQuery.queue()`

`.stop()`

Fading

`.fadeIn()`

`.fadeOut()`

`.fadeTo()`

`.fadeToggle()`

Sliding

`.slideDown()`

`.slideToggle()`

`.slideUp()`

AJAX

Global Ajax Event Handlers

`.ajaxComplete()`

`.ajaxError()`

`.ajaxSend()`

`.ajaxStart()`

`.ajaxStop()`

`.ajaxSuccess()`

Helper Functions

`jQuery.param()`

`.serialize()`

`.serializeArray()`

Low-Level Interface

`jQuery.ajax()`

`jQuery.prefilter()`

`jQuery.ajaxSetup()`

`jQuery.ajaxTransport()`

Shorthand Methods

`jQuery.get()`

`jQuerygetJSON()`

`jQuery.getScript()`

`jQuery.post()`

`.load()`

CORE

jQuery Object

`jQuery()`

`jQuery.noConflict()`

`jQuery.sub()`

`jQuery.holdReady()`

`jQuery.when()`

Deferred Object

`jQuery.Deferred()`

`deferred.always()`

`deferred.done()`

`deferred.fail()`

`deferred.isRejected()`

`deferred.isResolved()`

`deferred.notify()`

`deferred.notifyWith()`

`deferred.pipe()`

`deferred.progress()`

`deferred.promise()`

`deferred.reject()`

`deferred.rejectWith()`

`deferred.resolve()`

`deferred.resolveWith()`

`deferred.state()`

`deferred.then()`

`.promise()`

Utilities

`jQuery.boxModel`

`jQuery.browser`

`jQuery.contains()`

`jQuery.each()`

`jQuery.extend()`

`jQuery.globalEval()`

`jQuery.grep()`

`jQuery.inArray()`

`jQuery.isArray()`

`jQuery.isEmptyObject()`

`jQuery.isFunction()`

`jQuery.isNumeric()`

`jQuery.isPlainObject()`

`jQuery.isWindow()`

`jQuery.isXMLDoc()`

`jQuery.makeArray()`

`jQuery.map()`

`jQuery.merge()`

`jQuery.noop()`

`jQuery.now()`

`jQuery.parseHTML()`

`jQuery.parseJSON()`

`jQuery.parseXML()`

`jQuery.proxy()`

jQuery.support

jQuery.trim()

jQuery.type()

jQuery.unique()

jQuery.uniqueSort()

callbacks.fireWith()

callbacks.has()

callbacks.lock()

callbacks.locked()

callbacks.remove()

DOM Element Methods

.get()

.index()

.size()

.toArray()

Internals

.jquery

.context

jQuery.error()

.length

.pushStack()

.selector

Callbacks Object

jQuery.Callbacks()

callbacks.add()

callbacks.disable()

callbacks.disabled()

callbacks.empty()

callbacks.fire()

callbacks.fired()