

Data modeling and table properties

DATA MODELING IN POWER BI




Maarten Van den Broeck

Content Developer at DataCamp


What is a data model?

- Conceptual view of data elements
- Typically a visual representation
- Data models include:
 - Tables
 - Columns
 - Relationships between tables
 - Data types
 - Keys




Data modeling

- The process of creating a data model
- Why model data?
 - Data \neq perfect
 - Reshape data for analysis
 - Compress data usage
 - Easier to understand model



Data modeling in Power BI & Power Query

- Power Query is the data preparation tool of different Microsoft products, including Power BI
- Main goals:
 - Manage queries
 - Data modeling
- Data modeling: 80% in Power Query, 20% in Power BI



The screenshot displays the Power Query Editor interface. The 'Transform' tab is active, showing various data transformation options. The 'Queries' pane on the left lists several queries, with 'Establishments by Age' selected. The main area shows a data table with columns for 'Number of establishments born during the last 12 months' and 'Rate of establishments born during the last 12 months'. The formula bar at the top shows the M code: `= Table.Combine({#"BDSTIMESERIES BDSEAGE_1978", #"BDSTIMESERIES BDS`

	1.2.3	Number of establishments born during the last 12 months	1.2 Rate of establishments born during the last 12 months
1	695911	34851	
2	264853	31122	
3	701616	0	
4	0	0	
5	0	0	
6	0	0	
7	0	0	
8	0	0	
9	0	0	
10	0	0	
11	0	0	
12	0	0	
13	729442	3729	

Columns and row management

Operation








- Keep or remove specific columns
- Keep or remove specific rows
- Split a single column in multiple columns
- Summarize/group rows in a table by the contents of a column

Example

- Remove empty column
- Keep top row as header
- DD/MM/YYYY column split in DD, MM, YYYY columns
- Sum or median of all rows

Data types

- Choosing the right data type is essential:
 - Constrain data to a specific shape
 - Optimize storage
 - Enable specific functionality
- Power Query infers data type on first few hundred rows

1.2	Decimal Number
\$	Fixed decimal number
1 ² ₃	Whole Number
%	Percentage
	Date/Time
	Date
	Time
	Date/Time/Timezone
	Duration
A ^B _C	Text
	True/False
	Binary
Using Locale...	

Rounding

Power Query

- Actually *changes* the data, not just formatting
- Typically not the right answer


Round

Specify how many decimal places to round to.

Decimal Places

Power BI

- Changes how the data *appears*, not how it's stored
- Generally a better answer than rounding in Power Query



The dataset

- United States Census Bureau survey data of manufacturers
- Summary statistics for manufacturing firms
- North American Industry Classification System (NAICS)

<div>United States[™] Census Bureau</div>		Q ASMAREA2017.AM1831BASIC01				
ALL <u>TABLES</u> MAPS PAGES		Annual Survey of Manufactures: Summary Statistics for Industry Groups and Industries in the U.S.: 2019 and 2018 Survey/Program: Annual Economic Surveys Dataset: ASMAREA2017 TableID: AM1831BASIC01				
1 Results FILTER DOWNLOAD						
Annual Survey of Manufactures: Summary Statistics for Industry Groups and Industries in the U.S.: 2019 and 2018 Survey/Program: Annual Economic Surveys Table: AM1831BASIC01						
		Geographic Area Name	2017 NAICS code	Meaning of NAICS code	Year	Sales, value of shipments, ...
		United States	31-33	Manufacturing	2018	5,890,662,939
		United States	31-33	Manufacturing	2019	5,731,187,355
		United States	311	Food manufacturing	2018	784,628,928
		United States	311	Food manufacturing	2019	794,130,354
		United States	3111	Animal food manufacturing	2018	57,501,604

Let's practice!
DATA MODELING IN POWER BI

Load and transform data

DATA MODELING IN POWER BI



Maarten Van den Broeck

Content Developer at DataCamp

Let's practice!
DATA MODELING IN POWER BI