


Nama : Muhammad Dzaki Fakhrezi

SS Postman

1. Insert Buku



2. Update Buku Berdasarkan Kode

The screenshot displays the Postman interface for a REST client. The left sidebar shows a collection named 'Tugas 5 PWEB' with a sub-collection 'UPDATE BUKU DENGAN KODE'. The main panel shows a POST request to the endpoint `http://localhost/bukuship/updatebukuwithkode.php`. The request body is a JSON object with the following data:

Key	Value
id	1
kode	EJ
kode_kategori	QDE-156
judul	Effective Java
pengarang	Joshua Bloch
penerbit	Pearson India
tahun	206
tanggal_input	2017-08-11
harga	195.000
file_cover	

The response body is a JSON object indicating success:

```
1 {
2   "status": "success",
3   "message": "Data buku berhasil diperbarui"
4 }
```

The status bar at the bottom indicates a successful response with status 200 OK, time 221 ms, and size 317 B.

3. Delete Buku Berdasarkan Kode

The screenshot shows the Postman interface with a workspace named 'Tugas 5 PWEB'. The selected collection is 'Tugas 5 PWEB', and the selected environment is 'api'. The active request is a POST request to 'http://localhost/bukuhp/deletebukuwithkode.php'. The request body is set to 'x-www-form-urlencoded' and contains a single key-value pair: 'kode' with the value 'BL'. The response status is 200 OK, and the response body is a JSON object:

```
{  "status": "success",  "message": "Data buku berhasil dihapus"}
```

4. Select Semua data Buku

The screenshot shows the Postman interface with a workspace named 'Tugas 5 PWEB'. The selected collection is 'Tugas 5 PWEB', and the selected environment is 'api'. The active request is a GET request to 'http://localhost/bukuhp/selectbuku.php'. The response status is 200 OK, and the response body is a JSON array of book objects. The first two objects are:

```
{  "id": 42,  "kode": "DP",  "kode_kategori": "BDI-190",  "judul": "One Piece",  "pengarang": "Eiichiro Oda",  "penerbit": "Shueisha",  "tahun": 1999,  "tanggal_input": "2014-03-09",  "harga": "150.000",  "file_cover": null}, {  "id": 44,  "kode": "DP",  "kode_kategori": "BDI-190",  "judul": "Into The Wild",  "pengarang": "Jon Krakauer",  "penerbit": "Garis",  "tahun": 2000,  "tanggal_input": "2014-07-08",  "harga": "130.000",  "file_cover": null}
```

5. Select Buku Berdasarkan Kode

The screenshot shows the Postman interface with a GET request to `http://localhost/bukuhp/selectbukuwithkode.php?kode=10`. The request is part of a collection named "Tugas 5 PWEB". The response is a JSON object with a status of "success" and a data array containing book details.

Query Params

Key	Value	Description
<input checked="" type="checkbox"/> kode	10	
	Value	Description

Body

```
1 {
2   "status": "success",
3   "data": [
4     {
5       "id": 64,
6       "kode": "10",
7       "kode_kategori": "MNO-153",
8       "judul": "Into The Wild ",
9       "pengarang": "Jon Krakauer",
10      "penyanyi": "Gunita",
11      "tahun": 2008,
12      "tanggal_input": "2016-07-06",
13      "harga": "135.000",
14      "file_cover": null
15    }
16  ]
17 }
```

6. Insert Kategori

The screenshot shows the Postman interface with a POST request to `http://localhost/bukuhp/insertkategori.php`. The request is part of a collection named "Tugas 5 PWEB". The request body is in x-www-form-urlencoded format. The response is a JSON object with a status of "success" and a message.

Body

Key	Value	Description
<input checked="" type="checkbox"/> id	28	
<input checked="" type="checkbox"/> kode	AMN-132	
<input checked="" type="checkbox"/> kategori	Makanan	
	Value	Description

Body

```
1 {
2   "status": "success",
3   "message": "Data kategori berhasil ditambahkan"
4 }
```

7. Update Kategori Berdasarkan Kode

The screenshot shows the Postman interface with a workspace named 'Tugas 5 PWEB'. The selected collection is '1', and the environment is 'APPMOB'. The request is a POST to 'http://localhost/bukuphp/updatekategoriwithkode.php'. The body is a form-data containing three fields: 'id' with value '25', 'kode' with value 'QDE-156', and 'kategori' with value 'Teknologi Informasi'. The response status is 200 OK, and the body is a JSON object: {"status": "success", "message": "Data kategori berhasil diperbarui"}.

Key	Value	Description
<input checked="" type="checkbox"/> id	25	
<input checked="" type="checkbox"/> kode	QDE-156	
<input checked="" type="checkbox"/> kategori	Teknologi Informasi	

```
1 {
2   "status": "success",
3   "message": "Data kategori berhasil diperbarui"
4 }
```

8. Delete Kategori Berdasarkan Kode

The screenshot shows the Postman interface with a workspace named 'Tugas 5 PWEB'. The selected collection is '1', and the environment is 'APPMOB'. The request is a POST to 'http://localhost/bukuphp/deletetategoriwithkode.php'. The body is a form-data containing one field: 'kode' with value 'BRT-111'. The response status is 200 OK, and the body is a JSON object: {"status": "success", "message": "Data kategori berhasil dihapus"}.

Key	Value	Description
<input checked="" type="checkbox"/> kode	BRT-111	

```
1 {
2   "status": "success",
3   "message": "Data kategori berhasil dihapus"
4 }
```

9. Select Semua Kategori

The screenshot shows a Postman interface with a GET request to `http://localhost/bukuhp/selectkategori.php`. The response is a JSON array of 5 category objects. The status is 200 OK, time is 42 ms, and size is 132 KB.

```
1 {
2   {
3     "id": 17,
4     "kode": "BKU-100",
5     "kategori": "Klasik"
6   },
7   {
8     "id": 18,
9     "kode": "BKU-102",
10    "kategori": "Romantis"
11  },
12  {
13    "id": 19,
14    "kode": "BKU-103",
15    "kategori": "Petualang"
16  },
17  {
18    "id": 20,
19    "kode": "BKU-122",
20    "kategori": "Fantasi"
21  },
22  {
23    "id": 23,
24    "kode": "GLE-203",
25    "kategori": "Aksi"
26  },
27  {
28    "id": 24,
29    "kode": "GLE-114",
30    "kategori": "Muzee"
31  },
32  {
33    "id": 25,
```

10. Select Kategori Berdasarkan Kode

The screenshot shows a Postman interface with a GET request to `http://localhost/bukuhp/selectkategoriwithkode.php?kode=BKU-102`. The response is a JSON object with status "success" and category data. The status is 200 OK, time is 32 ms, and size is 331 B.

```
1 {
2   "status": "success",
3   "data": {
4     "id": 18,
5     "kode": "BKU-102",
6     "kategori": "Romantis"
7   }
8 }
```