


Nama : Muhammad Dzaki Fakhrezi

## SS Postman

### 1. Insert Anggota



## 2. Update Anggota Berdasarkan Nomor

The screenshot displays the Postman interface with a workspace named 'Tugas 5 PWEB'. The selected collection is 'UPDATE ANGGOTA DENGAN NOMOR'. The request is a POST to `http://localhost/bukuphp/updateanggotawithnomor.php` using the 'x-www-form-urlencoded' body type. The body contains the following data:

Key	Value	Description
<input checked="" type="checkbox"/> id	56	
<input checked="" type="checkbox"/> nomor	23	
<input checked="" type="checkbox"/> nama	Fakhrest	
<input checked="" type="checkbox"/> jenis_kelamin	laki-laki	
<input checked="" type="checkbox"/> alamat	almolek	
<input checked="" type="checkbox"/> no_hp	0890923427	
<input checked="" type="checkbox"/> tanggal_terdftar	2019-03-04	

The response status is 200 OK, with a time of 43 ms and a size of 320 B. The response body is:

```
1 {
2   "status": "success",
3   "message": "Data anggota berhasil diperbarui"
4 }
```

The bottom of the image shows the Windows taskbar with the date 26/06/2023 and time 21:25.

### 3. Delete Anggota Berdasarkan Nomor

The screenshot displays the Postman interface with a workspace named 'Tugas 5 PWEB'. The selected collection is 'Tugas 5 PWEB', and the specific request is 'DELETE ANGGOTA DENGAN NOMOR'. The request is a POST method to the URL 'http://localhost/bukuphp/deleteanggotawithnomor.php'. The 'Body' tab is active, showing a single parameter 'nomor' with a value of '912' using the 'x-www-form-urlencoded' format. The response status is '200 OK' with a time of '53 ms' and a size of '317 B'. The response body is displayed in the 'Body' tab, showing a JSON object: 


```
{  "status": "success",  "message": "Data anggota berhasil dihapus"}
```

Key	Value	Description
nomor	912	

Key	Value	Description
-----	-------	-------------

```
1 {
2   "status": "success",
3   "message": "Data anggota berhasil dihapus"
4 }
```


#### 4. Select Semua data Anggota



The screenshot shows a Postman interface with a GET request to `http://localhost/bukuphp/selectanggota.php`. The response is a JSON array of 4 member objects. The status is 200 OK, Time: 109 ms, Size: 1.54 KB.

```
1 {
2   {
3     "id": 11,
4     "nomor": 912,
5     "nama": "Iakilaki",
6     "jenis_kelamin": "laki",
7     "alamat": "airmolek",
8     "no_hp": 8999999,
9     "tanggal_terdftar": "2020-09-07"
10  },
11  {
12    "id": 11,
13    "nomor": 912,
14    "nama": "Iakilaki",
15    "jenis_kelamin": "laki",
16    "alamat": "airmolek",
17    "no_hp": 8999999,
18    "tanggal_terdftar": "2020-09-07"
19  },
20  {
21    "id": 11,
22    "nomor": 912,
23    "nama": "Iakilaki",
24    "jenis_kelamin": "laki",
25    "alamat": "airmolek",
26    "no_hp": 8999999,
27    "tanggal_terdftar": "2020-09-07"
28  },
29  {
30    "id": 40,
31    "nomor": 9120,
32    "nama": "Iakilaki",
```

#### 5. Select Anggota Berdasarkan Nomor



The screenshot shows a Postman interface with a GET request to `http://localhost/bukuphp/selectanggotawithnomor.php?nomor=23`. The response is a JSON object with member details. The status is 200 OK, Time: 38 ms, Size: 422 B.

```
1 {
2   "status": "success",
3   "data": {
4     "id": 66,
5     "nomor": 23,
6     "nama": "laki-laki",
7     "jenis_kelamin": "laki-laki",
8     "alamat": "airmolek",
9     "no_hp": 898923427,
10    "tanggal_terdftar": "2019-03-04"
11  }
12 }
```

