1-Headings

Heading 1

Heading 2

Heading 3

Goes upto 6 hashtags

2-Block of words

This is a normal text

> This is first block of words.
>
> This is second block of words.

3-Line break

By giving 1 line space

1.Python is best for data science.

Java is best for GUI application.

By using \

2.Python is best for data science.
Java is best for GUI application.

4-Combine two things

Block of words and heading

> # Python

5-Face of Text

Bold

Italic

Bold and italic

You can also use these symbols _(Underscore)

Bold

Italic

Bold and italic

6-Bullet points

- Java
- Python
- C++
- C
- R
  - R1
  - R2

> using * or +

- Java
- Python
- C++
- C
- R
  - R1
  - R2
  - Java

- Python
- C++
- C
- R
  - R1
  - R2

> Numbering of list

1. Java
2. Python
3. C++
4. C
5. R
   1. R1
   2. R2

7-Line breaks or Page breaks

> These 3 are used here for same purpose(-,_,*)

This is Page1.

This is Page2.

8-Links and Hyperlinks

https://www.google.com/search?
q=multi+cursor+vscode&rlz=1C1CHBF_enPK976PK976&oq=multi+cu&aqs=chrome.1.69i57j0i512l4j0i10i512l
2j0i512l2j0i457i512.5345j0j7&sourceid=chrome&ie=UTF-8

Muticourser Functionality

To visit Uet Taxila,Click here

9-Images and Figures with link

The logo of uet will look like this uet

Online Picture:

uet taxila

Add code or code block

In pyhton we use print function like this `print("Fazi")`

> This code will show color according to Python

```
a=5
b=67
print(a+b)
```

> This code will show color according to R

```
a=5
b=67
print(a+b)
```

11-adding tables

Name	Reg.No	Department	Session
Faizan	19-cp-56	CPED	19
Noman	17-ce-26	CED	17

11-adding tables

[headings](#)
[block-of-words](#)
[line-break](#)
[combine-two-things](#)
[face-of-text](#)

Install extension

bold

italic