



IARE
INSTITUTE OF
AERONAUTICAL ENGINEERING
(An Autonomous Institute affiliated to JNTUH, Hyderabad)
Dundigal, Hyderabad - 500 043

LABORATORY WORK BOOK

Name of the Student : Mohammed safwan

Class : Btch CSE-'E' Semester : IV


Course Code : AITD05 Course Name : DBMS LAB


Roll Number									
2	3	9	5	1	A	0	6	5	F

Name of the Course Faculty : Dr. N. Laxminarayanan Faculty ID : IARE10033

Exercise Number : 5.6 Week Number : 5.6 Date : 12/05

S. No.	Exercise Number	EXERCISE NAME	MARKS AWARDED						
			Aim/ Preparation	Algorithm / Procedure		Source Code	Program Execution	Viva - Voce	Total
				Performance in the Lab		Calculations and Graphs	Results and Error Analysis		
			4	4		4	4	4	20
1	5.1	not null constraints	4	4	0	4	4	4	20
2	5.2	unique constraints							
3	5.3	default constraints							
4	5.4	check constraints							
5	5.5	Auto increment constraints							
6									
7	6.1	create table student							
8	6.2	inner join	4	4	0	4	4	4	20
9	6.3	left outer join							
10	6.4	right outer join							
11	6.5	cross join							
12									


Signature of the Student


Signature of the Faculty

6. Exercise on join operations and aggregate func

6.1 create table names called 'student' and 'officer' and insert value as shown below

```
> create table officer (officer-id int(2), officer-name
    varchar(7), officer-address varchar(2));
```

```
> create table student (stu-id int(7), stu-name
    varchar(10), course-name varchar(7));
```

```
> insert into student-values (1, 'aryan', 'java');
1 row created
```

6.2 Inner join

```
> select officer.officer-name, officer.officer-address,
    student.course-name
    from officer INNER JOIN student ON
    officers.officers-id = students.student-id;
```

output :

officer_name	officer_address	course_name
ajeet	ma	java
deepu	lucknow	mongoDB

6.3 left outer join

```

select officer, officer-name, officer.officer-address,
student-course-name from officers left join
student in officers.officer-id = student.student-id;

```

output:

officer-name	officer-address	course-name	name
ajit	man	java	aryan
deepu	lucknow	mongoDB	lallu

6.4 Right outer join

```

select officer.officer-name, officer-address, student.course-name,
student-name . from officer right join students on
officer.officer-id

```

output:

officer-name	officer-address	course-name
lahari	max	java
leela	lucknow	mongo db

6-5 cross join

```

select officers.officer-name, officers.officer-address,
student.course-name
from officers cross join students

```

output :

officer-name	officer-address	Course name
ajeet	mar	java
ajeet	mar	hadoop
ajeet	mar	mongodb
deepu	lucknow	java
deepu	lucknow	hadoop
deepu	lucknow	mongodb

22/4/25