LAPORAN PRAKTIKUM
PEMROGRAMAN WEB

Disusun Oleh:

Nama : Muhammad Fikri Gunawan

NIM : 2170231081

Dosen Pembimbing: Avip Kurniawan S.Kom, M.Kom

FAKULTAS TEKNIK

PRODI TEKNIK INFORMATIKA

UNIVERSITAS KRISNADWIPAYANA

2022

PERTEMUAN 1 (HTML)

Latihan 15

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
  </head>
  <body>
    password=<input type="password" name="nama" maxlength="9">
  </body>
</html>
```

- Output

Latihan 16

- Input

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
```

```
<body>
    Jenis Kelamin :
    <br>
    <input type="radio" name="jenis_kelamin" valu="L"> Laki-laki
    <br>
    <input type="radio" name="jenis_kelamin" value="P"> Perempuan
    <br>
</body>
</html>
```

- Output

Jenis Kelamin :
○ Laki-laki
○ Perempuan

Latihan 17

- Input

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body>
    Sebutkan Hobi Anda, boleh lebih dari satu :
    <br>
    <input type="checkbox" name="hobi_1" value="Menonton"> Menonton
```

```html
<br>
<input type="checkbox" name="hobi_2" value="Game"> Bermain Game
<br>
<input type="checkbox" name="hobi_3" value="Shopping"> Belanja
<br>
<input type="checkbox" name="hobi_4" value="Mancing"> Memancing
<br>
<input type="checkbox" name="hobi_5" value="Olahraga"> Olahraga
</body>
</html>
```

- Output

Sebutkan Hobi Anda, boleh lebih dari satu :
☐ Menonton
☐ Bermain Game
☐ Belanja
☐ Memancing
☐ Olahraga

Latihan 18

- Input

```html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
</head>
<body>
  <form>
```

```
<input type="submit" value="Kirim" name="Submit">

<input type="reset" value="Ulangi" name="Reset">

<input type="button" value="Batal" name="Cancel">

<input type="image" name="Gambar" img
src="https://media.istockphoto.com/id/511469914/id/foto/es-kopi-di-atas-meja-
di-kedai-
kopi.jpg?s=612x612&w=0&k=20&c=ch_85AUd9xuTDl5MC7qOCocoirDcG4
XB78ZwBarXWyY=" width="194" height="90">

</form>

</body>

</html>
```

- Output

Latihan 19

- Input

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>Document</title>

</head>

<body>

Deskripsi Diri :

<br>
```

```
<textarea name="deskripsi" cols="45" rows="5" align="center"> Tuliskan
deskripsi singkat tentang Anda.
```



```
</textarea>
```

```
</body>
```

```
</html>
```

- Output

Deskripsi Diri :

Tuliskan deskripsi singkat tentang Anda.

Latihan 20

- Input

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Document</title>
```

```
</head>
```

```
<body>
```

```
<img src="https://media.istockphoto.com/id/1322205575/photo/digitally-
enhanced-shot-of-two-handsome-businessmen-working-in-the-office-
superimposed-over.jpg?b=1&s=170667a&w=0&k=20&c=kDFL-
oAfIfrHQEHhufOBSkz-Brq9xp4kn5M1DCZFXKo=" align="right">
```

```
<br>
```

Silahkan pilih orientasi minal :

```
<br>
```

```html
<select name="Orientasi Minat">

    <option value="dg"> Design Grafis</option>

    <option value="pj"> Programmer Java</option>

    <option value="sa"> Sistem Analis</option>

    <option value="aj"> Ahli Jaringan</option>

    <option value="it"> Trainer IT</option>

    <option value="ds"> Dagelan Saja</option>


</select>
<select name="Orientasi Minat" multiple>

    <option value="dg"> Design Grafis</option>

    <option value="pj"> Programmer Java</option>

    <option value="sa"> Sistem Analis</option>

    <option value="aj"> Ahli Jaringan</option>

    <option value="it"> Trainer IT</option>

    <option value="ds"> Dagelan Saja</option>



</select>
</body>
</html>
```

- Output

TUGAS PERTEMUAN 1 (FORM HTML)

- Input

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Tugas Pertemuan 1</title>
</head>
<body>
<h2>Form HTML</h2>
   <form action="" method="">
    <table>
     <tr>
     <td>Name</td>
     <td>:</td>
     <td><input type="text" name="name"></td>
     </tr>

     <tr>
     <td>Gender</td>
     <td>:</td>
     <td><input type="radio" name="sex" value="Man">Man
        <input type="radio" name="sex" value="Woman">Woman</td>
     </tr>

     <tr>
```

```html
<td>Address</td>
<td>:</td>
<td><input type="text" name="Address"></td>
</tr>

<tr>
<td>Country</td>
<td>:</td>
<td><select name="country">
    <option value="indonesia">Indonesia</option>
    <option value="malaysia">Malaysia</option>
    <option value="filipina">Filipina</option>
    <option value="vietnam">Vietnam</option>
    <option value="Thailand">Thailand</option>
</select></td>
</tr>

<tr>
<td>Email</td>
<td>:</td>
<td><input type="email" name="email" required=""></td>
</tr>

<tr>
<td>Photo</td>
<td>:</td>
<td><input type="text" name="photo">
  <input type="file" name="Photo"></td>
```

```
        </tr>

        <tr>
        <td>Comment</td>
        <td>:</td>
        <td><textarea name="Coment" cols="30" rows="7"></textarea></td>
        </tr>

        <td><input type="submit" name="submit"></td>
    </table>
</body>
</html>
```

- Output

Form HTML

Name : [   ]
Gender : ○ Man ○ Woman
Address : [   ]
Country : [Indonesia ▼]
Email : [   ]
Photo : [   ] [Choose File] No file chosen

Comment : [   ]

[Submit]

PERTEMUAN 2 (HTML CSS)

TUGAS PEMBUATAN WEB PRIBADI

- Input

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>aktivitas</title>


    <!-- font awesome cdn link  -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.4/css/all.min.css">


    <!-- custom css file link  -->
    <link rel="stylesheet" href="CSS/style3.css">


</head>
<body>

<!-- navbar section starts  -->


<nav class="navbar">
```

```html
    <a href="Muhammad Fikri Gunawan.html"> <i class="fas fa-home"></i>
<span>Home</span> </a>

    <a href="pendidikan.html"> <i class="fas fa-user"></i>
<span>Pendidikan</span> </a>

    <a href="jadwalkuliah.html"> <i class="fas fa-briefcase"></i> <span>Jadwal
Kuliah</span> </a>

</nav>


<section class="blogs">


    <h1 class="heading"> <span>Aktivitas</span> Saya </h1>


    <div class="box-container">


        <div class="box">
            <div class="image">
                <img src="image/Organisasi.jpg" alt="">
            </div>
            <div class="content">
                <div class="icons">
                    <a href="#"> <i class="fas fa-calendar"></i></a>
                    <a href="#"> <i class="fas fa-user"></i></a>
                </div>
                <h3>Kegiatan</h3>
                <p>Kuliah, Organisasi</p>
                <a href="#" class="btn"> read more <i class="fas fa-link"></i> </a>
```

```html
            </div>
    </div>


    <div class="box">
        <div class="image">
            <img src="image/Hilingg.jpg" alt="">
        </div>
        <div class="content">
            <div class="icons">
                <a href="#"> <i class="fas fa-calendar"></i></a>
                <a href="#"> <i class="fas fa-user"></i></a>
            </div>
            <h3>Kegiatan</h3>
            <p>Hilingg</p>
            <a href="#" class="btn"> read more <i class="fas fa-link"></i> </a>
        </div>
    </div>


    <div class="box">
        <div class="image">
            <img src="image/Bermain bersama teman.jpg" alt="">
        </div>
        <div class="content">
            <div class="icons">
                <a href="#"> <i class="fas fa-calendar"></i></a>
                <a href="#"> <i class="fas fa-user"></i></a>
```

```
            </div>
            <h3>Kegiatan</h3>
            <p>Bermain bersama teman</p>
            <a href="#" class="btn"> read more <i class="fas fa-link"></i> </a>
        </div>
    </div>


    </div>


</section>


<!-- blogs section ends -->


</body>
</html>
```

- Jadwal Kuliah.HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Jadwal Kuliah</title>
```

```html
    <!-- font awesome cdn link  -->
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.4/css/all.min.css">



    <!-- custom css file link  -->
    <link rel="stylesheet" href="CSS/style3.css">



</head>
<body>


<!-- navbar section starts  -->



<nav class="navbar">
   <a href="home.html"> <i class="fas fa-home"></i> <span>home</span>
</a>
   <a href="pendidikan.html"> <i class="fas fa-user"></i>
<span>Pendidikan</span> </a>
   <a href="jadwal kuliah.html"> <i class="fas fa-briefcase"></i>
<span>Jadwal Kuliah</span> </a>
   <a href="aktivitas.html"> <i class="fas fa-blog"></i>
<span>Aktivitas</span> </a>
</nav>


<!-- navbar section ends -->
```

```html
<!-- portfolio section starts  -->

<section class="portfolio">

    <h1 class="heading"> <span>Jadwal</span> Kuliah </h1>

    <div class="box-container">

        <div class="box">
            <img src="images/Hari.jpg" alt="">
            <div class="content">
                <h3>Selasa</h3>
                <p>Teori Graf & Otomota (08.00-10.00) Ruangan 312 & Model Bisnis Digital (15.00-16.30) Ruangan 308 </p>
                <a href="#">read more</a>
            </div>
        </div>

        <div class="box">
            <img src="images/Hari.jpg" alt="">
            <div class="content">
                <h3>Rabu</h3>
                <p>Komputasi Cerdas (08.00-10.00) Ruangan 308 & Statistik Probabilitas (15.00-16.30) Ruangan 308.</p>
                <a href="#">read more</a>
```

```html
        </div>
    </div>


    <div class="box">
        <img src="images/Hari.jpg" alt="">
        <div class="content">
            <h3>Kamis</h3>
            <p>Pemrograman Web (10.00-12.30) Ruangan 409 & Basis Data
Lanjutan (15.00-17.30) Ruangan 309</p>
            <a href="#">read more</a>
        </div>
    </div>


    <div class="box">
        <img src="images/Hari.jpg" alt="">
        <div class="content">
            <h3>Jumat</h3>
            <p>Bahasa Ingrris 2 (13.00-14.40) Ruangan 203 & Grafika Komputer
(15.00-17.00) Ruangan 312</p>
            <a href="#">read more</a>
        </div>
    </div>


    <div class="box">
        <img src="images/Hari.jpg" alt="">
        <div class="content">
            <h3>Sabtu</h3>
```

```html
        <p>Kosong</p>
        <a href="#">read more</a>
      </div>
    </div>


    <div class="box">
      <img src="images/Hari.jpg" alt="">
      <div class="content">
        <h3>Minggu</h3>
        <p>Libur</p>
        <a href="#">read more</a>
      </div>
    </div>


  </div>


  <a href="#" class="btn"> load more <i class="fas fa-redo"></i> </a>

</section>


<!-- portfolio section ends -->


</body>
</html>
```

- Pendidikan.HTML

```html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Pendidikan</title>


  <!-- font awesome cdn link  -->
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.4/css/all.min.css">


  <!-- custom css file link  -->
  <link rel="stylesheet" href="CSS/style5.css">


</head>
<body>

<!-- navbar section starts  -->


<nav class="navbar">
  <a href="Muhammad Fikri Gunawan.html"> <i class="fas fa-home"></i> <span>Home</span> </a>
```

```html
    <a href="pendidikan.html"> <i class="fas fa-user"></i>
<span>Pendidikan</span> </a>

    <a href="jadwalkuliah.html"> <i class="fas fa-briefcase"></i> <span>Jadwal
Kuliah</span> </a>

    <a href="aktivitas.html"> <i class="fas fa-blog"></i>
<span>Aktivitas</span> </a>

    <a href="Muhammad Fikri Gunawan.html"> <i class="fas fa-address-
book"></i> <span>Kontak</span> </a>
</nav>



<!-- navbar section ends -->



<!-- about section starts  -->



<section class="about">


  <h1 class="heading"> Tentang <span> Saya</span> </h1>


  <div class="row">


    <div class="info-container">


      <h1>Info Pribadi</h1>
```

```html
<div class="box-container">


    <div class="box">
        <h3> <span>nama : </span> Muhammad Fikri Gunawan </h3>
        <h3> <span>umur : </span> 20 </h3>
        <h3> <span>email : </span> venoxetm4@gmail.com </h3>
        <h3> <span>alamat : </span> Jakarta Timur, Cipinang Muara
Jatinegara- 13420 </h3>
    </div>


    <div class="box">
        <h3> <span>freelance : </span> Tersedia </h3>
        <h3> <span>skill : </span> css-html-javascript,edit video </h3>
        <h3> <span>berpengalaman : </span> 2 tahun </h3>
        <h3> <span>bahasa : </span> indonesia </h3>
    </div>


</div>


    <a href="#" class="btn"> download <i class="fas fa-download"></i> </a>


</div>


<div class="count-container">
```

```html
<div class="box">
  <h3>SD</h3>
  <p>band Musik sekolah</p>
</div>


<div class="box">
  <h3>SMP</h3>
  <p>Lomba Futsal</p>
</div>


<div class="box">
  <h3>SMAS</h3>
  <p>Organisasi Sekolah</p>
</div>


<div class="box">
  <h3>KULIAH</h3>
  <p>organisasi Kepanitaan</p>
</div>


</div>


</div>
```

```
</section>

<!-- about section ends -->

<!-- skills section starts  -->

<section class="skills">

    <h1 class="heading"> <span>Skill</span> Saya </h1>

    <div class="box-container">
      <div class="box">
        <img src="images/icon-3.png">
        <h3>javascript</h3>
      </div>
      <div class="box">
        <img src="images/icon-4.png">
        <h3>Css</h3>
      </div>
      <div class="box">
        <img src="images/html-logo.png">
        <h3>Html</h3>
      </div>
```

```html
    <div class="box">
      <img src="images/excel.jpg">
      <h3>excel</h3>
    </div>
  </div>


</section>


<!-- skills section ends -->


<!-- education section starts  -->


<section class="education">


  <h1 class="heading"> <span>pendidikan</span> saya </h1>


  <div class="box-container">


    <div class="box">
      <i class="fas fa-graduation-cap"></i>
      <span>2009 - 2015</span>
      <h3>SDN</h3>
      <p>SDN 16 Cipinang Muara JAKARTA </p>
```

```html
        </div>


        <div class="box">
          <i class="fas fa-graduation-cap"></i>
          <span>2018 - 2021</span>
          <h3>SMAS</h3>
          <p>SMAS Budaya JAKARTA</p>
        </div>


        <div class="box">
          <i class="fas fa-graduation-cap"></i>
          <span>2015 - 2018</span>
          <h3>SMPN</h3>
          <p>SMPN 62 JAKARTA TIMUR</p>
        </div>


        <div class="box">
          <i class="fas fa-graduation-cap"></i>
          <span>2021 - 2025</span>
          <h3>UNIVERSITAS</h3>
          <p>UNIVERSITAS KRSINADWIPAYANA</p>
        </div>


    </div>
```

</section>

<!-- education section ends -->

</body>

- Muhammad Fikri Gunawan.HTML

```html
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <title>Personal Website</title>
    <link rel="stylesheet" type="text/css" href="CSS/styleKu.css"/>
    <script src="https://kit.fontawesome.com/c8e4d183c2.js" crossorigin="anonymous"></script>
</head>

<body>
    <section>
        <!--- navigation --->
        <nav>
            <!--- logo --->
            <a href="#" class="logo">Portfolio Tutorial</a>
            <!--- menu --->
            <ul>
```

```html
            <li><a href="Muhammad Fikri Gunawan.html"
class="active">Home</a></li>

            <li><a href="aktivitas.html">Aktifitas</a></li>

            <li><a href="jadwalkuliah.html">jadwal kuliah</a></li>

            <li><a href="pendidikan.html">pendidikan</a></li>

        </ul>

    </nav>


    <!--- text --->
  <div class="text-container">
   <p>Hello,</p>

    <p>I&#8217;Fikri</p>

   <p>Trainee IT</p>

        <p>An Sagitarius Man who loves music, watching movies,Play Games
and play football

        <br>of course Write Code.</p>
   <button class="hire-btn">Hire me</button>

   <button class="down-cv">Download CV</button>

  </div>
    <!-- model -->

    <img alt="model" class="model" src="images/ilustrasi.jpg">

   </section>



   <!-- services -->
   <div class="services">

    <!--text-->

    <div class="services-text ">
```

```html
        <p>Services</p>

        <p>Lorem Ipsum is simply dummy text of the printing and typesetting
industry. Lorem Ipsum has been the industry's standard dummy text ever since
the 1500s, when an unknown printer took a galley of type and scrambled it to
make a type specimen book. It has survived not only five centuries, but also the
leap into electronic typesetting, remaining essentially unchanged.</p>

    </div>


    <div class="box-container">

    <!--- 1 --->

        <div class="box-1">

            <span>1</span>

            <p class="heading">Technical Writing</p>

            <p class="details">Lorem Ipsum is simply dummy text of the printing
and typesetting industry. Lorem Ipsum has been the industry's standard dummy
text ever since the 1500s.</p>

            <button>Read More</button>

        </div>

    <!--- 2 --->

        <div class="box-2">

            <span>2</span>

            <p class="heading">Web Design</p>

            <p class="details">Lorem Ipsum is simply dummy text of the printing
and typesetting industry. Lorem Ipsum has been the industry's standard dummy
text ever since the 1500s.</p>

            <button>Read More</button>

        </div>

    <!--- 3 --->

        <div class="box-3">

            <span>3</span>
```

```html
        <p class="heading">Web Development</p>
        <p class="details">Lorem Ipsum is simply dummy text of the printing
and typesetting industry. Lorem Ipsum has been the industry's standard dummy
text ever since the 1500s.</p>
        <button>Read More</button>
      </div>
    </div>
  </div>


  <!--testimonials-->
  <div class="testimoni">
     <!--text-->
 <div class="testimoni-text ">
       <p>What They Says..</p>
     </div>



     <div class="testimoni-col">
       <div class="testimoni-1">
         <img src="images.dogi .png">
         <div>
         <p>Lorem Ipsum is simply dummy text of the printing and
typesetting industry. Lorem Ipsum has been the industry's standard dummy text
ever since the 1500s.</p>
         <h3>Client Pertama</h3>
         <i class="fas fa-star"></i>
         <i class="fas fa-star"></i>
         <i class="fas fa-star"></i>
         <i class="fas fa-star"></i>
```

```html
            <i class="far fa-star"></i>
          </div>
        </div>



        <div class="testimoni-2">
          <img src="images/ava2.png">
          <div>

            <p>Lorem Ipsum is simply dummy text of the printing and
typesetting industry. Lorem Ipsum has been the industry's standard dummy text
ever since the 1500s.</p>

            <h3>Client Kedua</h3>
            <i class="fas fa-star"></i>
            <i class="fas fa-star"></i>
            <i class="fas fa-star"></i>
            <i class="fas fa-star"></i>
            <i class="fas fa-star"></i>
          </div>
        </div>
      </div>
    </div>



    <!-- footer -->
    <footer>
      <p>Interested In Using Our Services?</p>


      <!--paragraph-->
```

```html
    <p>I try to work on your project as quickly as possible. Guarantee for
revision until you are satisfied with my work.</p>

    <!--social-->
    <div class="social-icons">

       <a href="#"><i class="fab fa-whatsapp"></i></a>

       <a href="#"><i class="fab fa-youtube"></i></a>

    </div>


  </footer>



  <!--social-attach-bar-->

  <div class="social">

     <a href="whatsapp://send?text=Hello&phone=+628151769"><i class="fab
fa-whatsapp" ></i></a>

     <a
href="https://www.youtube.com/channel/UCIdDym3lKHv0Isryu_QwCwg/abou
t"><i class="fab fa-youtube"></i></a>

   </div>
</body>



</html>
```

CSS

```css
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@100;300;400;
500;600;700&display=swap');



*{
```

```scss
    font-family: 'Poppins', sans-serif;
    margin:0; padding:0;
    box-sizing: border-box;
    text-decoration: none;
    outline: none; border:none;
    text-transform: capitalize;
}


$crimson : crimson;
$black:#0d0d0d;
$light-bg:#1a1a1a;
$white:#fff;
$light-color:#aaa;
$box-shadow:0 .5rem 1rem rgba(0,0,0,.7);


@mixin grid($val) {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax($val, 1fr));
  gap:1.5rem;
}


html{
  font-size: 62.5%;
  overflow-x: hidden;
```

```scss
    &::-webkit-scrollbar{
      width: 1rem;;
    }



    &::-webkit-scrollbar-track{
      background: $black;
    }



    &::-webkit-scrollbar-thumb{
      background: $crimson;
      border-radius: 5rem;
    }
}


body{
  background: $black;
  padding-bottom: 6.5rem;
}


section{
  padding:5rem 9%;
}


.heading{
  text-align: center;
```

```scss
    font-size: 6vw;

    color:$white;

    margin-bottom: 3rem;

    text-transform: uppercase;



  span{

    text-transform: uppercase;

    color:$crimson;

  }

}



.btn{

  display: inline-block;

  margin-top: 1rem;

  border-radius: 5rem;

  background: $crimson;

  padding:.7rem;

  font-size: 1.7rem;

  color:$white;

  padding-left: 2rem;



  i{

    height: 4rem;

    width: 4rem;

    line-height: 4rem;

    font-size: 1.7rem;
```

```scss
    text-align: center;

    background: $white;

    color:$crimson;

    border-radius: 50%;

    margin-left: 1rem;

    transition: .2s linear;

  }



  &:hover i{

    margin-left: 2rem;

  }

}



.navbar{

  position: fixed;

  bottom:0; left:0; right:0;

  display: flex;

  z-index: 1000;

  align-items: flex-end;



  a{

    padding:2rem;

    font-size: 2rem;

    background: $light-bg;

    flex:1;

    color:$white;
```

```scss
    text-align: center;
    transition: .2s linear;


  i{
    color:$crimson;
    padding-right: .5rem;
  }


  &:hover{
    background: $crimson;
    padding-bottom: 6rem;


    i{
      color:$white;
    }
  }
 }
}


.home{
  display: flex;
  align-items: center;
  flex-wrap: wrap;
  gap:4rem;
  min-height: calc(100vh - 6.5rem);
```

```scss
.image{
 flex:1 1 42rem;
 text-align: center;


 img{
  height: 50rem;
  width: 50rem;
  border-radius: 30% 70% 70% 30% / 30% 30% 70% 70%;
 }
}


.content{
 flex:1 1 42rem;


 h3{
  color:$white;
  font-size: 4rem;
  padding-bottom: .5rem;
 }


 span{
  font-size: 3rem;
  color:$crimson;
  padding:.5rem 0;
```

```scss
        display: block;
    }


    p{
        font-size: 1.5rem;
        color:$light-color;
        padding:1rem 0;
        line-height: 2;
    }
  }
}


.about{


  .row{
    display: flex;
    align-items: center;
    flex-wrap: wrap;
    gap:2rem;


    .info-container{
      flex:1 1 42rem;


      h1{
        font-size: 3rem;
```

```scss
    color:$white;
    text-transform: uppercase;
    padding-bottom: 1rem;
}


.box-container{
    padding:1rem 0;
    display: flex;
    flex-wrap: wrap;
    gap:2rem;


    .box{
     flex:1 1 20rem;


     h3{
       font-size: 1.7rem;
       color:$white;
       padding:1rem 0;
       font-weight: normal;


       span{
         color:$light-color;
         font-weight: lighter;
       }
     }
```

```scss
        }
      }
    }


.count-container{
  flex:1 1 42rem;
  display: flex;
  flex-wrap: wrap;
  gap:2rem;


  .box{
    flex:1 1 20rem;
    padding:3rem 4rem;
    border-radius: .5rem;
    background: $light-bg;
    box-shadow: $box-shadow;


    h3{
      font-size: 5rem;
      color:$crimson;
    }


    p{
      font-size: 2rem;
      color:$light-color;
```

```scss
        }
      }
    }
  }
}


.skills{

  .box-container{
    @include grid(16rem);


    .box{
      padding:2rem;
      text-align: center;
      box-shadow: $box-shadow;
      border-radius: .5rem;
      background: $light-bg;


      &:hover{
        background: $white;


        h3{
          color:$black;
        }
      }
```

```scss
  img{

    height: 7rem;

    margin-bottom: 1rem;

  }


    h3{

      color:$white;

      font-size: 1.7rem;

      font-weight: normal;

      text-transform: uppercase;

    }
   }
  }
}


.education{


 .box-container{

   display: flex;

   flex-wrap: wrap;


   .box{

    flex:1 1 40rem;

    margin-left: 2rem;
```

```scss
  padding-top: 0;
  padding-bottom: 0;
  padding-left: 3.5rem;
  padding-bottom: 3rem;
  border-left: .1rem solid $light-color;
  position: relative;


  i{
    height: 4.5rem;
    width: 4.5rem;
    line-height: 4.5rem;
    font-size: 1.7rem;
    border-radius: 50%;
    background: $crimson;
    color:$white;
    text-align: center;
    position: absolute;
    top:-1rem; left:-2.5rem;
  }


  span{
    font-size: 1.7rem;
    color:$white;
    border-radius: 5rem;
    padding:.5rem 1.5rem;
    background: $light-bg;
```

```scss
    }


    h3{
      font-size: 2rem;
      padding: 1rem 0;
      color:$white;
      padding-top: 3rem;
      font-weight: normal;
    }


    p{
      font-size: 1.5rem;
      color:$light-color;
      line-height: 2;
    }
   }
  }
}


.portfolio{
  text-align: center;


  .box-container{
    @include grid(31rem);
    margin-bottom: 2rem;
```

```scss
.box{
 height: 30rem;
 overflow:hidden;
 position: relative;


 &:hover{
  .content{
   transform: translateY(0%);
  }
 }


 img{
  height: 100%;
  width:100%;
  object-fit: cover;
 }


 .content{
  position: absolute;
  top:0; left:0;
  height: 100%;
  width:100%;
  background: $light-bg;
  display: flex;
```

```scss
  flex-flow: column;
  align-items: center;
  justify-content: center;
  padding:2rem;
  transform: translateY(-100%);
  transition: .2s linear;


  h3{
    font-size: 2.5rem;
    color:$white;
    text-transform: uppercase;
    font-weight: normal;
  }


  p{
    padding:1rem 0;
    font-size: 1.5rem;
    line-height: 2;
    color:$light-color;
  }


  a{
    font-size: 2rem;
    color:$crimson;
```

```scss
        &:hover{
          color:$white;
        }
      }
    }
  }
}


.blogs{

  .box-container{
    @include grid(31rem);


    .box{
      text-align: center;
      padding:2rem;
      border-radius: .5rem;
      background: $light-bg;
      box-shadow: $box-shadow;


      &:hover .image img{
        transform: scale(1.2);
      }
```

```scss
.image{
  height: 25rem;
  width:100%;
  border-radius: .5rem;
  overflow:hidden;


  img{
    height: 100%;
    width:100%;
    object-fit: cover;
    transition: .2s linear;
  }
}


.content{


  .icons{
    position: relative;
    top:-1rem;
    border-radius: .5rem;
    padding:1.5rem;
    display: inline-block;
    background: $black;


    a{
```

```scss
   font-size: 1.4rem;
   margin:0 1rem;
   color:$white;


   &:hover{
     color:$crimson;
   }


   i{
     padding-right: .5rem;
     color:$crimson;
   }
 }
}


h3{
 font-size: 2rem;
 color:$white;
 font-weight: normal;
}


p{
 font-size: 1.5rem;
 color:$light-color;
 padding:1rem 0;
```

```scss
      line-height: 2;
    }
   }
  }
 }
}


.contact{

 .row{
  display: flex;
  align-items: center;
  flex-wrap: wrap;
  gap:2rem;


  .info-container{
   width:40rem;


  h1{
   font-size: 3rem;
   text-transform: uppercase;
   color:$white;
   padding-bottom: 1rem;
  }
```

```scss
p{
  font-size: 1.5rem;
  line-height: 2;
  color:$light-color;
  padding:1rem 0;
}


.box-container{
  padding:2rem 0;


  .box{
    display: flex;
    gap:2rem;
    padding:1rem 0;


    i{
      font-size: 3rem;
      color:$crimson;
    }


    h3{
      font-size: 2rem;
      color:$white;
    }
  }
```

```scss
    }


  .share{


   a{
      font-size: 2rem;
      height: 4.5rem;
      width: 4.5rem;
      line-height: 4.5rem;
      border-radius: 50%;
      background: $light-bg;
      color:$white;
      text-align: center;
      margin-right: .3rem;


      &:hover{
       background: $crimson;
      }
    }
   }
}


form{
  flex:1 1 42rem;
```

```scss
.inputBox{
  display: flex;
  flex-wrap: wrap;
  justify-content: space-between;



  input{
    width:49%;
  }
}


.inputBox input,
textarea{
  border-radius: 5rem;
  padding:1.2rem 1.8rem;
  font-size: 1.6rem;
  color:$white;
  text-transform: none;
  margin:.7rem 0;
  background: $light-bg;
}


textarea{
  width:100%;
  border-radius: 1rem;;
  resize: none;
  height: 25rem;
```

```scss
        }


      .btn{
        padding:1rem 3rem;
        cursor: pointer;


        &:hover{
          background: $white;
          color:$black;
        }
      }
    }
  }
}
```

// media queries

@media (max-width:1200px){
```

```css
html{
  font-size: 55%;
}


section{
  padding:3rem 2rem;
}


}


@media (max-width:768px){


.heading{
  font-size: 12vw;
}


.navbar{


  a{


    i{
      padding:0;
```

```css
      }


    span{
      display: none;
    }



    &:hover{
      padding-bottom: 2rem;

    }
  }
}


.home{
  text-align: center;
  gap:2rem;



  .image img{
    height: 30rem;
    width: 30rem;
  }



  .content{



    h3{
```

```css
        font-size: 3rem;

    }


    span{

      font-size: 2.5rem;

    }

  }

}


  .contact .row form .inputBox input{

    width:100%;

    margin-bottom: 1rem;

  }

}


@media (max-width:450px){


  html{

    font-size: 50%;

  }


}
```

Hello,

I'Fikri

Trainee IT

An Sagitarius Man who loves music, watching movies,Play Games and play football of course Write Code.

Hire me   **Download CV**

AKTIVITAS SAYA

Kegiatan
Kuliah, Organisasi

Read More 🔗

Kegiatan
Hilingg

Read More 🔗

Kegiatan
Bermain Bersama Teman

Read More 🔗

🏠 **Home**   👤 **Pendidikan**   💼 **Jadwal Kuliah**

TENTANG SAYA

INFO PRIBADI

Nama : **Muhammad Fikri Gunawan**

Umur : **20**

Email : **Venoxetm4@Gmail.Com**

Alamat : **Jakarta Timur, Cipinang Muara Jatinegara-13420**

Freelance : **Tersedia**

Skill : **Css-Html-Javascript,Edit Video**

Berpengalaman : **2 Tahun**

Bahasa : **Indonesia**

Download ⬇

SD
Band Musik Sekolah

SMP
Lomba Futsal

SMAS
Organisasi Sekolah

KULIAH
Organisasi Kepanitaan

🏠 **Home**   👤 **Pendidikan**   💼 **Jadwal Kuliah**   ▶ **Aktivitas**   📧 **Kontak**

JADWAL KULIAH

SELASA

Teori Graf & Otomota (08.00-10.00) Ruangan 312 & Model Bisnis Digital (15.00-16.30) Ruangan 308

Read More

Senin	Selasa
Rabu	Kamis
Jum'at	Sabtu
Minggu	

Senin	Selasa
Rabu	Kamis
Jum'at	Sabtu
Minggu	

RABU

Komputasi Cerdas (08.00-10.00) Ruangan 308 & Statistik Probabilitas (15.00-16.30) Ruangan 308.

Read More

KAMIS

Pemrograman Web (10.00-12.30) Ruangan 409 & Basis Data Lanjutan (15.00-17.30) Ruangan 309

Read More

JUMAT

Bahasa Ingrris 2 (13.00-14.40) Ruangan 203 & Grafika Komputer (15.00-17.00) Ruangan 312

Read More

SABTU

Kosong

Read More

MINGGU

Libur

Read More

PERTEMUAN 3 (JAVASCRIPT)

Latihan 1

- Input

HTML>

<HEAD>

<TITLE>Alert Box</TITLE>

<BODY>

<SCRIPT> LANGUAGE = "JavaScript">

//<!-

window. alert("Ini merupakan pesan untuk anda");

//->

</SCRIPT>

</BODY>

</HTML>

- Output

Latihan 2

- Input

<HTML>

<HEAD>

```html
<TITLE>Skrip JavaScript</TITLE>


</HEAD>
<BODY>
Percobaan memakai JavaScript:<BR>


<SCRIPT LANGUAGE = "JavaScript">
//<!-


document.write("Selamat Mencoba JavaScript<BR>");
document.write("Semoga sukses!");

//->
</SCRIPT>


</BODY>
</HTML>
```

- Output

Percobaan memakai JavaScript:
Selamat Mencoba JavaScript
Semoga sukses!

Latihan 3

- Input

```
<HTML>



<HEAD>
<TITLE>Pemasukan data</TITLE>
</HEAD>



<BODY>
<SCRIPT LANGUAGE = "JavaScript">
//<!-



var nama = prompt("Siapa nama Anda?","Masukkan nama anda");
//->



</SCRIPT>
</BODY>
</HTML>
```

- Output

Latihan 4

- Input

```
<HTML>
<HEAD>


<TITLE>Contoh Program Javascript</TITLE>
</HEAD>
<SCRIPT language="JavaScript">


function pesan(){


alert ("memanggil javascript lewat body onload")
}
</SCRIPT>
<BODY onload=pesan()>
</BODY>


</HTML>
```

- Output

This page says

memanggil javascript lewat body onload

OK

Latihan 5

- Input

<HTML>

<HEAD>

<TITLE>Contoh Program Javascript</TITLE>

</HEAD>

<SCRIPT language="Javascript">

function test (val1,val2)

{

document.write("<br>"+"Perkalian : val1*val2 "+"<br>")

document.write(val1*val2)

document.write("<br>"+"Pembagian : val1/val2 "+"<br>")

document.write(val1/val2)

```
document.write("<br>"+"Penjumlahan : val1+val2 "+"<br>")


document.write(val1+val2)
document.write("<br>"+"Pengurangan : val1-val2 "+"<br>")


document.write(val1-val2)
document.write("<br>"+"Modulus : val1%val2 "+"<br>")
document.write(val1%val2)


}
</SCRIPT>
<BODY>


<input type="button" name="button1" value="arithmetic"
onclick=test(9,4)>
</BODY>


</HTML>
```

- Output

Perkalian : val1*val2
36
Pembagian : val1/val2
2.25
Penjumlahan : val1+val2
13
Pengurangan : val1-val2
5
Modulus : val1%val2
1

Latihan 6

- Input

<HTML>

<HEAD>

<TiTLE>Contoh Program Javascript</TiTLE>

</HEAD>

<SCRIPT language="Javascript">

function test () {

val1=window.prompt("Nilai I :")

val2=window.prompt("Nilai II :")

document.write("<br>"+"val1==val2"+"<br>")

document.write(val1==val2)

document.write("<br>"+"val1!=val2"+"<br>")

document.write(val1!=val2)

document.write("<br>"+"val1&gtval2"+"<br>")

document.write(val1>val2)

document.write("<br>"+"val1&ltval2"+"<br>")

document.write(val1<val2) }

</SCRIPT>

<BODY>

<input type="button" name="button1" value="relational" onclick=test()>

```
</BODY>
</HTML>
```

- Output

```
val1==val2
false
val1!=val2
true
val1>val2
false
val1<val2
true
```

Latihan 7

- Input

```
<HTML>
<HEAD>
<TITLE>Contoh Program Javascript</TITLE>
</HEAD>
<SCRIPT LANGUAGE = "Javascript">
//<!-
var nilai = prompt("Nilai (0-100): ", 0);
var hasil = "";
if (nilai >= 60)
hasil = "Lulus";
else
hasil = "Tidak Lulus";
document.write("Hasil: " + hasil);
//->
</SCRIPT>
</BODY>
</HTML>
```

- Output

Hasil: Lulus

Latihan 8

- Input

```
<HTML>
<HEAD>
<TITLE>Contoh Program Javascript</TITLE>
</HEAD>
<SCRIPT language="Javascript">
function test ()
{


val1=window.prompt("Input Nilai (1-5):")
switch (val1)
{


case "1" :
document.write("bilangan satu")
break


case "2" :
document.write("bilangan dua")
break


case "3" :
```

```
document.write("bilangan tiga")
break

case "4" :
document.write("bilangan empat")
break

case "5" :
document.write("bilangan lima")
break

default :
document.write("bilangan lainnya")
}

}
</SCRIPT>
<BODY>
<input type="button" name="button1" value="switch"
onclick=test()>
</BODY>
</HTML>
```

- Output

bilangan lima

Latihan 9

- Input

<HTML>

<HEAD>

<TITLE>Contoh Program Javascript</TITLE>

</HEAD>

<BODY>

<SCRIPT language="Javascript">

//<!-

for (x=0;x<=10;x++)

document.write(x+"<br>")

// -> </SCRIPT>

</BODY>

</HTML>

- Output

```
0
1
2
3
4
5
6
7
8
9
10
```

Latihan 10

- Input

<HTML>

<HEAD>

<TITTLE>Contoh Program Javascript</TITTLE>

</HEAD>

<BODY>

<SCRIPT language="Javascript">

//<!-

var x=0

do{

document.write(x+"<br>")

x++;

}

while (x<=10)

// -> </SCRIPT> </BODY>

</HTML>

- Output

Contoh Program Javascript 0
1
2
3
4
5
6
7
8
9
10

Latihan 11

- Input

<HTML>

<head> </head>

<SCRIPT language="Javascript">

function test () {

var val1=document.kirim. T1. value

if (val1%2==0)

document.kirim.T2. value="bilangan genap"

else

document.kirim.T2. value="bilangan ganjil"

}

```
</SCRIPT>

<body>

<from method="POST" name="kirim">

<p>BIL <input type="text" name="T1" size="20"> Merupakan BIL <input
type="text" name="T2" size="20"></p>

</from>
</body>
</HTML>
```

- Output

BIL [_____] Merupakan BIL [_____]

Latihan 12

- Input

```
<!DOCTYPE html>
<html>
<head>
  <title>Objek Document</title>
</head>


<body>
<script language="JavaScript">

function ubahwarnaLB(warna)
```

```
{
document.bgColor = warna;
}
function ubahwarnaLD(warna)
{
document.fgColor = warna;
}


</script>
<h1>TES</h1>
<form>
   <input type="button" value="Latar Belakang Hijau"
onclick="ubahwarnaLB('GREEN')">
   <input type="button" value="Latar Belakang Putih"
onclick="ubahwarnaLB('WHITE')">
   <input type="button" value="Teks Kuning"
onclick="ubahwarnaLD('YELLOW')">
   <input type="button" value="teks Biru" onclick="ubahwarnaLD('BLUE')">
</form>


</body>
</html>
```

- Output

TES

| Latar Belakang Hijau | Latar Belakang Putih | Teks Kuning | teks Biru |

TUGAS PERTEMUAN 3

Tugas 1.

- Input

```html
<html>
  <head>
    <title>Tugas no.1</title>
  </head>
  <script language="Javascript">
    var nilai = prompt("Nilai(0-100): ", 0);
    var hasil = "";
    if(nilai >= 0 && nilai <=40){
    hasil ="E";}
    else if(nilai >= 41 && nilai <= 55){
    hasil ="D";}
    else if(nilai >=56 && nilai <= 60){
    hasil ="C";}
    else if(nilai >=61 && nilai <= 65){
    hasil ="BC";}
    else if(nilai >=66 && nilai <= 70){
    hasil ="B";}
    else if(nilai >= 71 && nilai <= 80){
    hasil ="AB";}
    else {
    hasil ="A";}
    document.write('Grade Anda:' + hasil );
  </script>
```

</html>

- Output

Grade Anda:A

Tugas 2.

- Input

<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta http-equiv="X-UA-Compatible" content="IE=edge">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Kalkulator</title>

</head>

<body>

  bilangan 1: <input type="text" name="bil1" id="bil1">
 bilangan 2: <input type="text" name="bil2" id="bil2">
 Operator:

  <input type="submit" value="+" id="tambah">

  <input type="submit" value="-" id="kurang">

  <input type="submit" value="*" id="kali">

  <input type="submit" value="/" id="bagi">
 Hasil: <input type="text" name="hasil" id="hasil">

  <script>

```javascript
const bil1 = document.getElementById('bil1')
const bil2 = document.getElementById('bil2')


const tambah = document.getElementById('tambah')
const kurang = document.getElementById('kurang')
const kali = document.getElementById('kali')
const bagi = document.getElementById('bagi')


const hasil = document.getElementById('hasil')


tambah.addEventListener('click', () => {
   let result = Number(bil1.value) + Number(bil2.value)
   hasil.setAttribute('value', result)
})


kurang.addEventListener('click', () => {
   let result = Number(bil1.value) - Number(bil2.value)
   hasil.setAttribute('value', result)
})


kali.addEventListener('click', () => {
   let result = Number(bil1.value) * Number(bil2.value)
   hasil.setAttribute('value', result)
})
```

```
        bagi.addEventListener('click', () => {

            let result = Number(bil1.value) / Number(bil2.value)

            hasil.setAttribute('value', result)

        })

    </script>

</body>



</html>
```

- Output

```
bilangan 1: [                    ]
bilangan 2: [                    ]
Operator: [ + ][ - ][ * ][ / ]
Hasil: [              ]
```

PERTEMUAN 4 (PHP)

Latihan 1

- Input

```
<html>
<head>
<title> Variabel </title>
</head>
<body>
<?php
$nilai_1 = 10;
$nilai_2 = 3;
$nilai_3 = 2 * $nilai_1 + 8 * $nilai_2;
echo "nilai = ", $nilai_3;
echo "<br>";
$jumlah = $nilai_1 + $nilai_2;
echo "hasil dari $nilai_1 + $nilai_2 adalah : $jumlah"; echo
"<br><br>";
echo "\"Nama : Muhammad Fikri Gunawan\" <br>";
echo "NIM : 2170231009";
?>
</body>
</html>
```

- **Output**

nilai = 44
hasil dari 10 + 3 adalah : 13

"Nama : Muhammad Fikri Gunawan"
NIM : 2170231009

Latihan 2

- Input

<html>

<head>

<title> Pemrograman PHP dengan Array</title>

</head>

<body>

<?php

$nama[] = "Muhammad";

$nama[] = "Fikri";

$nama[] = "Gunawan";

echo $nama[1] . $nama[2] . $nama[0];

echo "<br>";

?>

</body>

</html>

- Output

FikriGunawanMuhammad

Latihan 3

- Input

```
<html>

<head>

<title> Konversi Tipe</title>

</head>

<body>

<?php

$a = 300.4;

echo $a;

echo "<br>";

echo "tipe Double : ", doubleval($a), "<br>";

echo "tipe integer : ", intval($a), "<br>";

echo "tipe string :", strval($a);

?>

</body>

</html>
```

- Output

```
300.4
tipe Double : 300.4
tipe integer : 300
tipe string :300.4
```

Latihan 4

- Input

```
<html>

  <head>

    <title>Tanggalan</title>

  </head>

  <body>

    <?php

    echo date("m-F-Y, g:i:s a"); ?>
```

```
    </body>
</html>
```

- Output

12-December-2022, 2:42:30 pm

Latihan 5

- Input

```
<html>
<head><title>LUAS PERSEGI PANJANG</title></head>
<h1>William Timothy Rumahorbo</h1>
<h3> APLIKASI PENGHITUNG LUAS PERSEGI PANJANG </h3>
<body>
<form actiton="" method="post">
<table border=0>
<tr>
   <td>Panjang Persegi Panjang
   <td>:
   <td><input type="text" name="panjang"><br>
</tr>
<tr>
   <td>Lebar Persegi Panjang
   <td>:
   <td><input type="text" name="lebar"><br>
</tr>
<tr>
   <td><input type="submit" name="input-data" value=Input>

</tr>
</table>
</form>
</body>
</html>
<h5> Hasil Perhitungan Luas Persegi Panjang </h5>
<?php
if (isset ($_POST["input-data"]))
{
$panjang=$_POST["panjang"];
$lebar=$_POST["lebar"];
$luas= $panjang*$lebar;
echo "Panjang Persegi Panjang Adalah : $panjang <br>";
echo "Lebar Persegi Panjang Adalah : $lebar <br>";
echo "Rumus : $panjang * $lebar <br>";
echo "Hasil : $luas";
}
?>
</body>
</html>
```

- Output

Muhammad Fikri Gunawan

APLIKASI PENGHITUNG LUAS PERSEGI PANJANG

Panjang Persegi Panjang : [   ]
Lebar Persegi Panjang   : [   ]

[Input]

Hasil Perhitungan Luas Persegi Panjang

1 Post (Variabel)

- Input

```
1.  <html>
2.    <head>
3.      <title></title>
4.    </head>
5.    <body>
6.      <form method="POST" action="postAct.php">
7.        <table>
8.          <tr>
9.            <td width="130">Nama</td>
10.           <td><input type="text" name="nama"></td>
11.         </tr>
12.         <tr>
13.           <td width="130">Email</td>
14.           <td><input type="text" name="email"></td>
15.         </tr>
16.         <tr>
17.           <td>
18.             <input type="submit" name="btnLogin" value="Login">
19.             <input type="reset" name="reset" value="Reset">
20.           </td>
21.         </tr>
22.       </table>
23.     </body>
24. </html>
25.
```

- Output

Nama   [   ]
Email [   ]

[Login] [Reset]

2.Post act.php

- **Input**

```php
<?php
echo "<center>Nama :".$_POST['nama']."</center><br>";
echo "<center>Email :".$_POST['email']."</center><br>";
?>
```

- **Output**

Warning: Undefined array key "nama" in C:\xampp\htdocs\postAct.php on line 2

Nama :

Warning: Undefined array key "email" in C:\xampp\htdocs\postAct.php on line 3

Email :

3. Inc.php

- **Input**

```php
<?php
$angka=90;
?>
```

- Output

4. Proses.php

- Input

```php
<?php
include "inc.php";
echo $angka;
echo "<br>";
if ($angka==100){
    echo "Memuaskan";
} elseif ($angka<100&&$angka>=85) {
    echo "Sangat Baik";
```

```
}   elseif ($angka<85&&$angka>=70) {
    echo "Baik";
}   elseif ($angka<70&&$angka>=55) {
    echo "Cukup";
}   elseif ($angka<55&&$angka>=0) {
    echo "Kurang";
}
?>
```

- Output

```
90
Sangat Baik
```

5. LinkCookies.php

- Input

```
<?php
setcookie("variable_cookies","ini adalah variable cookies",time()+60);
echo "<a href=cekcookies.php>Cek Cookies</a>"
?>
```

- Output

Cek Cookies

6. CekCookies.php

- **Input**

```
<?php
if (isset($variable_cookies)) {
    echo 'variable cookiesnya "$variable_cookies" nilainya adalah'
.$variable_cookies;
} else {
    echo "Variable cookies belum diterapkan";
}
```

?>

- **Output**

Variable cookies belum diterapkan

7. Redirect.php

- **Input**

<html>

  <head>

    <meta http-equiv="refresh" content="2; url=https://localhost/modul8/test.html">

  </head>

    <body>

      Tes Redirect

    </body>

</html>

- **Output**

Tes Redirect

8. Input.php

- **Input**

<!DOCTYPE html>

<html>

<head>

  <title></title>

</head>

<body>

  <form method="POST" action="hasilkirim.php">

    <table width="400" align="center" cellpadding="2" cellspacing="2">

```html
      <tr>
        <td width="130">Nama</td>
        <td><input type="text" name="nama"></td>
      </tr>
      <tr>
        <td colspan="2" align="center">
        <input type="submit" name="btnlogin" value="Kirim">
        <input type="reset" name="reset" value="Reset">
        </td>
      </tr>
    </table>
  </form>
</body>
</html>
```

- **Output**

Kirim   Reset

9. HasilKirim.php

- **Input**

```php
<?php
if (empty($_POST['nama'])) {
  header("Location:kosong.php");
} else {
  echo "<center>Nama :".$_POST['nama']."</center><br>";
}
?>
```

- **Output**

This page isn't working right now

localhost redirected you too many times.

To fix this issue, try clearing your cookies.

ERR_TOO_MANY_REDIRECTS

Refresh

10. Kosong.php

- **Input**

<?php

echo "Data Kosong";

?>

- **Output**

Data Kosong