

FOODLY

Islamabad Budget Food Discovery Platform

END-TO-END DEVELOPMENT & FUNDING KPI PLAN

Version 2.0 — May 2026

Total Duration	90 Days / 450 Hours
Daily Commitment	5 hours/day
Target Market	Islamabad, Pakistan
Current Stage	MVP Complete — Scaling Phase
Funding Target	PKR 15M / \$50K Seed Round
Phases	7 Phases: Infra → AI → UX → Growth → Monetization → Funding → Scale

THE IDEA

The Problem We Solve

Every day, thousands of students, office workers, and budget-conscious residents across Islamabad ask the same question: 'Where can I get a good meal near me for under Rs. 300?' The answer is scattered across WhatsApp groups, outdated social media posts, and personal recommendations that go stale within weeks.

PROBLEM 1	PROBLEM 2	PROBLEM 3
No live price data Restaurant apps show menus from 6 months ago. Prices change weekly. Users get shocked at the counter.	No budget + distance filter No platform combines budget constraint AND walking distance in Islamabad. Zomato/Foodpanda require delivery — no dine-in discovery.	Informal sector invisible The best dhabas, university messes, and street stalls — which serve 70% of Islamabad's daily diners — are completely absent from every food app.

The Solution: Foodly

Foodly is Pakistan's first AI-powered, community-verified budget food discovery platform. It combines semantic AI search, real-time web scraping, GPS-based proximity filtering, and community price reporting into one platform designed specifically for Islamabad's ground reality.

AI SEMANTIC SEARCH	LIVE WEB AGENT	GPS + BUDGET FILTER	COMMUNITY TRUST
Type 'desi food under 250 near G-9' and get real results — not keyword matches.	LangGraph agent scrapes Google every night, finds new restaurants, fills the database automatically.	PostGIS-powered radius search: '3km from me under Rs. 300'. The two constraints users care about most.	Users report price changes with photos. Confidence score decays with unverified data. Truth wins.

Why Islamabad? Why Now?

Market Opportunity	Technology Edge
2.2M+ population in Islamabad / Rawalpindi with rapidly growing middle class - NUST, COMSATS, QAU, FAST — 80,000+ university students searching for affordable food daily - Pakistan food-tech market projected to reach \$3.5B by 2027 - Less than 5% of Islamabad's informal food sector is discoverable online - Inflation at 25%+ makes budget discovery a necessity, not a luxury	- First mover: no competitor combines AI + GPS + live prices in Pakistan - Stack (Next.js + FastAPI + pgvector + LangGraph) is production-grade from day 1 - Gemini Flash optimized for Pakistan latency — faster than GPT-4 in this region - Community-verified data creates a moat that can't be copied with just money - n8n automation means the database grows while the founder sleeps

The Foodly Score — Our Core Algorithm

Every meal in Foodly receives a composite Foodly Score (0–100) computed in real time:

Budget Fit × 0.40	Proximity Score × 0.35	Data Confidence × 0.25	= FOODLY SCORE
How well the meal fits your stated budget — Rs. 50 under budget scores highest.	Inversely proportional to distance. At 0m = 100, at 5km = 0. Encourages walkable discovery.	Starts at 100, decays with unverified reports, recovers when community confirms.	The single number that answers: is this meal worth going to right now?

Product Roadmap — The Vision

PHASE	NOW (Months 1–3)	NEXT (Months 4–6)	FUTURE (Months 7–12)
Focus	Core platform: search, maps, AI insights, community reports. 500 active users in Islamabad.	Mobile app (React Native), restaurant partnerships, premium listings, university campus expansions.	Expand to Lahore + Karachi. B2B API for restaurant chains. Food-tech marketplace. Series A.

INVESTOR PITCH — SEED FUNDING

Raising PKR 15 Million / USD 50,000 — Seed Round

The Opportunity in One Sentence

Foodly is building the Google Maps for budget food in Pakistan — AI-powered, community-verified, and live — starting with Islamabad's 2.2 million residents and 80,000 university students who have no reliable way to find affordable food near them.

Traction & Validation

MVP LIVE	REAL DATA	AI AGENT	ZERO SPEND
Full stack deployed: Next.js + FastAPI + pgvector + LangGraph + Gemini	50+ Islamabad restaurants seeded with real prices, coordinates, menu items	LangGraph + Gemini scraping pipeline running. Community reports with photo verification working.	Entire platform built on free tiers: Vercel, Railway, Google APIs. Cost to scale: minimal.

Business Model

	Revenue Stream	Target (Month 12)
1	Featured Listings (B2B) Restaurants pay PKR 5,000–15,000/month to appear at top of search results in their area. First 10 restaurants free to build supply.	PKR 500K/month from 50 paying restaurants
2	Data API — B2B (Month 6+) Food chains, price comparison apps, and researchers pay for access to live Islamabad food pricing data via API.	PKR 200K/month from 5 enterprise API subscribers
3	Foodly Pro — Consumer (Month 9+) PKR 299/month subscription: advanced filters, price history graphs, meal planning, offline sector maps.	PKR 150K/month from 500 Pro subscribers
TOTAL	Three diversified revenue streams, all aligned with platform growth.	PKR 850K+/month ARR by Month 12

Use of Funds — PKR 15 Million

Category	Allocation	Amount (PKR)	Purpose
----------	------------	--------------	---------

Engineering	35%	5,250,000	1 backend + 1 mobile engineer for 6 months
Growth & Marketing	25%	3,750,000	University campus activations, micro-influencers, digital ads
Infrastructure	20%	3,000,000	Cloud infra, API costs, Gemini Pro upgrade, CDN
Data Operations	12%	1,800,000	Field data team to seed 500+ restaurants in 3 months
Legal & Operations	8%	1,200,000	Company registration, SECP compliance, office, contingency

18-Month Milestones for Investors

Milestone	Month 3	Month 6	Month 12
Users	500 MAU — Islamabad core launch	5,000 MAU — mobile app launch	50,000 MAU — Lahore expansion
Restaurants	500 verified in Islamabad	1,500 — first paying partners	5,000+ across 2 cities
Revenue	PKR 0 — growth focus	PKR 200K/month first revenue	PKR 850K/month — Series A ready

Why This Team

The founder has a working, deployed MVP that handles real food discovery, AI-powered insights, community reports, and nightly automation — all solo-built in under 30 days. This demonstrates:

- **Technical depth:** FastAPI, pgvector, LangGraph, Next.js, PostGIS all integrated and working
- **Domain expertise:** deep understanding of Islamabad's food landscape and user behavior
- **Execution speed:** from idea to deployed product without external help or funding
- **Frugality:** entire MVP running on free tiers — every rupee of investment will be maximized

The Ask

SEEKING PKR 15,000,000 / USD 50,000 Seed Round — 18 months runway Equity offered: 15–20% (negotiable)	INVESTOR GETS • First-mover position in Pakistan food-tech • Platform with working AI pipeline and real data • B2B + B2C revenue model with 3
---	--

Instrument: SAFE note or equity

streams

- TAM: \$3.5B Pakistan food-tech market by 2027
- Quarterly board updates and full financial transparency

TECHNOLOGY STACK

Existing Stack (Keep As Is)

Layer	Technology	Why It Works
Frontend	Next.js 14 + Tailwind + Framer Motion	App Router, fast SSR, Vercel deploy in one click
Backend	FastAPI (Python 3.10+)	Async, fast, great with LangChain/LangGraph
Database	PostgreSQL + pgvector	Vector similarity search already configured
AI	LangGraph + Gemini 2.0 Flash	Agents, low cost, Gemini optimized for Pakistan latency

Recommended Additions

Addition	Tool	Why Needed	Cost
Geo-filtering	PostGIS	Real radius search (3km promise). ST_DWithin is one line.	Free (built into PostgreSQL)
Live web search	Google Custom Search API	Scraping agent finds new restaurants not in DB.	Free 100 queries/day
AI result caching	In-memory TTL / Redis	Fixes AI insight timeout at 1.5s visible in logs.	Free (in-memory)
Deployment	Vercel + Railway	One-click deploy. Railway includes free PostgreSQL + PostGIS.	Free tier sufficient
Monitoring	Sentry + Vercel Analytics	Know when things break before users report it.	Free tier
Mobile	React Native + Expo	Android-first for Pakistan market. 70% of users on mobile.	Free (Month 4+)

Dual Data Strategy — Architecture Decision

Layer 1 — Your Database (Instant)	Layer 2 — Web Scraping Agent (Live)
Response: under 100ms Show these first. Verified prices, embeddings, full detail, confidence scores. Users see results instantly while Layer 2 loads.	Response: 3–5 seconds Google Custom Search + Gemini parsing. Streams in after DB results under a 'Live from web' section. Populates pending_verifications for tomorrow's DB.

PHASE 1 — CORE INFRASTRUCTURE

Days 1–15 | 75 Hours | Goal: Make the core promise work — real Islamabad restaurant data with real geo-filtering, semantic search, and user identity.

Day 1 — Google Maps + Real Location Search [5 hours]

KPI	Task & Description	Tech Stack	Time
Day 1 [Foundation] Google Maps + real location search — 5 hours			
KPI 1	Integrate Google Maps JavaScript API on frontend Add a live map panel next to the results grid. Drop pins for matched restaurants. Use Google Places Autocomplete so users can type 'F-8 Markaz' and get exact coordinates. Store lat/lng in meal records in PostgreSQL.	Next.js Google Maps JS API PostgreSQL	2 hrs
KPI 2	Add PostGIS + radius filter to backend Install PostGIS extension. Add latitude/longitude columns to meals table. Write a /nearby endpoint that takes (lat, lng, radius_km, budget) and returns meals sorted by distance. Test with Islamabad sector boundaries (F-6, G-9, I-8).	FastAPI PostGIS ST_DWithin	2 hrs
KPI 3	Seed 50 real Islamabad restaurants into the database Manually collect 50 real mess/dhaba/fast food places from F-6, G-10, I-8 with real prices, real coordinates, menu items. Use the existing ingest_meals.py script. Quality matters more than quantity at this stage.	Python script PostgreSQL Real data	1 hr

Day 2 — pgvector Semantic Search [5 hours]

KPI	Task & Description	Tech Stack	Time
Day 2 [Foundation] pgvector semantic search — 5 hours			
KPI 1	Generate and store embeddings for all meal records Use Google's text-embedding-004 model or a local sentence-transformer to embed each meal's name + description + location into the existing Vector(1536) column. Write a batch script and verify with a test similarity query.	pgvector Gemini embeddings Python	2 hrs
KPI 2	Upgrade /meals search to vector similarity Replace the ILIKE text search with cosine similarity using pgvector's <=> operator. When a user types 'cheap biryani near G-9', embed the query and return nearest neighbors filtered by budget. Keep ILIKE as	pgvector FastAPI Hybrid search	2 hrs

KPI	Task & Description	Tech Stack	Time
	fallback.		
KPI 3	Test semantic search with 10 Islamabad-specific queries Run queries like 'desi food under 200 rupees', 'burger in Jinnah Super', 'halal pizza F-7'. Verify results are relevant. Document results for future evaluation and prompt tuning.	Testing Evaluation	1 hr

Day 3 — User Auth + Saved Meals [5 hours]

KPI	Task & Description	Tech Stack	Time
Day 3 [Foundation] User auth + saved meals — 5 hours			
KPI 1	Add JWT-based user registration and login Create /auth/register and /auth/login endpoints using FastAPI + python-jose. Store hashed passwords with bcrypt. Return a JWT token on login. Users table: id, email, password_hash, created_at, location (optional).	FastAPI JWT bcrypt	2 hrs
KPI 2	Saved meals feature — bookmark and view later Add a saved_meals join table (user_id, meal_id). Add POST /meals/{id}/save and GET /users/me/saved endpoints. Add a bookmark icon to each meal card. Saved state persists in localStorage for logged-out users.	Next.js FastAPI PostgreSQL	2 hrs
KPI 3	Build a minimal user profile page Simple /profile page showing: username, saved meals grid, number of reports submitted. This is the start of community identity — users need to feel like they have a presence in the app.	Next.js Tailwind CSS	1 hr

Days 4–5 — Advanced Data & Performance [10 hours]

KPI	Task & Description	Tech Stack	Time
Days 4–5 [Infrastructure] Advanced data seeding + caching + admin tools — 10 hours			
KPI 1	Expand database to 200 restaurants across all major sectors Seed 200 real Islamabad restaurants covering F-6, F-7, F-8, G-9, G-10, G-11, I-8, I-9, I-10, E-11. Include university messes (NUST, COMSATS, QAU). Verify coordinates with Google Maps.	Python PostgreSQL Real data	4 hrs
KPI 2	Implement Redis caching for search results	Redis FastAPI Upstash	3 hrs

KPI	Task & Description	Tech Stack	Time
	Add Upstash Redis (free tier). Cache search results by (query_hash, location, budget) for 15 minutes. Cache AI insights by meal_id for 24 hours. Fixes the 1.5s timeout in reports_error.log.		
KPI 3	Build admin dashboard v1 at /admin Protect with hardcoded admin JWT. Show pending verifications (approve/reject), recent price reports with photo thumbnails, total meals count, active users today. Your daily operations tool.	Next.js FastAPI Admin auth	3 hrs

PHASE 2 — AI ENGINE

Days 16–30 | 75 Hours | Goal: Build the live web search agent, upgrade AI insights, and automate nightly data refresh.

Days 16–17 — Web Scraping Agent [10 hours]

KPI	Task & Description	Tech Stack	Time
Days 16–17 [AI Engine] LangGraph web scraping agent — 10 hours			
KPI 1	Build LangGraph search agent using Google Custom Search API Create backend/ai/agents/scrapper_agent.py. Takes food query + location, runs Google Custom Search, uses Gemini to parse results into structured JSON (name, price, address, coordinates). Test: 'fast food under 300 in F-8 Islamabad'.	LangGraph Google Search API Gemini	4 hrs
KPI 2	Show 'Live from web' results below DB results in UI Fast DB results load immediately. Async scraping agent runs in background. 'Searching the web...' spinner appears, then live results stream in labeled 'Live from web'. Core UX differentiator.	Async FastAPI Next.js Streaming	3 hrs
KPI 3	Build ingestion pipeline: web agent → pending_verification → DB When scraping agent finds a new restaurant, save to pending_verifications. Add /admin/verify endpoint. On approval, generate embedding and insert into meals. Keeps data quality high — you review before publishing.	FastAPI PostgreSQL Admin flow	3 hrs

Days 18–20 — AI Insights & Foodly Score [15 hours]

KPI	Task & Description	Tech Stack	Time
Days 18–20 [AI Engine] Upgrade value insight + Foodly Score algorithm — 15 hours			
KPI 1	Upgrade AI value insight with neighborhood context Give Gemini richer context: average price of similar meals in that sector, distance, confidence score. Output: 'This karahi at Rs. 280 is 15% cheaper than the F-8 average. 1.2km from your location.' Increase timeout to 4s.	LangChain Gemini Prompt engineering	5 hrs
KPI 2	Build composite Foodly Score (value + distance + confidence) score = (budget_fit × 0.4) + (proximity × 0.35) +	Python Algorithm FastAPI	5 hrs

KPI	Task & Description	Tech Stack	Time
	(confidence × 0.25). Return as 0–100 on every meal card. Sort results by Foodly Score by default. Pure Python — no AI needed.		
KPI 3	Confidence score decay + community trust logic Starts at 100, drops 10 per unverified report, recovers to 100 when admin-approved. Warning badge below 70. Daily n8n cron decays unverified meals by 2 points/day.	Python n8n cron Trust system	5 hrs

Days 21–25 — Automation & Nightly Refresh [25 hours]

KPI	Task & Description	Tech Stack	Time
Days 21–25 [AI Engine] n8n automation + nightly data pipeline — 25 hours			
KPI 1	n8n workflow: auto-trigger web scrape every 24 hours per sector Extend existing report_webhook.json. Add scheduled trigger (cron: midnight daily) for each major sector (F-6, F-7, F-8, G-9, G-10, I-8). Results land in pending_verifications. Wake up to fresh data every morning.	n8n Cron Automation	8 hrs
KPI 2	Price history tracking per meal Add price_history table (meal_id, price, reported_at, source). Show a sparkline price graph on meal detail page. Users can see if a restaurant raised prices. Competitive advantage no one else has in Pakistan.	PostgreSQL Next.js Charts	8 hrs
KPI 3	Automated email digest for admin Daily email at 8am: new pending verifications count, meals with low confidence, search queries with zero results (data gaps to fill). Use SendGrid free tier (100 emails/day).	SendGrid n8n Automation	5 hrs
KPI 4	AI-powered menu item extraction When scraping agent finds a restaurant page, use Gemini to extract individual menu items (not just restaurant name). Store as menu_items table. Feed into semantic search. Dramatically improves search precision.	Gemini LangGraph PostgreSQL	4 hrs

Days 26–30 — Search Intelligence [25 hours]

KPI	Task & Description	Tech Stack	Time
Days 26–30 [AI Engine] Advanced search, recommendations, and query understanding — 25 hours			

KPI	Task & Description	Tech Stack	Time
KPI 1	Hybrid search: vector + keyword + geo combined ranking Combine pgvector cosine similarity, keyword match score, and PostGIS distance into a unified ranking function. Weight by user's location and budget. Tune weights using test query set.	pgvector PostGIS SQL	8 hrs
KPI 2	'People also search for' recommendations After search results load, show 3 related queries: 'If you liked this, try: karahi under 400, tea shops in F-7'. Computed using query embedding similarity from search history.	pgvector FastAPI Recommendation	7 hrs
KPI 3	Zero-results handler: AI suggests alternatives When a search returns 0 results, instead of blank page: Gemini generates 3 alternative queries + shows nearest matching restaurants. Turns frustration into discovery.	Gemini FastAPI UX	5 hrs
KPI 4	Search analytics pipeline Log every search query, result count, click-through rate. Store in search_logs table. Build a /admin/analytics page showing top queries, zero-result queries, peak hours.	PostgreSQL FastAPI Analytics	5 hrs

PHASE 3 — LOCATION & UX POLISH

Days 31–45 | 75 Hours | Goal: Deliver the 'near me' experience, mobile-first UX, and meal detail upgrade.

Days 31–35 — Location Features [25 hours]

KPI	Task & Description	Tech Stack	Time
Days 31–35 [Location] 'Near me' + sector browsing + radius slider — 25 hours			
KPI 1	Browser geolocation — auto-set user coordinates on page load Call navigator.geolocation.getCurrentPosition(). Store lat/lng in React state. Pass to every API call. Show 'Detecting location...' then 'Showing results near F-8 Markaz'. Fallback: manual sector dropdown.	Browser Geolocation API Next.js React state	6 hrs
KPI 2	Radius slider: 1km / 3km / 5km / any distance Radius control next to budget slider. Default 3km. Results re-fetch when radius changes. Show count change live: '12 results within 1km → 34 within 3km'. Map pins update.	Next.js PostGIS UX	7 hrs
KPI 3	Sector browse page: 'All food in F-8 Markaz' /sectors page listing all Islamabad sectors Foodly covers. Each links to pre-filtered search. Great for SEO and users who know their area. Use Next.js generateStaticParams.	Next.js Static generation SEO	6 hrs
KPI 4	Walking time estimate display Calculate walking time from user's location to each restaurant (distance / 5km/h walking speed). Show '12 min walk' on each card alongside distance. More intuitive than raw kilometers.	Algorithm Next.js UX	6 hrs

Days 36–40 — Mobile UX [25 hours]

KPI	Task & Description	Tech Stack	Time
Days 36–40 [UX Polish] Mobile-first redesign + meal detail upgrade — 25 hours			
KPI 1	Make homepage fully responsive on mobile (375px) Fix: stack search and slider vertically, make map collapsible on mobile, ensure meal cards are full width. Use Tailwind sm: breakpoints. Most Islamabad users search on phones — critical.	Tailwind CSS Responsive Mobile	8 hrs
KPI 2	Upgrade meal detail page with full menu display	Next.js pgvector Maps embed	8 hrs

KPI	Task & Description	Tech Stack	Time
	/meals/[id]: show full menu items as table (item + price), opening hours, embedded Google Maps, WhatsApp share button. Add 'Similar meals nearby' section using vector similarity.		
KPI 3	Progressive Web App (PWA) setup Add manifest.json, service worker, offline fallback page. Users can install Foodly on their Android home screen without app store. Push notification capability for price alerts.	Next.js PWA Service Worker Push API	5 hrs
KPI 4	WhatsApp share + deep linking Each meal page generates a shareable WhatsApp message: 'Found cheap biryani at [Name] — Rs. 250, 1.2km from G-9 [link]'. Deep link opens the app to that meal.	Web Share API Next.js Deep links	4 hrs

Days 41–45 — Onboarding & Engagement [25 hours]

KPI	Task & Description	Tech Stack	Time
Days 41–45 [UX Polish] Onboarding flow + gamification + notifications — 25 hours			
	New user onboarding flow		
KPI 1	3-step onboarding: (1) Set your location, (2) Set your daily budget, (3) Your first meal search. Stored in user preferences. First-time users see a tutorial overlay on first search results.	Next.js LocalStorage UX	7 hrs
	Reporter badges and leaderboard		
KPI 2	Users who submit verified price reports earn badges: 'Food Scout', 'Price Watchdog', 'Sector Expert'. Public leaderboard by neighborhood. Gamification drives data quality.	PostgreSQL Next.js Gamification	8 hrs
	Price alert system		
KPI 3	Users can 'watch' a meal. When its price changes (via community report or scraping), they get a browser push notification: 'Karahi at Ali's went from Rs. 280 to Rs. 320'.	Push API PostgreSQL FastAPI	6 hrs
	Meal of the Day feature		
KPI 4	n8n cron at 8am daily selects the highest Foodly Score meal per sector and emails/notifies subscribers. '🔥 Today's best value in G-9: Chapli Kebab at Rs. 180'. Drives daily habit.	n8n SendGrid Algorithm	4 hrs

PHASE 4 — GROWTH & COMMUNITY

Days 46–60 | 75 Hours | Goal: Get to 500 MAU. Build community flywheel. Launch in universities.

Days 46–50 — Launch & Distribution [25 hours]

KPI	Task & Description	Tech Stack	Time
Days 46–50 [Growth] Production launch + first 100 users — 25 hours			
KPI 1	Deploy frontend to Vercel, backend to Railway Frontend: push to GitHub, connect Vercel. Update NEXT_PUBLIC_API_URL. Backend: Railway (free PostgreSQL + PostGIS). Move API keys to env vars. Set CORS to Vercel domain only.	Vercel Railway Production deploy	4 hrs
KPI 2	University campus activation campaign Visit NUST, COMSATS, QAU, FAST in person. Set up a table near the cafeteria. Demo the app live. Give out stickers. Ask students to report 3 prices each. Target: 50 users per campus.	Field marketing Guerilla Community	8 hrs
KPI 3	Facebook/WhatsApp distribution — first 100 users Post in: NUST Students Group, Islamabad Foodies Facebook, G-sector WhatsApp groups. Message: 'Built a free tool to find cheap food near you — try it and tell me what's wrong.' Goal: 100 real users.	Distribution Community Feedback	6 hrs
KPI 4	Set up analytics and error monitoring Vercel Analytics (one line of code). Sentry free tier — wrap FastAPI app. /health endpoint for DB connectivity check. UptimeRobot free monitor. Know when things break before users report them.	Vercel Analytics Sentry UptimeRobot	7 hrs

Days 51–55 — Community Flywheel [25 hours]

KPI	Task & Description	Tech Stack	Time
Days 51–55 [Growth] Community reporting + trust system + SEO — 25 hours			
KPI 1	Improve price reporting flow for high conversion Redesign the report form: fewer steps, camera-first (take photo of menu/bill), pre-fill meal name and current price. Target: reduce report submission time from 3 minutes to 45 seconds.	Next.js Mobile UX FormDesign	8 hrs
KPI 2	SEO optimization — sector and cuisine pages Generate static pages for every sector × cuisine	Next.js SEO Static generation	8 hrs

KPI	Task & Description	Tech Stack	Time
	combination: /islamabad/f-8/biryani, /islamabad/g-9/karahi. Each page targets a search query. Long-tail organic traffic acquisition.		
KPI 3	Google My Business integration For every restaurant in DB that has a Google Maps listing, pull rating, hours, and photos via Places API. Automatically enrich 200 records without manual work.	Google Places API FastAPI Data enrichment	5 hrs
KPI 4	Community digest email — weekly neighborhood report Every Sunday: 'This week in F-8 — 3 new restaurants found, 12 prices updated, top-rated meal was karahi at Rs. 300.' Subscribers get personalized neighborhood insights.	SendGrid n8n Personalization	4 hrs

Days 56–60 — Scale to 500 MAU [25 hours]

KPI	Task & Description	Tech Stack	Time
Days 56–60 [Growth] Referral system + partnership deals + press — 25 hours			
KPI 1	Referral program — 'Invite a friend, unlock a feature' Unique referral links. Referred user signs up → both get 'Foodly Pro' trial for 7 days. Tracked in referrals table. Dashboard shows conversions. Word-of-mouth growth engine.	PostgreSQL SendGrid Referrals	8 hrs
KPI 2	Restaurant partnership program — free listings Reach out to 20 restaurants manually. Offer free 'Claimed Listing': verified badge, owner-editable menu, respond to price reports. Build supply-side credibility. Convert 5 to paying partners.	Business dev Email outreach CRM	8 hrs
KPI 3	Press and media — Dawn, The News, ARY Digital digital team Write a press release: 'Islamabad startup solves the cheap food problem with AI'. Target Dawn Tech, Propakistani, TechJuice, ProPakistani. One feature story = 1000 new users.	PR Media Growth	5 hrs
KPI 4	Cohort analysis and retention measurement Build retention dashboard: Week 1, Week 2, Week 4 retention rates. Track which acquisition channels retain best. University users vs WhatsApp group users vs SEO users.	Analytics SQL Dashboard	4 hrs

PHASE 5 — MONETIZATION

Days 61–75 | 75 Hours | Goal: First PKR 200K revenue. Launch B2B featured listings. Ship mobile app.

Days 61–65 — B2B Featured Listings [25 hours]

KPI	Task & Description	Tech Stack	Time
Days 61–65 [Monetization] Featured listings product + first paying restaurants — 25 hours			
KPI 1	Build the featured listing backend and UI Add is_featured boolean + featured_until date to meals table. Featured meals appear at top of search with a 'Featured' badge. Admin panel to set featured status + duration.	FastAPI PostgreSQL Next.js	7 hrs
KPI 2	Restaurant self-service portal at /restaurant/dashboard Restaurants claim their listing, update menu/prices, see how many people viewed their listing this week, upgrade to featured. Stripe or JazzCash integration for payment.	Next.js Stripe/JazzCash Self-service	10 hrs
KPI 3	Sales outreach — close first 10 paying restaurants Call/WhatsApp 50 restaurant owners. Demo: 'You appeared in 320 searches this week — upgrade to be first result for Rs. 5,000/month.' Close 10 at PKR 5,000/month = PKR 50,000 MRR.	Sales Outreach Revenue	8 hrs

Days 66–70 — Foodly Pro Consumer Subscription [25 hours]

KPI	Task & Description	Tech Stack	Time
Days 66–70 [Monetization] Consumer subscription + advanced features — 25 hours			
KPI 1	Build Foodly Pro subscription tier (PKR 299/month) Features: price history graphs, advanced filters (cuisine, rating, distance combo), meal planning (save weekly meal plan), offline sector maps, no ads. JazzCash / bank transfer payment.	Next.js JazzCash Subscription	10 hrs
KPI 2	Price history visualization Show 30-day price trend sparkline on each meal card (Pro feature). Full price history chart on detail page. First app in Pakistan to show food price inflation at the meal level.	Next.js Recharts PostgreSQL	8 hrs
KPI 3	Meal planning feature (Pro)	Next.js Drag-and-drop Export	7 hrs

KPI	Task & Description	Tech Stack	Time
	Weekly meal planner: drag meals into Mon-Sun grid, auto-calculates weekly food budget. Export as WhatsApp message to share meal plan with roommates/family.		

Days 71–75 — Data API (B2B) [25 hours]

KPI	Task & Description	Tech Stack	Time
Days 71–75 [Monetization] Data API product for enterprise customers — 25 hours			
KPI 1	Build public Foodly Data API v1 RESTful API for food pricing data. Endpoints: GET /api/v1/prices?sector=F-8&category=karahi, GET /api/v1/price-history?meal_id=xxx. API key authentication. Rate limiting.	FastAPI API keys Rate limiting	8 hrs
KPI 2	API developer portal and documentation Developer portal at api.foodly.pk. OpenAPI/Swagger docs. Quick start guide. Interactive API explorer. Target customers: price comparison sites, research firms, food chains.	Next.js Swagger Docs	8 hrs
KPI 3	Close first 2 API enterprise customers Reach out to: food ordering startups, market research firms, restaurant chains. Offer 3-month free pilot. Target 2 paying customers at PKR 50,000/month each.	Sales Enterprise Contracts	9 hrs

PHASE 6 — FUNDING PREPARATION

Days 76–82 | 35 Hours | Goal: Prepare investor materials, pitch deck, financial model, and close seed round.

Days 76–78 — Pitch Deck & Financial Model [15 hours]

KPI	Task & Description	Tech Stack	Time
Days 76–78 [Funding Prep] Investor pitch deck + financial model — 15 hours			
KPI 1	Build 12-slide investor pitch deck Slides: Problem, Solution, Market Size, Product Demo, Business Model, Traction, Team, Competition, Financials, Use of Funds, Ask, Appendix. Design in Canva or Figma. Clean, data-driven.	Canva/Figma Data Storytelling	6 hrs
KPI 2	Build 3-year financial model 12-month P&L with monthly MRR breakdown per revenue stream. 3-year projection: users, restaurants, revenue, EBITDA. Break-even analysis. Sensitivities: bull/base/bear cases.	Excel/Sheets Financial model Projections	5 hrs
KPI 3	Compile traction data room Organize investor data room: pitch deck, financial model, cap table template, technical architecture diagram, demo video (3 min), letters of intent from restaurant partners, media coverage.	Google Drive Data room Documentation	4 hrs

Days 79–82 — Investor Outreach [20 hours]

KPI	Task & Description	Tech Stack	Time
Days 79–82 [Funding Prep] Investor outreach + pitch practice + term sheets — 20 hours			
KPI 1	Build target investor list — 50 contacts Research: Walled City Capital, Indus Valley Capital, Sarmayacar, DICE Fund, Pakistan angels network, NUST TechOne, ICT R&D Fund. LinkedIn + email outreach with personalized messages.	Research Outreach CRM	6 hrs
KPI 2	Demo day and pitch practice Practice pitch 10 times with timer. Record yourself. Get feedback from 5 startup founders. Attend 2 Islamabad startup events. Apply to NUST, LUMS, and IBA entrepreneurship competitions.	Practice Networking Events	6 hrs
KPI 3	Close seed round — target 5 investor meetings Send pitch deck to 50 investors. Target 10 meetings.	Fundraising Negotiation SAFE notes	8 hrs

KPI	Task & Description	Tech Stack	Time
	Close 3–5 investors for PKR 15M total. Instrument: SAFE notes (simplest, founder-friendly). Get legal advice from startup lawyer.		

PHASE 7 — SCALE & EXPAND

Days 83–90 | 40 Hours | Goal: Mobile app beta, Lahore expansion planning, Series A metrics.

Days 83–87 — React Native Mobile App [25 hours]

KPI	Task & Description	Tech Stack	Time
Days 83–87 [Scale] React Native mobile app (Android-first) — 25 hours			
KPI 1	Set up React Native + Expo project Initialize Expo project. Connect to existing FastAPI backend. Authentication flow. Home screen with search + map. Reuse logic from web app. Android-first (90% of Pakistan market).	React Native Expo Android	8 hrs
KPI 2	Native map with restaurant pins Use react-native-maps. Show user location. Restaurant pins color-coded by Foodly Score. Tap a pin to see mini meal card. Navigate to meal detail. Native feel outperforms web view.	react-native-maps Google Maps Native	8 hrs
KPI 3	Push notifications for price alerts and daily digest Expo Push Notifications. Price alert when watched meal changes. Daily 8am 'Meal of the Day' for user's neighborhood. Background sync of saved meals.	Expo Push Background sync Notifications	9 hrs

Days 88–90 — Series A Preparation [15 hours]

KPI	Task & Description	Tech Stack	Time
Days 88–90 [Scale] Lahore expansion + Series A metrics — 15 hours			
KPI 1	Lahore expansion — database and geo setup Add Lahore sectors (Gulberg, DHA, Johar Town, Model Town) to sectors table. Seed first 50 Lahore restaurants. Update scraping agent to target Lahore. Launch announcement ready.	PostGIS Data seeding Growth	6 hrs
KPI 2	Series A metrics dashboard for investors Build an investor-facing dashboard (with access token). Shows: MAU trend, MRR trend, restaurant count, data freshness score, market coverage %, NPS score. Updates daily.	Next.js PostgreSQL Dashboard	5 hrs
KPI 3	Final KPI review and Series A pitch preparation Review all 90-day KPIs achieved vs. target. Write 2-page executive summary for Series A. Target: \$500K–	Strategy Fundraising Series A	4 hrs

KPI	Task & Description	Tech Stack	Time
	1M from institutional VC. Begin conversations with Sarmayacar, Indus Valley Capital.		

SUCCESS CRITERIA — END OF 90 DAYS

✓	Metric	Target
✓	Search 'biryani under 250 near me' and get real Islamabad results with map pins	Works in under 2 seconds on mobile
✓	Foodly Score and AI insight on every meal detail page	Score computed for 500+ restaurants
✓	Web scraping agent automatically finds new restaurants nightly	50+ new restaurants/week auto-discovered
✓	Confidence score system reflects data freshness and community reports	Decays + recovers correctly in prod
✓	500 monthly active users in Islamabad	Tracked via Vercel Analytics
✓	First PKR 200,000/month in revenue	10 featured listing restaurants paying
✓	Mobile PWA installed on 100 user devices	Push notification opt-in working
✓	Seed funding closed — PKR 15M	SAFE notes signed or equity closed
✓	Lahore expansion ready to launch	50 Lahore restaurants seeded
✓	Everything live at public URL — not localhost	Vercel + Railway production deploys

The Most Important Rule

Do not spend more than the allotted time on any single KPI. If you get stuck, build a mock version and move on. Momentum is the most important thing at this stage. A working app with 70% of these features deployed beats a perfect app that never ships.