Altair AI Studio – Screenshot Notes

Line-by-line transcription of the five uploaded screenshots

1. Regression Tree (Decision Tree) – Result

Visible interface text

• Application: Altair AI Studio Educational 2026.1.1

• Result tab: RegressionTree (Decision Tree)

• Left-side options: Graph, Description, Annotations

• Zoom controls: Zoom in and Zoom out

• View type: Tree

• Node Labels: checked

• Edge Labels: checked


• Root node: Format

• Branch: ODI → Opponent

• Under Opponent: AUS → 12.333

• Under Opponent: BAN → 21.333

• Branch: T20I → 46.143



Meaning: The decision tree predicts the Runs value. For ODI matches, the prediction is further divided by Opponent. For T20I matches, the predicted value shown is 46.143.

2. ExampleSet (Read CSV) – Dataset

Visible interface text

• Result tab: ExampleSet (Read CSV)

• Available views: Data, Statistics, Visualizations, Annotations

• Open in: Turbo Prep, Auto Model, Interactive Analysis


• Filter: 20 / 20 examples; all

• Dataset summary: ExampleSet (20 examples, 1 special attribute, 5 regular attributes)

• Columns: Row No. | Runs | Date | Player | Opponent | Format | Venue

Row	Runs	Date	Player (as visible)	Opponent	Format	Venue
1	76	13 Oct 2026	Sahibzada F...	SL	T20I	Rawalpindi
2	73	11 Oct 2026	Sahibzada F...	SL	T20I	Rawalpindi
3	89	09 Oct 2026	Sahibzada F...	SL	T20I	Rawalpindi
4	10	03 Oct 2026	Sahibzada F...	IND	T20I	Nisshin
5	1	01 Oct 2026	Sahibzada F...	BAN	T20I	Nisshin
6	6	04 Jun 2026	Sahibzada F...	AUS	ODI	Lahore
7	3	02 Jun 2026	Sahibzada F...	AUS	ODI	Lahore
8	28	30 May 2026	Sahibzada F...	AUS	ODI	Rawalpindi
9	6	15 Mar 2026	Sahibzada F...	BAN	ODI	Dhaka
10	31	13 Mar 2026	Sahibzada F...	BAN	ODI	Dhaka
11	27	11 Mar 2026	Sahibzada F...	BAN	ODI	Dhaka
12	100	28 Feb 2026	Sahibzada F...	SL	T20I	Pallekele
13	63	24 Feb 2026	Sahibzada F...	ENG	T20I	Pallekele

Note: The screenshot shows only rows 1–13 because the table is scrolled; the dataset contains 20 examples. The player name is visually truncated as “Sahibzada F...” in the screenshot.



3. Decision Tree – Process and Parameters

• Process operator: Read CSV connected to Decision Tree.

• Read CSV output is connected to the Decision Tree training input (tra).

• Decision Tree outputs are connected to result ports on the right.

• Decision Tree model metadata: prediction: prediction(Runs).

• Generated by: Decision Tree.model

• Data summary: Format = ODI | Opponent = AUS: 12.333 {count=3}

• Opponent = BAN: 21.333 {count=3}

• Format = T20I: 46.143 {count=14}

• Decision Tree parameters:

• criterion: least square

• maximal depth: 10


• apply prepruning: checked

• minimal gain: 0.01

• minimal leaf size: 2

• Links: Show advanced parameters; Change compatibility (12.1.001)

• Help panel: Decision Tree; Tags include Supervised, Classification, Regression, Model, Trees.



4. Random Forest Model – Result

• Result tab: Random Forest Model (Random Forest).

• Left panel lists Model 1 through Model 20.

• Model 3 is selected.

• Views: Graph, Description, Annotations.

• View type: Tree; Node Labels and Edge Labels are checked.

• Root node: Venue.


• Visible venue branches: Colombo, Dambulla, Dhaka, Lahore, Pallekele, Rawalpindi.

• Visible prediction values: 89.400, 9.000, 27.000, 3.600, and 52.000.

• Rawalpindi branch splits on Date.

• Date branches shown: 24 Feb 2026 and 28 Feb 2026.

• Predictions below date branches: 63.000 and 100.000.



5. Random Forest – Process and Parameters

• Process operator: Read CSV connected to Random Forest.

• Read CSV output is connected to the Random Forest training input (tra).

• Random Forest model, example set, and weights outputs are connected to result ports.

• Random Forest parameters:

• maximal depth: 10

• apply prepruning: checked

• minimal gain: 0.01

• minimal leaf size: 2

• guess subset ratio: checked


• Links: Show advanced parameters; Change compatibility (12.1.001)

• Help panel: Random Forest.

• Visible tags: Supervised, Classification, Regression, Ensembles, Decision Trees, Extremely Randomized Trees, Extra-Trees, Breiman, Bagging.

• Operator search field: random for

• Operator tree: Modeling → Predictive → Trees → Random Forest.



Overall summary

The screenshots show a CSV dataset of cricket match runs being used to train two tree-based regression models in Altair AI Studio: a Decision Tree and a Random Forest. The model outputs are displayed as tree diagrams, with predicted Runs values at the leaf nodes.