PF lab 4:-

Task 1:-

```
#include<iostream>
using namespace std;
int main() {
 double num;
 cout<<" enter the number: ";
  cin>>num;
 if (num>0)
{
  cout<<num<<" number entered is positive"<<endl;
 }
 else
{
 cout<<" number entered is negative"<<end;
 }
   return 0;
}
```

Task 2:-

```
#include<iostream>
using namespace std;
int main() {
int num;
cout<<"enter an integer: ";
if (num>0)
cout<<" Positive number"<<endl;
else if(num<0)
```


Task 4=

```
#include<iostream>
using namespace std;
int main()
{
int a, b, c, largest;
cout<<"enter three numbers:";
if (a>=b)
 largest = a;
else
     largest = c;
}
   else
     {
        if (b>=c)
        largest = b;
  else
        largest=c;
     }
cout<<"Largest number="<<largest<<endl;
   return 0;
}
```

3:42 AM • 98.1 K/S 51


```cpp
#include <iostream>
using namespace std;
int main()
{
 double num;
 cout << "Enter a number: ";
 cin >> num;
 if (num > 0)
 {
 cout << num << " - number entered is positive" << endl;
 }
 else
 {
 cout << "Number is negative" << endl;
 }
 return 0;
}
```

Tab { } : ; "


3:42 AM
8.35 K/S
Vo LTE
4G
51
TAB
Enter a number:


3:43 AM • 1.49 K/S 51

new*

(invalid)* new* new* new new


```cpp
#include <iostream>
using namespace std;
int main()
{
 int num;
 cout << "Enter an integer: ";
 cin >> num;
 if (num > 0)
 cout << "Positive number" << endl;
 else if (num < 0)
 cout << "Negative number" << endl;
 else
 cout << "Zero" << endl;
 return 0;
}
```

Tab { } : ; "


3:43 AM
1.47 K/S
Vo LTE
4G
51
TAB
Enter an integer:

3:46 AM • 0.00 B/S 51



```cpp
#include <iostream>
using namespace std;
int main()
{
 int mark;
 cout << "Enter mark: ";
 cin >> mark;
 if (mark >= 75)
 {
 cout << "Grade: A" << endl;
 }
 else
 {
 if (mark >= 60)
 {
 cout << "Grade: B" << endl;
 }
 else
 {
 if (mark >= 45)
 {
 cout << "Grade: C" << endl;
 }
 else
 {
 if (mark < 30)
 {
 cout << "Grade: D" << endl;
 }
 else
 {
 cout << "No grade defined for 30-44" <<
endl;
 }
```


3:46 AM
1.24 K/S
51
TAB
Enter mark:

3:48 AM • 116 B/S G Vo LTE 4G 51


```cpp
#include <iostream>
using namespace std;
int main()
{
 int a, b, c, largest;
 cout << "Enter three numbers: ";
 cin >> a >> b >> c;
 if (a >= b)
 {
 if (a >= c)
 largest = a;
 else
 largest = c;
 }
 else
 {
 if (b >= c)
 largest = b;
 else
 largest = c;
 }
 cout << "Largest number = " << largest <<
endl;
 return 0;
}
```


Tab { } : ; "


3:48 AM
2.60 K/S
TAB
Enter three numbers:

3:49 AM • 28.0 B/S Vo LTE 4G 50


```
2  using namespace std;
3  int main()
4  {
5   int n, digits;
6   cout << "Enter a number: ";
7   cin >> n;
8   if (n > 0)
9   {
10  if (n < 10) digits = 1;
11  else if (n < 100) digits = 2;
12  else if (n < 1000) digits = 3;
13  else if (n < 10000) digits = 4;
14  else if (n < 100000) digits = 5;
15  else if (n < 1000000) digits = 6;
16  else if (n < 10000000) digits = 7;
17  else if (n < 100000000) digits = 8;
18  else if (n < 1000000000) digits = 9;
19  else digits = 10;
20  cout << n << " is positive and has " <<
    digits << " digit(s)" << endl;
21  }
22  else
23  {
24  cout << "Number is not positive, so digits
    are not counted" << endl;
25  }
26  return 0;
27 }
```

Tab { } : ; "


3:49 AM
466 B/S
Vo LTE
4G
50
TAB
Enter a number: