


Rishta & Rang

Version 1 (MVP) — Full Gap Audit & 15-Day Delivery Plan

Prepared 29 August 2026 Plan window 31 Aug – 18 Sep 2026 (15 working days) Baseline branch `dev-faizan`
Stack Expo SDK 54 / RN 0.81 · Supabase (Postgres + Auth + Storage + Realtime)
Scope V1 MVP per 2-in-1 App Feature Roadmap V1→V2

1. Executive Summary

The app is further along than a typical MVP: onboarding, profiles, discovery, filters, bilingual UI and the whole Supabase data layer are built and verified working end to end. What is **not** finished is the part the roadmap calls the core loop — **two people actually matching and talking to each other** — plus the commercial and compliance work needed to hand the build to a client and put it in the stores.



The one thing that blocks everything else

Matching and messaging are currently **single-sided**. A match row and every chat message are written only under the sender's own `profile_id`; the other person never receives them. The "Move to Rishta" acceptance is a 2.2-second `setTimeout` simulation, and this is stated plainly in the code itself (`src/store/MatchesContext.tsx`: *"There's no live backend/second user in this app"*). Until this is rebuilt, the roadmap's central hypothesis — that Pakistani users will move a conversation from Dating to Rishta — cannot be measured at all. Days 1–5 of this plan exist to fix exactly that.

WHAT IS GENUINELY FINISHED AND VERIFIED

- Backend, verified live against the production Supabase project.** All 14 tables plus both storage buckets were written to and read back with a throwaway account: every one of the 54 `profiles` columns round-trips, media uploads return a public URL that renders without auth, CNIC/selfie files are reachable only through a signed URL, and a second signed-in member sees the first member's card with photos while being correctly blocked from their private tables.
- Onboarding** — 3-step flow, 2–4 photos enforced, selfie and CNIC both mandatory.
- Bilingual UI** — 541 keys in English, Urdu and Roman Urdu with RTL support; 6 Urdu strings still fall back to English.
- Discovery** — swipe deck, vibe tags, and manual filters covering age, city, intent, sect, readiness, verified-only and active-today, with ten sort modes.

- **Rishta profile** — religion, sect, family background, education, readiness signal.
- **Free-tier like limit** — 15/day, persisted per user per date.

FIXED DURING THIS AUDIT (ALREADY IN THE BRANCH)

- **Signup "Network request failed"**. Uploads used `fetch('file:///...')`, which React Native cannot do. Media now reads through `expo-file-system` and uploads raw bytes.
- **Stranded accounts**. Signup now writes profile rows *before* media, treats an upload failure as non-fatal, and a half-finished account can be completed by simply retrying signup.
- **Chat message identity**. `insertMessage` returned its own payload instead of the inserted row, so the returned message carried `id: undefined` — the very field the Realtime channel de-dupes on.

2. Gap Analysis — What Still Stands Between Today and Client Sign-off

Twelve open items. Severity is from the client's point of view: **P0** blocks delivery, **P1** blocks a public launch, **P2** is quality and polish that should still land inside the window.

#	GAP	SEVERITY	WHAT IS WRONG TODAY	FIXED ON
1	Mutual matching	P0	Liking someone writes a <code>likes_received</code> row on their record, but nothing ever detects that two people liked each other. A match is created unilaterally, whenever <i>you</i> open a chat.	Day 1–2
2	Two-way messaging	P0	<code>chat_messages</code> rows are owned by the sender and RLS restricts reads to <code>profile_id = auth.uid()</code> . The recipient can never read them. Realtime is filtered the same way.	Day 3
3	"Move to Rishta" is simulated	P0	The request is inserted, then the app fakes the other side's acceptance after 2.2s. The signature feature of the whole product produces no real signal.	Day 5
4	Report goes nowhere	P0	<code>onSubmitReport</code> shows a confirmation toast and discards the reason. There is no <code>reports</code> table and no moderation path. Both stores require a working abuse report.	Day 6
5	Block is one-directional	P1	Blocking hides them from your deck only. They keep seeing you and, once messaging is two-way, could still message you. <code>blocked_id</code> also stores the match row id rather than the person's id.	Day 7
6	Explore+ has no payment	P0	"Upgrade" simply sets <code>isExplorePlus = true</code> on the user's own row. There is no billing integration, and the flag is client-writable, so the paid tier is free to anyone.	Day 8
7	Entitlements are client-side	P1	The 15-likes-a-day cap and the Explore+ flag both live in app state and in rows the user can write themselves. Trivially bypassed.	Day 9
8	No push notifications	P1	<code>expo-notifications</code> is not installed. <code>notification_prefs</code> is fully built and stored but drives nothing outside the in-app feed — so a new match or message reaches nobody who has closed the app.	Day 10
9	Demo data in the shipping build	P1	The deck appends mock profiles whenever fewer than 8 real members match, and the Explore "Events" tab is entirely hardcoded. A client demo will show fake people as if they were users.	Day 11
10	Legal pages are placeholders	P0	The Legal screen renders a "placeholder notice". Given the app collects CNIC numbers and ID photographs, a real privacy policy is both a store requirement and a legal one.	Day 12
11	No emoji reactions in chat	P2	The roadmap specifies "text chat with basic emoji reactions". No reaction storage or UI exists.	Day 4

#	GAP	SEVERITY	WHAT IS WRONG TODAY	FIXED ON
12	No automated tests, no CI	P2	Zero test files in the repository. Every regression is currently found by hand.	Day 13–14

Carried over from the audit, worth deciding on

The selfie photo is uploaded and its path stored, but nothing ever reads it back — only the `selfieVerified` badge is shown. CNIC "verification" is a colour/aspect-ratio heuristic that sets `cnic_verified = true` automatically; it is honest as a wrong-upload filter but must not be presented to the client as identity verification. Neither is a defect, but both should be stated plainly in the handover.

3. The 15-Day Plan

One developer, five working days a week, 31 August to 18 September 2026. The order is deliberate: the core loop is rebuilt first because every later item — notifications, reporting, entitlements, QA — depends on two real users being able to reach each other.

DAY	FOCUS	WORK	DONE WHEN
PHASE 1 · DAYS 1–5 · MAKE THE CORE LOOP REAL			
Day 1 Mon 31 Aug	Matching schema	New migration <code>19_matching.sql</code> : a <code>likes</code> table keyed on <code>(liker_id, target_id, mode)</code> , and <code>matches</code> reshaped to a pair row (<code>user_a</code> , <code>user_b</code> , ordered so the pair is unique). RLS: a row is readable by either participant. Backfill/migrate the existing one-sided rows. Add both to the Realtime publication.	Two accounts can each see the same match row; a third account cannot.
Day 2 Tue 1 Sep	Mutual like → match	A <code>like_profile(target, mode)</code> RPC that records the like, checks for the reciprocal one, and creates the match atomically, returning whether it matched. Rewire <code>FavoritesContext</code> and the swipe handlers onto it. Fire the match celebration on a real mutual like instead of on every right-swipe.	A likes B, B likes A → both see the match and the celebration; A alone sees nothing.
Day 3 Wed 2 Sep	Two-way chat	<code>chat_messages</code> re-keyed to <code>match_id + sender_id</code> ; RLS becomes "you are a participant of this match". <code>from_me</code> derived from <code>sender_id</code> at read time. Rewrite <code>matchesService</code> and the Realtime subscription to filter on match membership. Per-side unread counters.	A message typed on device A appears on device B within a second, and unread clears per side.
Day 4 Thu 3 Sep	Chat completeness	<code>message_reactions</code> table + long-press reaction picker on <code>MessageBubble</code> (roadmap: "basic emoji reactions"). History pagination so a long thread doesn't load whole. Delivered/ read state. Verify voice notes and image messages survive the new schema.	Both sides can react; a 500-message thread opens instantly.
Day 5 Fri 4 Sep	Move to Rishta — for real	Delete the <code>setTimeout</code> simulation. The request becomes a state on the shared match row; the other member sees a pending banner with Accept / Decline; accepting flips the mode for both sides and notifies both. Rishta-mode profile fields gate the request.	The signature feature works between two real accounts and is measurable in the data.
PHASE 2 · DAYS 6–9 · SAFETY, TRUST AND MONEY			

DAY	FOCUS	WORK	DONE WHEN
Day 6 Mon 7 Sep	Reporting	<code>reports</code> table (reporter, target, reason, context, free text, status) with insert-only RLS for members. Wire the existing <code>ReportDialog</code> in Home and Chat to it. Auto-hide a profile from discovery after N distinct reports. A simple SQL/Studio review view for the client.	A report is a row someone can act on, not a toast.
Day 7 Tue 8 Sep	Block hardening	<code>blocked_id</code> becomes the person's uuid, not the match row id. Blocking is enforced in the database: blocked pairs are excluded from discovery both ways, and message insert is refused in either direction. Blocked people disappear from Explore, likes and matches for both sides.	After a block, neither member can see or reach the other from any surface.
Day 8 Wed 9 Sep	Explore+ billing	Wire the single V1 paywall to real billing — Play Billing + StoreKit via RevenueCat is the fastest defensible route; a local gateway (JazzCash / Easypaisa) is the alternative if the client prefers PKR rails. Receipt validated server-side in an Edge Function that writes the subscription state. <i>Client decision needed — see Risks.</i>	A real purchase on a real device unlocks Explore+; cancelling revokes it.
Day 9 Thu 10 Sep	Server-side entitlements	Move the 15/day like cap into the <code>like_profile</code> RPC so the count cannot be edited by the client. Lock <code>is_explore_plus</code> , <code>subscription_plan</code> and <code>subscription_renews_at</code> against direct user writes (trigger or column-level policy) so only the verified-purchase function may set them.	A hand-crafted API call cannot grant itself Explore+ or extra likes.

PHASE 3 · DAYS 10–12 · REACH, REAL CONTENT, COMPLIANCE

Day 10 Fri 11 Sep	Push notifications	Install <code>expo-notifications</code> , add a <code>push_tokens</code> table, and send from an Edge Function triggered on new match / new message / new like. Every send honours the existing <code>notification_prefs</code> row, which is already built and stored but currently drives nothing.	A message to a closed app arrives as a push, and turning the pref off stops it.
Day 11 Mon 14 Sep	Real content only	Put the mock deck behind a dev-only flag so production never shows fabricated members. Replace the hardcoded Explore "Events" with a real table, or hide the tab for V1. Write proper empty states for an early, thin user base — the honest answer to a small deck, rather than filling it with fiction.	A production build shows only real people, or an honest empty state.
Day 12 Tue 15 Sep	Legal & store compliance	Real Privacy Policy and Terms covering CNIC collection, photo storage, retention and deletion, hosted and linked in-app. 18+ age gate. Play Data Safety form and App Store privacy labels. Confirm the in-app account deletion path (already built) meets both stores' requirements.	Both store review checklists pass on paper.

PHASE 4 · DAYS 13–15 · HARDEN AND HAND OVER

DAY	FOCUS	WORK	DONE WHEN
Day 13 Wed 16 Sep	QA pass 1	Two physical devices, two real accounts, every flow end to end: signup → match → chat → move to rishta → block → report → subscribe → delete account. Add a smoke test suite over the services layer (currently the repo has none). Log and fix.	The full journey passes twice with no P0/P1 open.
Day 14 Thu 17 Sep	Polish & performance	Deck pagination instead of fetching every profile, image caching, offline and error states on every network call. Urdu/RTL sweep including the 6 untranslated strings. Accessibility labels. Second QA pass on the fixes.	No untranslated string, no unhandled network error, deck scrolls smoothly at 500+ profiles.
Day 15 Fri 18 Sep	Release & handover	Production EAS builds for both platforms, store listings with Urdu and English screenshots, internal testing track. Handover pack: Supabase SQL in order, environment variables, an operations runbook, and a written statement of the known limits (heuristic CNIC check, selfie stored but not displayed).	Client holds installable builds, database scripts, credentials and documentation.

4. Risks & Decisions Needed From the Client

ITEM	WHY IT MATTERS	NEEDED BY
Payment rails	Play/App Store billing is mandatory for digital goods on those stores and takes 15–30%. A local gateway (JazzCash / Easypaisa) fits the PKR 999 price point and the Pakistani market far better but is not permitted for in-app digital unlocks on either store. This choice changes Day 8 entirely.	Day 6 — before billing work starts
Store accounts	Google Play Console and Apple Developer enrolment can take days to clear, and Apple requires a D-U-N-S number for an organisation account. If this is not already in place, Day 15 slips regardless of the code being ready.	Day 1 — start immediately
Legal copy	The privacy policy and terms need a lawyer's eye because the app stores CNIC numbers and ID photographs. Day 12 assumes copy is supplied or reviewed, not drafted from scratch by the developer.	Day 8
Moderation ownership	Day 6 creates the reports queue. Someone on the client's side has to actually read it. Without a named owner, the store-required reporting path is a table nobody opens.	Day 6
Seed audience	Removing the demo deck on Day 11 leaves the app genuinely empty until real members join. A launch plan for the first cohort is needed or the MVP cannot measure adoption — which is its entire purpose.	Day 11
Single-developer risk	The plan is sized for one developer at full availability with no parallelism. Any sick day, or an App Store review rejection in the final week, consumes the whole buffer. A one-week contingency after Day 15 is realistic.	Plan for it now

5. Feature Status — V1 Roadmap

Every feature the roadmap places in Version 1, against the code as it stands today.

FEATURE	STATUS	WHERE IT STANDS	REMAINING WORK
UNIVERSAL — BOTH MODES			
Onboarding & Intent Setting	COMPLETE	Three steps: account and personal details, then intent plus photos, then selfie and CNIC. Intent drives the deck. Draft carried through and written in one transaction at the end.	—
Photo Upload & Selfie Verification	COMPLETE	2–4 photos enforced; selfie and CNIC photo both mandatory. Upload path fixed during this audit and verified against live storage.	—
Urdu + English UI	COMPLETE	541 keys across English, Urdu and Roman Urdu, with RTL layout support throughout.	6 Urdu strings still English (Day 14)

FEATURE	STATUS	WHERE IT STANDS	REMAINING WORK
In-App Text Messaging	PARTIAL	Chat UI, text/voice/image messages, Realtime stream and persistence all built — but every message is stored only under the sender and RLS stops the recipient reading it. No emoji reactions.	Two-way delivery (Day 3), reactions (Day 4)
Block & Report	PARTIAL	Block works and persists, with a managed blocked-users list. Report has a complete dialog with six reasons whose result is discarded.	Reports table (Day 6), two-way block (Day 7)
Basic Match Suggestions	COMPLETE	Filter-based, exactly as the roadmap specifies: age, city, intent, sect, readiness, verified-only and active-today, plus ten sort modes. No AI, as intended for V1.	Pagination at scale (Day 14)
DATING MODE			
Swipe Discovery	COMPLETE	Gesture-driven card deck with the action bar, celebration animation and profile detail sheet.	Celebration to fire on real mutual match (Day 2)
Vibe Tags	COMPLETE	Editable on the profile, stored in <code>dating_vibe_tags</code> , rendered on cards and detail views.	—
"Move to Rishta" Button	PARTIAL	Full UI, request message, pending state and mode crossover are built — but the acceptance is simulated locally after 2.2 seconds. No counterparty is involved.	Real request/accept between two accounts (Day 5)
RISHTA MODE			
Basic Matrimonial Profile	COMPLETE	Religion, sect, family background and education, editable and shown on rishta cards and detail views.	—
Rishta Readiness Signal	COMPLETE	Browsing / few months / ready now, editable, visible to others and usable as a filter.	—
Manual Filters	COMPLETE	Age, sect, city and readiness all present, with a reset and an active-filter count on the chip.	—
MONETIZATION			
Free Tier	COMPLETE	Profile creation, both modes, matched chat and Urdu UI are free; 15 likes a day, persisted per user per date.	Enforce the cap server-side (Day 9)
Single Paid Unlock (Explore+ lite)	PARTIAL	"See who liked you" and unlimited likes both work, with plan selection, trial and cancel screens. There is no billing at all — the upgrade button sets a boolean the user's own device is allowed to write.	Real billing (Day 8), locked entitlements (Day 9)

BUILT AHEAD OF THE ROADMAP — VERSION 2 FEATURES ALREADY PRESENT

These were not required for V1. They are listed so the client knows what exists, and so nothing is mistaken for finished production work.

V2 FEATURE	STATE	NOTE
CNIC / ID Verification	BUILT	Number validation, gender cross-check and an image heuristic. Not real identity verification — it sets <code>cnic_verified</code> automatically.
Voice notes & video intro	BUILT	Recording, upload and playback all work; needs re-verification after the Day 3 chat schema change.
Voice / video calling	UI ONLY	Call screen exists but connects via a timer. No WebRTC. Should be hidden for V1 rather than shipped as a working feature.
Wali Dashboard	BUILT	Guardian name and contact captured and stored. No guardian-side access, which is the V2 substance.
Privacy controls	BUILT	Profile visibility, online status and photo blur are stored. Confirm each is actually enforced in discovery queries.
Compatibility score	BUILT	Local heuristic scoring with a match-score card. Not the V2 15-question assessment.
Profile boosts	BUILT	Wallet and sheet exist; not in either roadmap version. Decide whether V1 ships it.

Definition of done for V1

Two people who have never met can install the app, sign up in Urdu, find each other in the deck, match by liking each other, chat, move that chat to Rishta, and — if either wants out — block or report the other, with the report landing somewhere a human reads. One of them can pay for Explore+ and the other cannot fake it. Both get a push when the other writes. Nothing in the app is a mock. That is the bar Day 15 is measured against.