

STATUS REPORT & REMAINING SCOPE

Rishta & Rang

Version 1 (MVP) — Where the build stands now

Prepared 4 September 2026 Branch `dev-faizan` @ `746f112` · app `1.0.3` (versionCode 4)

Stack Expo SDK 54 / RN 0.81 · Supabase (Postgres + Auth + Storage + Realtime)

Supersedes *V1 TODO List*, prepared 1 September 2026 @ `39ebd3a`

1. Snapshot

The blocker the previous report was built around is gone. Matches and messages are pair rows that both people can read, the "Move to Rishta" handshake is a real exchange between two accounts, and blocking and reporting are enforced by the database rather than by the client. Ten of the eighteen open items are closed. **What is left divides cleanly in two: one feature that was never started (billing), and a set of things that are written but not yet witnessed on two physical devices.**

12	2	0	14	8	2
DONE	PARTIAL	NOT STARTED	V1 FEATURES	OPEN TODOS	P0 OPEN

The blocker is cleared

`matches` now holds one row per pair, (`user_a`, `user_b`) stored in ascending order so a pair can only produce one row, readable by either participant. `chat_messages` is keyed on (`match_id`, `sender_id`) and `from_me` is derived per reader rather than stored. Unread moved to `match_reads`, one row per person per conversation, so one member reading their copy leaves the other's alone. The `setTimeout` that answered a Move to Rishta request on the other person's behalf is deleted; the request is a state on the shared row that only the *other* member may answer.

The distinction this report is organised around

Something can be **written**, **proven in the data**, or **seen working on a phone**. Most of this build is now proven in the data — nineteen assertions across the whole journey pass against the live project (§5). Two things are seen working on a phone: the rishta request and its acceptance. Three things are only written: push arriving on a closed device, live Realtime delivery between two devices, and billing. §5 says exactly which is which, and nothing in this report claims more than that.

2. What changed since 1 September

Thirteen new migrations (`20` through `32`), an Edge Function, eleven SQL verification scripts, and the first automated tests the repository has had.

MIGRATION	WHAT IT CLOSED
<code>20_message_reactions</code>	Emoji reactions — table, RLS, and the Realtime stream they ride.

MIGRATION	WHAT IT CLOSED
21_reports	A real <code>reports</code> table, insert-only for members, plus auto-hide once three distinct people report a profile.
22_block_hardening	<code>blocked_id</code> became the person's uuid; blocks enforced in the database, both directions.
23_push_tokens	One row per device, written through a definer RPC so a device that changes hands moves accounts.
24_matching	The pair row. <code>likes</code> + <code>matches</code> reshaped; both added to the Realtime publication.
25 , 26	Like write policies; two-way messaging — one thread, both people in it, per-side read marks.
27_like_profile	One call for the like, the reciprocity check and the match, in one transaction.
28_rishta_request	The Move to Rishta handshake: request state on the shared row, and only the other member may answer.
29 , 30	Entitlements a member cannot grant themselves; the 15-a-day cap moved inside <code>like_profile</code> .
31	Dropped the one-sided message columns left behind for rollout.
32_rishta_notifications	Both sides told when a request is asked, accepted or declined; the notifications feed joined Realtime.

Also added: `supabase/functions/send-push` (deployed), `docs/smoke-test.md` (the two-device script), `docs/handover-notes.md` (a written statement of known limits), and a Jest suite — **4 suites, 41 tests**, against a repository that had zero.

3. V1 Feature Checklist

The same fourteen features, re-measured.

#	FEATURE	STATUS	WHERE IT STANDS	WHAT IS STILL MISSING
UNIVERSAL — BOTH MODES				
1	Onboarding & Intent Setting	DONE	Unchanged, plus an explicit 18+ affirmation at signup and a link into the Legal screen.	—
2	Photo Upload & Selfie Verification	PARTIAL	Every badge now says what the system actually checks: "Photo added" for the selfie, "ID photo submitted" for the CNIC. The bureau badge is hidden behind <code>FEATURE_BUREAU</code> (false) because nothing ran a background check. The tick visuals are gone — a camera glyph on neutral ink replaces them.	No review queue, so no badge is identity verification (deferred to Day 12). The "Verified only" filter still promises more than it means.
3	Urdu + English UI	DONE	795 paths in each of English, Urdu and Roman Urdu, parity enforced by construction. Service errors throw dictionary keys rather than English sentences; fixed option lists translate the label while the stored value stays canonical.	Accessibility labels are not yet systematic (item 16).
4	In-App Text Messaging	DONE	Two-way. One thread, both participants, RLS scoped to match membership; text, voice and image kinds; emoji reactions on the same Realtime channel; unread per side.	No pagination and no delivered/read state (item 15). Live delivery between two devices is not yet witnessed (§5).
5	Block & Report	DONE	A report is a row a moderator can act on, with a stable reason key and auto-hide at three distinct reporters. Blocking is per person and enforced in the database in both directions — discovery, messages, likes and the match row itself.	Moderation is a Studio view (<code>report_queue</code>), not a screen.
6	Basic Match Suggestions	DONE	The mock deck top-up is behind <code>__DEV__</code> && <code>ENABLE MOCK PROFILES</code> (false), and the mock data is lazily required so it stays out of production bundles. A thin area gets an honest empty state.	The deck still fetches without pagination (item 17).
DATING MODE				
7	Swipe Discovery	DONE	Unchanged.	—
8	Vibe Tags	DONE	Unchanged.	—
9	'Move to Rishta' Button	DONE	The simulation is deleted. The request is a state on the shared row; the other member gets a live banner with Accept / Decline; accepting flips <code>mode</code> for both in one write and writes a notification to each of them; declining tells the requester rather than silently reverting. The request is refused unless the asker's rishta fields are filled — in the database, and in the button, which offers the profile screen instead of an error.	Verified in the data and, on 4 September, request-and-accept was seen working on a phone. The rest of the two-device walk is still to do.
RISHTA MODE				

#	FEATURE	STATUS	WHERE IT STANDS	WHAT IS STILL MISSING
10	Basic Matrimonial Profile	DONE	Unchanged, and now load-bearing: these four fields are what gates a Move to Rishta request.	—
11	Rishta Readiness Signal	DONE	Unchanged. "Just browsing" is the one value that does not satisfy the rishta gate.	—
12	Manual Filters	DONE	Unchanged.	—
MONETIZATION				
13	Free Tier	DONE	The 15-a-day cap moved inside <code>like_profile</code> , and <code>daily_likes</code> has no insert, update or delete policy left — the counter cannot be reset by writing to it.	—
14	Single Paid Unlock (Explore+ lite)	PARTIAL	The hole is closed from the other end: <code>is_explore_plus</code> , <code>subscription_plan</code> and <code>subscription_renews_at</code> are pinned against a member's own writes, so the tier can no longer be granted by tapping. The screen now reports that the upgrade did not take rather than claiming a success it never got.	No payment of any kind. Nothing can grant the tier until a receipt-validating function exists — which needs the client's decision first (item 9).

4. The TODO list, re-measured

Ten of eighteen closed. **P0** blocks delivery, **P1** blocks a public launch, **P2** is quality that should still land before handover.

#	TASK	PRI	STATUS	WHERE IT STANDS
A · MAKE THE CORE LOOP REAL				
1	Mutual matching schema	P0	CLOSED	<code>24_matching.sql</code> . Two accounts read the same match row; a third reads nothing. Proven — §5, rows 1 and 3.
2	Mutual like → match	P0	CLOSED	<code>like_profile</code> does the like, the reciprocity check and the match in one transaction, and returns whether this call is the one that formed the pair.
3	Two-way messaging	P0	CLOSED	Schema, RLS and per-side unread all proven (§5, rows 2 and 4). The "within a second on the other device" half is the one part still unwitnessed.
4	'Move to Rishta' for real	P0	CLOSED	<code>28</code> + <code>32</code> . Proven in the data and seen on a phone (§5, rows 5–7 and 10).
5	Celebrate real matches only	P1	CLOSED	The celebration fires on the RPC's <code>is_new</code> , so a re-like of an existing match does not celebrate again.
B · SAFETY AND TRUST				
6	Reporting that goes somewhere	P0	CLOSED	A real row, a stable reason key, auto-hide at three reporters, and a <code>report_queue</code> view for the client. A failed report now says so instead of confirming.
7	Block hardening	P1	CLOSED	Enforced in the database from both seats, and a blocked pair cannot re-form a match by liking again. Proven — §5, rows 8 and 9.
8	Selfie / CNIC honesty	P1	MOSTLY	Every badge now claims only what is checked, and the limits are written down for handover. Remaining: the "Verified only" filter still says verified while meaning "uploaded a selfie" — relabel it, or point it at the review queue when that lands. ~0.25 day.
C · MONEY				
9	Explore+ billing	P0	OPEN	The one feature still at zero, and the only true blocker left. Needs the client's decision before any work starts: Play Billing + StoreKit via RevenueCat, or a local PKR gateway (JazzCash / Easypaisa). Then a receipt-validating Edge Function — the columns are already locked and waiting for exactly one caller. ~1.5 days after the decision.
10	Server-side entitlements	P1	CLOSED	<code>29</code> + <code>30</code> . A hand-crafted API call can grant itself neither Explore+ nor extra likes. Proven — <code>verify_entitlements.sql</code> .
D · REACH, REAL CONTENT, COMPLIANCE				
11	Push notifications	P1	WRITTEN	Installed, tokens stored per device, function deployed, and fired at seven moments: new match, like, message, and each step of the rishta handshake. Tapping a notification now opens what it is about. The preference gate is proven for the in-app half (<code>verify_notification_prefs.sql</code>). Remaining: no real device has ever held a token, so nothing has been seen arriving. Needs a development build and FCM credentials. ~0.5 day.
12	Real content only	P1	CLOSED	Mock profiles behind a dev-only flag, Events behind <code>FEATURE_EVENTS</code> (false), honest empty states for a thin user base.

#	TASK	PRI	STATUS	WHERE IT STANDS
13	Legal & store compliance	P0	MOSTLY	A real Privacy Policy (11 clauses) and Terms (12), in all three languages, generated to hosted pages from the same dictionary the app reads so the two cannot drift; 18+ gate at signup; account deletion in place. Remaining, and none of it is code: a lawyer has to review both documents, the two URLs have to be live, and the Play Data Safety form and App Store privacy labels have to be filled in. ~0.5 day plus the client's legal review.

E · COMPLETENESS, HARDENING, HANDOVER

14	Emoji reactions in chat	P2	CLOSED	Long-press picker, pills under the bubble, streamed on the same channel as the messages.
15	Chat completeness	P2	OPEN	Voice and image messages survived the new schema. Remaining: history pagination (a thread still loads whole) and delivered/read state. ~0.5 day.
16	Urdu / RTL & a11y sweep	P2	MOSTLY	Dictionaries are at full parity and the RTL pass is done. Remaining: accessibility labels, and raw Supabase auth/storage error strings still surface in English. ~0.5 day.
17	Performance & error states	P2	OPEN	A cache layer renders last session's data instantly and survives being offline. Remaining: deck pagination (every matching profile is still fetched at once) and image caching. ~1 day.
18	Tests, QA pass & handover	P2	STARTED	4 Jest suites / 41 tests, plus eleven SQL verification scripts that prove behaviour against the live project and roll themselves back. Remaining: no CI; the two-device walk through the whole journey; production builds and store listings. ~2 days.

5. Evidence — what is actually proven

Every row below was measured, not asserted. The SQL scripts impersonate real members (`role` plus both JWT claim GUCs, exactly what PostgREST sets per request), so the real policies are exercised rather than bypassed by Studio's superuser, and each rolls itself back.

#	CLAIM	HOW IT WAS CHECKED	RESULT
1	A mutual like produces exactly one match row, and both members read it	<code>verify_core_loop.sql</code> 1–3	PASS
2	Both halves of a thread are readable by both people, and by nobody else	<code>verify_core_loop.sql</code> 4–6	PASS
3	A third account sees nothing of a conversation it is not in	<code>verify_core_loop.sql</code> 6	PASS
4	Unread is per side — one member reading does not clear the other's	<code>verify_core_loop.sql</code> 7	PASS
5	A Move to Rishta request is refused when the rishta profile is empty	<code>verify_core_loop.sql</code> 8	PASS
6	Only the <i>other</i> member may answer, and accepting moves both sides	<code>verify_rishta_request.sql</code> ; <code>verify_core_loop.sql</code> 9–11	PASS
7	Both members are notified when a request is accepted	<code>verify_core_loop.sql</code> 12–13	PASS
8	A report lands as a row nobody can read back, not even the reporter	<code>verify_core_loop.sql</code> 14	PASS
9	A block removes the pair from each other in both directions, and cannot be liked through	<code>verify_core_loop.sql</code> 15–18; <code>verify_block_both_ways.sql</code>	PASS
10	A member cannot grant themselves Explore+ or extra likes	<code>verify_entitlements.sql</code>	PASS
11	A muted category writes no notification — and muting does not break the request itself	<code>verify_notification_prefs.sql</code>	PASS
12	The mapping layer derives each reader's own view of a shared row	Jest — 41 tests, 4 suites	PASS
13	A rishta request sent from one account, accepted from another, on a phone	Developer, 4 September 2026	PASS
14	A message appears on the other device within a second (Realtime)	—	NOT TESTED
15	A push arrives on a closed device, and the preference stops it	—	NOT TESTED
16	A real purchase unlocks Explore+	—	NOT BUILT

How to close rows 14 and 15

`docs/smoke-test.md` is the script: two devices, two real accounts, nine steps from signup to report, each with what the screen should show **and** the query that proves it landed. Step 10 covers push on a closed app. Run `verify_core_loop.sql` first — if the data half fails, what you would be debugging is the schema, and it is far easier to read there.

6. Remaining work, in order

ORDER	WORK	EST.	WHY HERE
1	Two-device smoke test (item 18)	1	Everything below assumes the loop works on real phones. It is also the cheapest place to find what is broken.
2	Development build + push delivery (item 11)	0.5	The build is needed for the smoke test's push step anyway, so it pairs with it.
3	Client decision: billing rails	—	RevenueCat or a local PKR gateway. Nothing about item 9 can start until this is answered — raise it now, not when you reach it.
4	Explore+ billing (item 9)	1.5	The only V1 feature still at zero.
5	Legal paperwork (item 13)	0.5	Store forms and live URLs. The lawyer's review runs in parallel and is the client's to schedule.
6	Performance (item 17)	1	Deck pagination matters once there are more than a few hundred profiles.
7	Chat completeness, a11y, badge filter (15, 16, 8)	1.25	Quality that should land before handover.
8	Production builds, store listings, handover pack (item 18)	1	Last, because it packages everything above.

Roughly 6.5 working days remain for one developer

Down from 18.5. The shape of the work has changed as much as the size: the previous list was mostly *building*, and this one is mostly *witnessing* — plus one feature that has not started and one decision that has not been made.

7. Known limits and open risks

Stated here so nothing in this report has to be read charitably. The full versions live in `docs/handover-notes.md`.

- **Push delivery has never been witnessed.** `push_tokens` has never held a real token: Expo Go cannot mint one on SDK 53+, and Android additionally needs FCM credentials on the EAS project. The pipeline is verified as far as Expo's API; a phone receiving a notification is not.
- **Realtime delivery between two devices is unproven.** The rows are proven to exist and to be readable by both people; that they arrive within a second is a separate claim that only two open phones can settle.
- **A security grant worth closing.** `is_blocked_pair` is granted to `authenticated` but was never revoked from `public`, and a definer function is executable by `public` unless told otherwise — so anyone holding the anon key can ask whether any two account ids block each other. Confirmed against the live project. It is called from inside RLS policies, so revoking needs a check of which roles those policies serve first. The same pattern was found and fixed on `rishta_profile_complete` in migration 32.
- **Neither badge is identity verification.** The selfie is stored but never reviewed; the CNIC check is a format regex plus a colour/aspect-ratio heuristic. The wording is honest about this now; the review queue that would make it real is Day 12 work.
- **The legal text is not reviewed legal advice.** It is drafted to be accurate about what this app actually does, which is not the same thing.
- **No CI.** The tests exist and pass; nothing runs them automatically.
- **Migration 32 must be run before the notification behaviour exists.** It is applied to the current project; any other environment needs it. All migrations are numbered and re-runnable except `24`, which is destructive by design and documented as such.
- **One uncommitted change** at the time of writing: the push tap-routing hook and the notification preference verification script.

8. Still out of scope for V1

Unchanged from the roadmap, and none of it should take development time now, even where a screen exists in the branch (`wali-dashboard.tsx`, `cnic-verification.tsx`, `call.tsx`): AI compatibility scoring, Family Account Mode, Wali Dashboard, bureau verification, Nikah Journey, Overseas Mode, voice and video calling, and the full six-tier pricing structure. Bureau verification is already behind a flag; the remaining decision per screen is whether to hide it for V1 or leave it visible as a preview.