Zenith Blueprint: Simple Money App

Prepared for the Zenith rebuild. This is the plan, not the code. Every rule below comes from the owner's own description.

How to read this blueprint. It is complete and has no open questions. Sections 1 to 15 are the first draft. Sections 16 to 30 are newer and **win wherever they disagree**: accounts and sign-up (17), the Still to save rule (18), the self-filling calendar (19), notes that route themselves (20), the salary history (21), the year and month browser (22), the phases and checks (26 to 28), the decisions (25) and the detailed data and wording (29 and 30).

1. The idea in one paragraph

Add a thing once, see it in the right place. The owner adds money in, money out, or a loan from one single **Add** button. Each entry then shows up only on the pages where it belongs, so no page is crowded. Every month is its own book. When a month ends at 12:00 AM on the 1st, what is left is locked into Savings automatically. Nothing is typed twice.

2. Simple names for the tabs

Tabs show **names only**. No money, no counts, no badges. The old "Financial Ledger & Audit" name goes away, and there is no Help page.

Today's name	New name	Roman Urdu label	What the page is for
Financial Ledger & Audit	**Home**	Shuru	This month at a glance and the Add button
Monthly Budget	**Monthly**	Mahina	Every expense of the month, grouped
Calendar Live	**Daily**	Roz	Day by day spending and loan alarms
Savings Calculator	**Savings**	Bachat	Locked months and this month's goal
Notes & Keep	**Notes**	Notes	Notebooks, one per month
Salary & Net Pay	**Salary**	Salary	Take-home calculator (a tool, not a daily page)


Today's name	New name	Roman Urdu label	What the page is for
Security & Architecture	**Settings**	Settings	PIN, currency, notifications

The owner can pick English or Roman Urdu labels in Settings. English labels stay short and plain, with no jargon.

3. Web and mobile are two designs

Web (computer): a left sidebar with the tab names, top to bottom. The page opens on the right.

Mobile: a bottom bar with five slots. Notes, Salary and Settings sit under a menu icon at the top right.




The web app has more room, so it shows lists side by side. The mobile app shows one thing at a time and keeps big buttons near the thumb.

4. One Add button, many destinations

The **Add** button lives on Home (and as the center + on mobile). Tapping it asks only what is needed.

Add type	Fields	Where it appears afterwards
Money in (salary or wallet)	Amount, date, this month's savings goal	Home, Savings
Expense	Amount, what for, date, "extra spending?" yes or no	Monthly, Daily, Home totals, Savings (live)
I lent money	Person, amount, date, reminder date	Daily (alarm), Home totals
I borrowed money	Person, amount, date, return date	Daily (alarm), Home totals
Money returned to me	Person, amount, date	Home, Daily, closes the loan

```
ADD (one sheet)
+--------------------------------+
| What is this?                  |
| ( ) Money in    ( ) Expense    |
| ( ) I lent      ( ) I borrowed |
|                                |
| Amount   [ 5,000 ]             |
| Date     [ 12 Nov ]            |
| Name     [ Ali ]               |
| Remind me on [ 20 Nov ]        |
|                                |
| [ Save ]                       |
+--------------------------------+
```



one entry, five pages

The person types the entry once. The app files it under its month and shows it on each page that cares, so no page needs the same number typed again.

5. What each page shows (and nothing more)

Home

- Three numbers for the current month: came in, spent, left.
- The Add button.
- The last five entries.
- Today's alerts, if any (a loan due, extra spending, money taken from an old month).

Monthly

- A month picker at the top.
- All expenses of the chosen month, grouped by what they were for (food, rent, bills and so on), with a total per group.
- Tapping a group shows its entries.

Daily

- A calendar. Each day shows what was spent on that date.

- A list of loan alarms: "Take 5,000 from Ali on 20 Nov".
- A day with extra spending shows a small note: "Extra today: 1,200".

Savings

- The big number is total locked savings.
- Below it, one row per locked month (for example October: 47,500 locked).
- A "This month so far" row that moves up and down while the month runs. It shows no lock until the month ends.
- This month's goal and last month's leftover goal (see section 7).
- Below that, a plain list of what money went to: "Food 8,000, Rent 20,000".
- Money going down is shown as a smaller number. There are no minus signs.

Notes

- One notebook per month (October book, November book and so on).
- A line that mentions money can be turned into an entry (section 8).

Salary

- The gross-to-net tool stays, but out of the daily path. On mobile it sits under the menu.

Settings

- PIN, fingerprint, currency, notification times, label language (English or Roman Urdu).

6. How the months work


1. **First month.** The first month is the month in which the first salary is added. If that is October, October is month one. Earlier months (January to September) do not exist and show nothing.
2. **Each month is a book.** It holds money in, expenses and loans dated in that month.
3. **What is left.** Left = money in, minus expenses, minus money lent out, plus money returned, plus any carry-in from the goal rules.
4. **Month end.** At 12:00 AM on the 1st of the next month, the leftover is locked into Savings under the old month's name.

5. **New month.** Home goes back to 0 and starts fresh. Savings keeps everything locked before.
6. **No time text on screen.** The app does not write "locks at 12:00 AM" anywhere. It just does it.
7. **No lock icon, no "auto lock" label.** The Savings page stays plain. Locked months simply appear as rows.

This is done in the **backend**, not in the screen. The screen only shows the result.

```
Oct 1 ---- salary 80,000 ----------------------------+
  expenses go in, Home totals move up and down       |
Oct 31, 12:00 AM  -->  LEFT 47,500  -->  Savings: October 47,500 (locked)
Nov 1: Home shows 0, new book starts
```

At month end the leftover locks into Savings and Still to save is updated



month lifecycle · lock at month end, and a later change to a locked month

The top row is the normal month. The bottom row is the rule from section 8: an entry written into an old month lowers that month's locked savings and sends a notice, and the amount joins Still to save.

7. Savings goal and the red catch-up

When the owner adds money in, they also set **this month's savings goal**. The add sheet shows last month's story in plain words:

- "Last month goal: 40,000. Saved: 35,000. **Short by 5,000.**"
- "Last month goal: 40,000. Saved: 46,000. **Extra 6,000.**"

Rules (confirm before building):

Last month result	What happens this month
Saved less than the goal	The shortfall is added to this month's goal and shown in **red** as "from last month"
Saved more than the goal	The extra reduces this month's goal
Saved exactly the goal	Nothing carries over

The owner can still save more than the goal. Extra savings simply count as extra.

8. Notes that flow everywhere

The owner writes in a notebook that belongs to a month, for example: "Take 5,000 from Ali".

1. Long press or tap the line, then choose **Make it an entry**.
2. A short sheet asks the type (for example "I lent money"), the amount and the date.
3. The entry goes into that month's book and appears everywhere it should: Daily (with an alarm), Home totals, Savings.

If the notebook is an old month (say October, written in December), the money is taken from October's **locked savings**:

- October's locked amount goes down by that sum.
- A notification says: "You took 5,000 from October savings. Save 5,000 next month."
- That 5,000 is added to next month's goal and shown in red.

9. Loan alarms

The owner adds a loan from Add (or from a note), picks a name and a date. On that date:

- A notification appears: "Today: take 5,000 from Ali."
- The alarm repeats until the owner taps **Received**, **Remind me tomorrow** or **Skip**.
- **Received** adds a "money returned" entry and closes the loan.

- The same works for money the owner owes ("Return 3,000 to Sara today").

Notifications go to the desktop and to the phone, wherever the app is on. Real phone notifications while the app is closed need the app installed (see section 12).

10. Extra spending

- Each expense has an **Extra?** switch. The owner turns it on for things they did not need.
- Daily shows "Extra today: X" and a short note: "Save X more next month".
- The owner can accept this and X is added to next month's goal, shown in red. It is never added without asking.

11. Data the app needs

Three simple pieces of data, all kept on the backend.

- **Entry:** id, type, amount, date, month book, what for, person, extra yes or no, note.
- **Book (month):** month, goal, carry-in, locked at, locked amount.
- **Reminder:** entry, date and time, status (waiting, received, skipped).

Everything on screen is calculated from these. This is why adding once is enough.

12. Backend jobs

Job	When	What it does
Month lock	12:00 AM on the 1st	Locks last month's leftover into Savings
Catch-up	When the app starts	If the computer was off at midnight, lock any missed months once (safe to run twice)
Reminder check	Every minute	Fires due alarms and notifications
Old-month warning	The moment an entry hits a locked month	Lowers locked savings and sends the "save it back" notice

The app already includes a small Express server, so these jobs can run there. Phone notifications when the app is closed need the app installed on the phone (an installable web app or a real mobile app) with push notifications turned on.

13. What to remove or change

Remove completely

- The Architecture screen (`ArchitectureView.tsx`, 333 lines). It is explaining the app to itself.
- The separate **Savings Calculator** screen (`SavingsCalculatorView.tsx`, 930 lines). Its useful part moves into the new Savings page.
- The fixed badge "Rs. 96k" on the first tab and all count badges on the other tabs.
- The back door `candidatePin === '1234'` in `LockScreen.tsx`, and the "Demo Passcode: 1234" text. The owner can keep 1234 as the starting PIN, but changing the PIN must really change it.
- Pre-filled sample notes, events and money records in `storage.ts`.
- Any Help page or help text.

Simplify

- Tab names (section 2).
- Long titles, English phrases and small explanatory lines on every page. One short heading per page.
- Budget page: the three tabs (audit, timeline, recurring) and the four stat boxes. Replace with the Monthly page in section 5.
- The large `MoneyAccountView.tsx` (1,666 lines): split into Home, Monthly and Savings.
- Many accent colors. Keep one.
- Typo: the "Calendar Live" name becomes "Daily".

To check before deleting

- Whether the Gemini AI feature listed in the project settings is actually used anywhere. If not, remove it and its key.

14. Build order

1. Data and the month engine: entries, books, lock job, catch-up.

2. New navigation: sidebar (web) and bottom bar (mobile).
3. Home and the Add sheet.
4. Monthly and Daily pages.
5. Savings page with the goal rules.
6. Loan alarms and notifications.
7. Notes to entry flow and the old-month rule.
8. Remove old screens, then clean up text and colors.

15. Questions (all answered in section 25)

The five questions from the first draft are settled in sections 18 and 25. Nothing here is still open.

Version 2: public accounts and corrected rules

Sections 16 to 25 are newer than sections 1 to 15. Where they disagree, **sections 16 to 25 win**.

16. What changed in Version 2

Topic	Before	Now
Who uses it	One owner, data inside the app	Anyone can sign up. Each person has their own private account and starts at zero
Opening the app	Demo PIN	Account sign-up with email and a code, then a personal PIN, with fingerprint or face as an option
Savings goal (section 7)	Shortfall added, extra reduces the goal	One running number, "Still to save" (section 18)
Notes (section 8)	Button to make an entry	Saving a note sends it to the right pages after one confirm tap (section 20)

Topic	Before	Now
Salary page (section 5)	A calculator	A month-by-month salary history. The calculator becomes a small tool (section 21)
Monthly page	A list for one month	A year and month browser. Future months are locked (section 22)
Calendar	Loan alarms only	Fills itself with salary days, loans lent and borrowed, and return dates (section 19)

17. Public app with personal accounts

17.1 The one rule


Every person sees only their own data. Nothing from the current owner (notes, salary, loans, PIN) is part of the app that others receive. A new account is empty: no sample rows, no sample notes, no demo PIN. The first screen after sign-up says "Add your first salary".

17.2 Sign-up, step by step

Step	Screen	What happens
1	Sign up	The person writes their name, Gmail address and a password, then taps **Sign up**
2	Check the address	The app checks the address looks like a real email. If not, it stops and says "That email doesn't look right"
3	Code sent	A 6-digit code (OTP) is emailed to that address
4	Enter the code	The person types the code. A wrong code shows "That code is wrong" and they try again
5	Make a PIN	The person chooses a PIN (4 to 6 digits) and types it twice
6	Fingerprint or face	If the device supports it, the app asks "Use fingerprint or face to open?" It is optional

Step	Screen	What happens
7	In	The app opens, empty, at Home

A wrong email or a wrong code stops sign-up before the PIN step



A wrong email gets no code at all, so the person stays on the sign-up screen with Change email.

sign-up flow · 2 checks, 2 sad paths

Two gates sit before the PIN: the address must look valid, and the emailed code must match. Failing either keeps the person on that step.

```
Sign up --> email check --> code emailed --> type code --> make PIN -->
fingerprint/face (optional) --> Home (zero)
   |             |                |                |
   |        wrong format     wrong email:     wrong code:
   |        stops here       no code comes    try again (max 5)
```

17.3 If the email is wrong

The app can catch a badly typed address (missing @, no dot). It cannot know whether a typed Gmail address really exists until a message is sent. So: if the address is wrong, **no code arrives and the person cannot go forward**. The screen shows "Didn't get the code? Check your email address" with a **Change email** button and **Send again** (allowed every 60 seconds, a few times only).

17.4 Code (OTP) rules

- 6 digits, valid for 10 minutes, usable once.

- Stored as a scrambled value (hash) on the server, never as plain text.
- 5 wrong tries lock that code. A new code is needed.
- Limits on how many codes one email or one device can ask for per hour.

17.5 PIN rules

- The PIN opens the app **every time** the website or app is started.
- It belongs to that device. A new phone or laptop asks for email and password first, then makes a new PIN.
- After 5 wrong PINs the app waits a while before the next try, and the wait grows each time.
- **Forgot PIN:** a code is emailed, then the person makes a new PIN.
- Very easy PINs (1234, 0000) are not allowed. The old 1234 back door is removed completely.

17.6 Fingerprint and face

- Offered only if the phone, tablet or laptop has it and the browser supports it.
- It is a shortcut for the PIN. The PIN always stays as the backup.
- It never leaves the device. The app only gets "yes, it is the owner".

17.7 Everyday cases


Case	What happens
Open the app on a known device	PIN screen, or fingerprint/face, then Home
New device	Email and password, then a code, then a new PIN
Forgot password	Code by email, then a new password
Log out	Clears the device. The next person must sign in
Delete my account	Asks for the PIN and a code, then removes all the person's data

17.8 What the backend needs

- A user list: name, email, password stored scrambled, email verified or not.
- A code table (for OTP) and a device table (for PIN and fingerprint setup).

- A **user id on every row** of entries, books, reminders and notes. Every request is checked so a person can reach only their own rows.
- An email-sending service for the codes.
- Secure web address (HTTPS), because fingerprint and face need it.
- A real database. The current app keeps data in the browser, which is why it cannot serve many people.

Every person's data lives in their own account on the server



system overview · app, server, database, email, alerts

The app only shows and asks. The server holds the data, runs the month lock and the reminder check, and sends the email codes. Because every database row carries a user id, one person can never reach another's rows.

17.9 Honest limits

- Free email services have daily sending limits. A busy public app may need a paid plan.
- Fingerprint and face depend on the device and browser. Some will not offer it.
- By default, whoever runs the server can technically read the database. Users should be told this plainly in a short privacy note. Making even the owner unable to read it is possible, but then a forgotten PIN means **lost data**.

18. Savings goal: one running "Still to save" number (replaces section 7)

Each month has a **goal**. A running number called **Still to save** carries old shortfalls forward.

- This month's target = this month's goal + Still to save from before.
- At month end: Still to save = target minus what was saved. It never goes below zero.
- Saving more than the target clears everything. The extra is ordinary savings.
- When Still to save reaches **0**, the reminders stop. They start again only if a later month falls short.

Month	Goal	Still to save from before	Target	Saved	Still to save after
1	60,000	0	60,000	50,000	**10,000**
2	50,000	10,000	60,000	40,000	**20,000**
3	50,000	20,000	70,000	75,000	**0** (extra 5,000 is plain savings)

On the Add money screen, plain words and no jargon:

```
This month's goal       [ 50,000 ]
From last months        20,000   (red)
You need to save        70,000
```

The red line is also shown on Home and Savings until it reaches zero. Money taken out of an old locked month (section 8) is added to Still to save too.

19. The calendar fills itself

Nothing is typed twice. These appear in Daily automatically:

Appears on	Shows	Comes from
The day salary was added	"Salary 80,000" and how it was paid (cash, bank, or mobile wallet)	The Add money screen
The day money was lent	"Lent 5,000 to Ali"	The I lent entry (it asks for a date)
The day money was borrowed	"Borrowed 3,000 from Sara"	The I borrowed entry

Appears on	Shows	Comes from
The return date	An alarm: "Take 5,000 from Ali today"	The date chosen on the loan
Any day with spending	The expenses of that day, and "Extra today" if marked	The Expense entries

The **payment method** is one optional field on money-in entries. The list is short (cash, bank, mobile wallet) and can be changed later.

20. Notes that send themselves to the right pages (replaces section 8's button)

The owner writes a normal note, for example: "Salary 80,000 today" or "Took 5,000 from Ali, will return on 20th". When the note is saved:

1. The app reads the money part of the note.
2. It shows one small card: "I found: **Salary 80,000 on 11 Nov**. Send to Home, Savings, Daily, Salary?" with **Yes** and **Change**.
3. On **Yes**, the entry goes everywhere it belongs. The note keeps its text.

The one confirm tap is on purpose. A note is free text, and a misread number would silently put wrong money in the books. Notes with no money in them simply stay notes.

Every note belongs to a month notebook. A note written in an old month goes into that month's book. If it takes money out of a locked month, the section 8 rule applies: the locked savings go down, a notification explains it, and the amount is added to Still to save.

21. Salary page: a history, not a calculator (replaces the Salary row in section 5)

The page lists every month's salary, newest first, so last month's value is always one glance away.

```
Salary
+-------------------------------------------+
| Month       Received     How       Change  |
| November    80,000       Bank      +0      |
| October     80,000       Cash      -       |
+-------------------------------------------+
| [ Salary calculator ]  (small tool, optional) |
+-------------------------------------------+
```

- Months before the first salary are not listed.
- The gross-to-net calculator stays, but as a small tool at the bottom, not the main thing.

22. Monthly page: year and month browser

The person picks a **year**, then a **month**. Each opens that month's full record: money in, spending grouped by what it was for, loans, the savings result, and that month's notes.

Month	Look	Tap result
Months from the first salary up to this month	Open	Shows that month's record
Months before the first salary	Greyed	"No data for this month"
Future months (for example December 2026 now)	Locked	"This month has not come yet"

```
Monthly            [ 2026 v ]
+------+------+------+------+
| Jan  | Feb  | Mar  | Apr  |   greyed (no data)
| May  | Jun  | Jul  | Aug  |   greyed (no data)
| Sep  | Oct  | Nov  | Dec  |
+------+------+------+------+
         open   open  locked
```

An entry is saved under the date it was written for. A past-dated entry goes into that past month, and a current one into the current month.

23. Updated build order

1. Accounts and the backend: sign-up, email code, PIN, devices, database with user id on every row.
2. The month engine: books, month-end lock, catch-up, Still to save.
3. New navigation (sidebar on web, bottom bar on mobile).
4. Home and the Add screens.
5. Monthly (year and month browser) and Daily (self-filling calendar).
6. Savings, Salary history, loan alarms and notifications.
7. Notes that send themselves, with the confirm card.
8. Remove old screens and demo data, then clean up words and colors.
9. Fingerprint and face, and a privacy note.

24. Extra things to remove

- Every piece of the owner's own data and sample data, so each new account is empty.
- The demo PIN text and the 1234 check.
- The old single-user storage keys. Data moves to the backend database, one user per row.

25. Decisions made (nothing left open)

#	Topic	Decision
1	Savings goal	One running "Still to save" number (section 18)
2	Sign-in method	Name, Gmail, password and an emailed code. A Google button can come later
3	Privacy	A short privacy note. Data is not end-to-end encrypted in version 1, so a forgotten PIN is fixed with an emailed code and no data is lost. Passwords are stored scrambled
4	Labels	Simple English, with a Roman Urdu option in Settings

#	Topic	Decision
5	Money lent	Counts as spent on the day it is lent. A return becomes a "money returned" entry
6	Alarm time	9:00 AM by default, changeable in Settings
7	Payment methods	Three fixed ones in version 1: cash, bank, mobile wallet. Custom ones can come later
8	Phone version	An installable web app first. A separate native mobile app can follow
9	Email service and hosting	A transactional email service with a free plan and a simple web host, both chosen when phase 1 starts. Testing begins on the owner's own computer with a fake mailbox
10	Colors and mood	Light, calm and plain. One accent color. Red only for "still to save" and warnings

26. How the work will be done, phase by phase

The build runs in nine phases. Each one ends with something the owner can open and test before the next starts. File names are the ones in the current Zenith repo. Folders marked *new* do not exist yet.

Phase	What gets built	Where in the code	Done when
1. Accounts and server	Sign-up, email code, login, PIN per device, database with a user id on every row	New `server/` folder (*new*). `LockScreen.tsx` is replaced. `storage.ts` stops keeping data in the browser	A new Gmail address signs up with a real code, a wrong code is refused, the PIN opens the app, and a second account sees an empty app that shows nothing of the first

Phase	What gets built	Where in the code	Done when
2. Month engine	Month books, the 12:00 AM lock, catch-up when the server was off, the Still to save number	`types/index.ts` (new entry, month and reminder types), a new month service on the server	Moving the test date past a month end locks the leftover, and Still to save matches the table in section 18
3. Navigation	Sidebar on web, bottom bar on mobile, new tab names, no badges	`NavigationTabs.tsx`, `App.tsx`	Seven short names, no money in any tab, and web and mobile look different
4. Home and Add	Home with three numbers, the one Add button and its five types	`MoneyAccountView.tsx` is split up. A new Home page and Add sheet (*new*)	One salary entry changes Home immediately and appears nowhere else yet
5. Monthly and Daily	The year and month browser, and the self-filling calendar	`BudgetView.tsx` becomes Monthly. `CalendarView` is rebuilt as Daily	The same salary now shows in Monthly and on its date in Daily. Future months are locked
6. Savings, Salary, alarms	Savings with locked months, Salary history, loan alarms and notifications	`SavingsCalculatorView.tsx` is folded into Savings. `SalaryView` and `salaryMath.ts` become the history plus a small calculator. `notifications.ts` is extended	A loan alarm fires on its date, **Received** closes the loan, and the salary history lists each month
7. Notes that send themselves	The confirm card and the routing of a saved note	`NotesView`	A note with "Salary 80,000" shows the card, and **Yes** puts the entry on every page it belongs to

Phase	What gets built	Where in the code	Done when
8. Clean-up	Old screens, demo data and extra words removed	`ArchitectureView.tsx` and the old savings screen deleted, text and colors simplified	Nothing from section 13 or 24 is left, and no page has a sample row
9. Fingerprint, face and privacy	Device unlock with fingerprint or face, a short privacy note	`LockScreen.tsx` and Settings	Fingerprint opens the app on a supported phone, and the PIN still works as the backup

27. Checks before anything is called done

Each line is a test with a yes or no result.

1. A badly typed email is stopped on the sign-up screen.
2. A real address receives a 6-digit code, and that code works once.
3. A wrong email never receives a code, and the person cannot pass step 2.
4. Five wrong codes lock that code, and a new one is needed.
5. Five wrong PINs make the app wait, and the wait grows.
6. A second account sees no data, notes or PIN from the first, even by guessing addresses.
7. A month with leftover money locks into Savings at the month end, even if the server was off at 12:00 AM.
8. Goal 60,000 and saved 50,000 leaves 10,000 to save. The next month's target is the new goal plus 10,000.
9. Saving more than the target clears Still to save to 0, and the reminders stop.
10. A note written into an old month lowers that month's locked savings, sends a notice, and adds the amount to Still to save.
11. Future months open as locked, and months before the first salary open as "No data".
12. A loan alarm appears on its date, and **Received** closes the loan and adds a returned entry.
13. Saving a note with money in it shows the confirm card, and **Change** lets the person fix the numbers first.

14. Deleting an account removes every row that person owned.

28. How we do it together

The work is done one phase at a time in this chat, in the order of section 26. For each phase: the code is written in the repo, run and tested here where possible, and then shown with what changed in plain words. The owner opens it, tries it, and says what to fix before the next phase.

Two things cannot be finished inside this chat, so they need the owner's own accounts:

- **Sending real emails** (the 6-digit codes) needs an email service account. Here the code can be tested with a fake mailbox, not with real Gmail.
- **Putting the app on the internet** needs a host. The owner picks one (section 25, question 3), and the files are then prepared for it.

The four questions in section 25 should be answered before phase 1 starts, because the sign-up design depends on them.

29. Data model in detail

Every table has a user id, so a person can only reach their own rows.

Table	Fields
User	id, name, email, password (scrambled), email verified yes or no, created date
Device	id, user id, PIN (scrambled), fingerprint or face on yes or no, last used
Code	id, user id, 6-digit code (scrambled), kind (sign-up, forgot PIN, forgot password, delete account), expires after 10 minutes, tries left, used yes or no
Entry	id, user id, type (money in, expense, lent, borrowed, returned), amount, date, month, what for, person, payment method, extra spending yes or no, note text
Month	id, user id, month, goal, from earlier months, saved, locked yes or no, locked on

Table	Fields
Still to save	user id, amount now. Rebuilt from the months, and never below zero
Reminder	id, user id, entry id, date and time, status (waiting, received, skipped, done)
Note	id, user id, month, text, entry id if it was sent to the pages
Setting	user id, currency, label language, alarm time, notification on or off

How the numbers come out:

- **Left this month** = money in, minus expenses, minus money lent, plus money returned.
- **Target** = this month's goal plus Still to save from before.
- **Locked amount** = what is left when the month ends.
- **Still to save after** = target minus saved, never below zero.

30. Words used in the app

Short, plain and the same everywhere. No "successfully", no time or lock words on screen.

Where	Words
First screen of a new account	Add your first salary
Month with no data	No data for this month
Future month	This month has not come yet
Savings with nothing yet	Nothing saved yet
Daily with nothing on the day	Nothing on this day
Notes with no note	Start your first note
Loan alarm	Today: take 5,000 from Ali.
Money taken from an old month	You took 5,000 from October savings. Save 5,000 back.

Where	Words
Still to save reminder	You still need to save 20,000 from earlier months.
Extra spending	Extra today: 1,200. Add it to next month's goal?
Month locked	October is done. 47,500 moved to Savings.
Wrong email	That email doesn't look right
Wrong code	That code is wrong
No code arrives	Didn't get the code? Change email

31. One-page summary

- **Seven pages:** Home, Monthly, Daily, Savings, Notes, Salary, Settings. Tabs show names only.
- **One Add button.** An entry is typed once and reaches every page it belongs to.
- **Every month is its own book.** The first month is the month of the first salary.
- **At 12:00 AM on the 1st**, the leftover locks into Savings, done by the server. Home goes back to 0.
- **Still to save** carries missed savings forward and stops reminding at 0.
- **Daily fills itself** with salary days, loans and return dates, with alarms and notifications.
- **Notes send themselves** to the right pages after one confirm tap.
- **Monthly** is a year and month browser. Future months are locked.
- **Salary** is a month-by-month history, with the calculator as a small tool.
- **Public accounts:** name, Gmail, password, emailed code, PIN, optional fingerprint or face. Every new account starts at zero.
- **Web and mobile** have separate designs: a left sidebar on web, a bottom bar on mobile.
- **Built in nine phases**, each tested with the 14 checks, and the old screens and demo data removed.