Inductive Load 763362 (8321-00)



LabVolt Series

Datasheet




Table of Contents

General Description	3
Specifications	3

© Festo Didactic 2

General Description

The Inductive Load consists of a module housing nine iron-core power inductors arranged in three identical banks. Each bank consists of three inductors connected in parallel that can be switched on or off with toggle switches to obtain various inductance values. This allows the equivalent inductance of each bank to be increased or decreased by steps. Six safety banana jacks on the module front panel provide access to each inductor bank. The three inductor banks can be connected separately for operation in three-phase circuits. Also, the three inductor banks can be connected together for operation in single-phase circuits.

The Inductive Load is commonly used in conjunction with other basic load modules, like the Resistive Load and the Capacitive Load to experiment with the effects of different types of loads on a circuit.

Specifications

Parameter	Value
Inductors	
Quantity	Three identical banks of three inductors
Inductance Values (Each Bank)	0.8/1.6/3.2 H
Reactance Values (Each Bank)	300/600/1200 Ω
Nominal Voltage	120 V – 60 Hz
Inductance Value Accuracy	± 5%
Load at Nominal Voltage (Each Bank)	
Reactive Power	12-84 var
Current	0.1-0.7 A
Steps	Seven, of equal increment
Current Increment	0.1 A
Physical Characteristics	
Dimensions (H x W x D)	154 x 287 x 410 mm (6.1 x 11.3 x 16.1 in)
Net Weight	10.1 kg (22.3 lb)

Reflecting the commitment of Festo Didactic to high quality standards in product, design, development, production, installation, and service, our manufacturing and distribution facility has received the ISO 9001 certification.

Festo Didactic reserves the right to make product improvements at any time and without notice and is not responsible for typographical errors. Festo Didactic recognizes all product names used herein as trademarks or registered trademarks of their respective holders. © Festo Didactic Inc. 2025. All rights reserved.

Festo Didactic SE

Rechbergstrasse 3 73770 Denkendorf Germany

P. +49(0)711/3467-0 F. +49(0)711/347-54-88500

Festo Didactic Inc.

607 Industrial Way West Eatontown, NJ 07724 United States

P. +1-732-938-2000 F. +1-732-774-8573

Festo Didactic Ltée/Ltd

675 rue du Carbone Québec QC G2N 2K7 Canada

P. +1-418-849-1000 F. +1-418-849-1666

www.labvolt.com

www.festo-didactic.com

© Festo Didactic 4