



PT SAPTAINDRA SEJATI

CONTROL VALVE 1

RECEIVING INSPECTION

CHECKSHEET

MACHINE MODEL



PC1250-8

RO NO :

POWERTRAIN SECTION

RECEIVING CHECK SHEET CONTROL VALVE 1 PC 1250 - 8R	WO. NO		DOCUMENT NO	
	COMP.S/N		PUBLIC DATE	
	INSPECTION DATE		REVISION NO	
	JOB SITE		PAGE	

✓ : GOOD CONDITION X : BAD CONDITION ⊗ : NONE

SKETCH DRAWING OR PHOTOES	NO	ITEM	CHECK	REMARK
Upper Side View  Rear Side View 	1	Spool (5pcs)		
	2	Main Relief Valve		
	3	Suction Valve		
	4	Suction Safety Valve (5pcs)		
	5	Plug (4pcs)		
	6	Jet Sensor Relief Valve		
	7	Cover (5pcs)		
	8	Name Plate		
		Painting condition		
		Packing / wrapping		
		Stand		
		Bolt stand		

NOTE : PLEASE MARK "✓" FOLLOWING TO THE ACTUAL CONDITION

OIL LEVEL	EMPTY OR DRAINED	
	PROPER LEVEL	

Note :

INSPECTION BY

CHECK BY

CHECK BY

APPROVED BY

QA INSPECTOR

QA COORDINATOR

GL/SPV PROD

PPC



PT SAPTAINDRA SEJATI

CONTROL VALVE 1

DISASSEMBLY &

MEASUREMENT

CHECKSHEET

MACHINE MODEL






PC1250-8

RO NO :

POWERTRAIN SECTION

DISASSEMBLY AND MEASUREMENT CHECK SHEET CONTROL VALVE 1 5 SPOOL	UNIT MODEL		DELIVERY DATE		NUMBER.DOC	QR02 - PT - 119
	COMP. MODEL		WO.NO		PUB.DATE	26-Dec-2013
	COMP. S/N		SITE		REV.NO	00
	RECEIVING DATE		REVISION NO.		PAGE	1 of 1

PROCESS	START		DISASSEMBLY BY	
	FINISH			

No	PART NAME	METHODE	CHECK POINT	EVALUATION				FIGURE OF PARTS TO BE CHECKED																												
				ACTUAL			U/A/U/R/R/N																													
1	CASE	VISUAL CHECK	- Check surface area - Check Hole area mounting bolt - Check Groove oring	<table><tr><td>CONTENTS CHECK</td><td>Hole</td><td>Surface</td><td>Groove</td></tr><tr><td>Normal</td><td></td><td></td><td></td></tr><tr><td>Crack</td><td></td><td></td><td></td></tr><tr><td>Scratch</td><td></td><td></td><td></td></tr><tr><td>Damage</td><td></td><td></td><td></td></tr><tr><td>Wear</td><td></td><td></td><td></td></tr></table>	CONTENTS CHECK	Hole	Surface	Groove	Normal				Crack				Scratch				Damage				Wear											
CONTENTS CHECK	Hole	Surface	Groove																																	
Normal																																				
Crack																																				
Scratch																																				
Damage																																				
Wear																																				
2	SPRING BIG 10pcs	VISUAL CHECK	- Check surface area - Check abnormal wear on spring - Check bending on spring	<table><tr><td>CONTENTS CHECK</td><td>Inside</td><td>Hole</td><td>Surface</td></tr><tr><td>Normal</td><td></td><td></td><td></td></tr><tr><td>Damage</td><td></td><td></td><td></td></tr><tr><td>Scratch</td><td></td><td></td><td></td></tr><tr><td>Crack</td><td></td><td></td><td></td></tr><tr><td>Wear</td><td></td><td></td><td></td></tr></table>	CONTENTS CHECK	Inside	Hole	Surface	Normal				Damage				Scratch				Crack				Wear											
CONTENTS CHECK	Inside	Hole	Surface																																	
Normal																																				
Damage																																				
Scratch																																				
Crack																																				
Wear																																				
3	RETAINER	VISUAL CHECK	- Check surface area contact with of spring - Check surface area contact with of case	<table><tr><td>CONTENTS CHECK</td><td>Spline</td><td>Tooth</td><td>Surface</td></tr><tr><td>Normal</td><td></td><td></td><td></td></tr><tr><td>Pitting</td><td></td><td></td><td></td></tr><tr><td>Chipping</td><td></td><td></td><td></td></tr><tr><td>Crack</td><td></td><td></td><td></td></tr><tr><td>Wear</td><td></td><td></td><td></td></tr><tr><td>Scratch</td><td></td><td></td><td></td></tr></table>	CONTENTS CHECK	Spline	Tooth	Surface	Normal				Pitting				Chipping				Crack				Wear				Scratch							
CONTENTS CHECK	Spline	Tooth	Surface																																	
Normal																																				
Pitting																																				
Chipping																																				
Crack																																				
Wear																																				
Scratch																																				
4	CHECK VALVE	VISUAL CHECK	- Check surface area - Check Hole area	<table><tr><td>CONTENTS CHECK</td><td>Hole</td><td>Surface</td></tr><tr><td>Normal</td><td></td><td></td></tr><tr><td>Crack</td><td></td><td></td></tr><tr><td>Scratch</td><td></td><td></td></tr><tr><td>Damage</td><td></td><td></td></tr><tr><td>Wear</td><td></td><td></td></tr></table>	CONTENTS CHECK	Hole	Surface	Normal			Crack			Scratch			Damage			Wear																
CONTENTS CHECK	Hole	Surface																																		
Normal																																				
Crack																																				
Scratch																																				
Damage																																				
Wear																																				
5	SPOOL 1 s/d 5 BOTTOM BOOM ARM TRAVEL LH	VISUAL CHECK	- Check surface area - Check Groove area - Check Hole area	<table><tr><td>CONTENTS CHECK</td><td>Hole</td><td>Surface</td></tr><tr><td>Normal</td><td></td><td></td></tr><tr><td>Pitting</td><td></td><td></td></tr><tr><td>Scratch</td><td></td><td></td></tr><tr><td>Damage</td><td></td><td></td></tr><tr><td>Wear</td><td></td><td></td></tr></table>	CONTENTS CHECK	Hole	Surface	Normal			Pitting			Scratch			Damage			Wear																
CONTENTS CHECK	Hole	Surface																																		
Normal																																				
Pitting																																				
Scratch																																				
Damage																																				
Wear																																				
7	BODY	VISUAL CHECK	- Check surface area contact with of spool - Check surface area contact with of block	<table><tr><td>CONTENTS CHECK</td><td>Spline</td><td>Tooth</td><td>Surface</td></tr><tr><td>Normal</td><td></td><td></td><td></td></tr><tr><td>Pitting</td><td></td><td></td><td></td></tr><tr><td>Chipping</td><td></td><td></td><td></td></tr><tr><td>Crack</td><td></td><td></td><td></td></tr><tr><td>Wear</td><td></td><td></td><td></td></tr><tr><td>Scratch</td><td></td><td></td><td></td></tr></table>	CONTENTS CHECK	Spline	Tooth	Surface	Normal				Pitting				Chipping				Crack				Wear				Scratch							
CONTENTS CHECK	Spline	Tooth	Surface																																	
Normal																																				
Pitting																																				
Chipping																																				
Crack																																				
Wear																																				
Scratch																																				

REMARK :

DISASSEMBLY BY	CHECK BY	APPROVED BY
MECHANIC	QA.INSPECTOR	GL/SPV



PT SAPTAINDRA SEJATI

CONTROL VALVE 1

ASSEMBLY

CHECKSHEET

MACHINE MODEL

PC1250-8

RO NO :

POWERTRAIN SECTION



PT SAPTAINDRA SEJATI
NAROGONG REBUILD CENTER




ASSEMBLY CHECK SHEET CONTROL VALVE 1 (5 SPOOL) PC1250-8	UNIT MODEL	PC1250-8	DOCUMENT NO.	
	COMP. MODEL	C/V 1 (5 SPOOL)	PUBLIC. DATE	26/12/2013
	COMP. S/N		REVISION NO.	1 of 6 00
	WO. NO		PAGE	

PROCESS	START		ASSEMBLY BY	
	FINISH			

NO.	PARTS	CHECK POINT	SPECIFICATION	SIGN			REMARKS (SKETCH, PHOTOS, COMMENTS)
				MEC	SPV	QA	
1	ASSEMBLY	- Install backup ring and oring to Sleeve					 Sleeve Oring Backup ring
		- Install sleeve assy to valve body and then torque mounting sleeve Act. : kgm	Sleeve thread tightener Liquid gasket (LG) Std torque 18 - 22 kgm				 Valve body
		- Install Nut to sleeve and then torque mounting Nut Act. : kgm	Std torque 18 - 22 kgm				 Nut Sleeve
							 Spring Check valve Sleeve
		- Install backup ring and oring to Plug and then torque mounting Plug Act. : kgm	Std torque 3 - 4 kgm				 Plug Backup ring Oring
		- Install check valve to valve body - Install spring to check valve - Install oring to plate then install to valve body and then torque mounting bolt Act. : kgm	Std torque 8 - 10 kgm				 Spring Check valve  Bolt Plate Oring
		- Install backup ring and Oring to Plug - Install Plug assy to valve body and then torque mounting plug Act. : kgm - Install Oring to Plug - Install Plug assy to valve body and then torque mounting plug Act. : kgm	Plug thread tightener Loctite (LT) Std torque 12 - 16 kgm Std torque 6 - 8 kgm				 Oring Backup ring Plug  Plug Oring
		- Install Jet sensor relief valve to valve body and then torque Act. : kgm - Install Orifice to valve body and then torque Act. : kgm	Std torque 18 - 20 kgm Std torque 13 - 18 kgm				 Jet sensor  Orifice



ASSEMBLY CHECK SHEET CONTROL VALVE 1 (5 SPOOL) PC1250-8	UNIT MODEL	PC1250-8	DOCUMENT NO.	
	COMP. MODEL	C/V 1 (5 SPOOL)	PUBLIC DATE	26/12/2013
	COMP. S/N		REVISION NO.	00
	WO.NO		PAGE	2 of 6

NO.	PARTS	CHECK POINT	SPECIFICATION	SIGN			REMARKS (SKETCH, PHOTOS, COMMENTS)
				MEC	SPV	QA	
2	ASSEMBLY	- Install Oring,backup ring and Oring to Plug - Install Plug assy to valve body - Install Main relief valve to body and then torque Act. : kgm	Std torque 28 - 37 kgm				 Plug  Relief valve
		- Install Suction-Safety valve to body and then torque Act. : kgm	Std torque 22 - 24 kgm				 Suction valve Safety valve
		- Install Suction-Safety valve to body and then torque Act. : kgm	Std torque 30 - 32 kgm				 Suction valve
		- Install Spool Bottom,Boom Hi, Arm Lo,Bucket Hi and Travel LH to valve body	Be careful not to mistake the location of the spool Coat the spool with engine oil				 Spool 1-5
		- Install Retainer,tube and spring to All spool control valve mount					 Spring Tube Retainer
		- Install Oring to case then Install to valve body and then torque Act. : kgm	Std torque 6 - 7 kgm				 Case Oring

REMARK

ASSEMBLY BY

INSPECTED BY

APPROVED BY

(MECHANIC)

QUALITY ASSURANCE

(GL / SPV)



PT SAPTAINDRA SEJATI

CONTROL VALVE 1

DELIVERY

CHECKSHEET

MACHINE MODEL

PC1250-8

RO NO :

POWERTRAIN SECTION



DELIVERY CHECK SHEET CONTROL VALVE 1 PC 1250 - 8R	WO. NO		DOCUMENT NO	
	COMP.S/N		PUBLIC DATE	
	INSPECTION DATE		REVISION NO	
	PART NO. COMPONENT	709 - 15 - 94000	PAGE	

BELOW ARE THE ITEMS RELATED TO DELIVERY INSPECTION AND WHILE YOU DOING THIS INSPECTION JOB, PLEASE REFERRING TO THE REMANUFACTURED COMPONENTS - STANDARD CONFIGURATION.

✓ : GOOD CONDITION

X : BAD CONDITION

⊗ : NONE

SKETCH DRAWING OR PHOTOES	NO	ITEM	CHECK	REMARK
Upper Side View  Rear Side View 	1	Spool (5pcs)		
	2	Main Relief Valve		
	3	Suction Valve		
	4	Suction Safety Valve (5pcs)		
	5	Plug (4pcs)		
	6	Jet Sensor Relief Valve		
	7	Cover (5pcs)		
	8	Name Plate		
		Painting condition		
		Packing / wrapping		
		Stand		
		Bolt stand		
		Delivery check sheet		
		Quality passed (Sticker)		
NOTE : PLEASE MARK "✓" FOLLOWING TO THE ACTUAL CONDITION				
OIL LEVEL	EMPTY OR DRAINED			
	PROPER LEVEL			

Note :

INSPECTION BY

APPROVED BY

QA/GL

QA COORDINATOR