



**PT SAPTAINDRA SEJATI**

**FINAL DRIVE  
RECEIVING INSPECTION  
CHECKSHEET**

**MACHINE MODEL**

**PC2000-8**

**RO NO :**

**POWERTRAIN SECTION**

|                                                                |                |          |            |  |                |            |
|----------------------------------------------------------------|----------------|----------|------------|--|----------------|------------|
| RECEIVING & DELIVERY<br>INSPECTION SHEET<br><b>FINAL DRIVE</b> | MACHINE MODEL  | PC2000-8 | REPORT NO. |  | DOCUMENT NO. : |            |
|                                                                | COMP. MODEL    |          | COMP. S/N  |  | PUBL. DATE     | 14/05/2010 |
|                                                                | RECEIVING DATE |          | INSP. DATE |  | REVISION NO.   | 00         |
|                                                                | DELIVERY DATE  |          | WO NO.     |  | PAGE           | 1 of 1     |

BELOW ARE THE ITEMS RELATED TO DELIVERY INSPECTION AND WHILE YOU DOING THIS INSPECTION JOB, PLEASE REFERRING TO THE REMANUFACTURED COMPONENTS - STANDARD CONFIGURATION.

✓ : GOOD CONDITION      X : BAD CONDITION      ⊗ : NONE

# SKETCH DRAWING OR PHOTOES

NOTE : PLEASE MARK " ✓ " FOLLOWING TO THE ACTUAL CONDITION

OIL LEVEL

EMPTY OR DRAINED  
PROPER LEVEL

REMARKS :

NO.

ITEM

INSPECTION  
CONDITION

CHECK  
IN OUT

Final Drive

Model

Serial Number

Production No.

1 No. 2 Planetary carrier

2 No.2 ring gear(No.of teeth:69)

3 Floating seal

4 Housing

5 Sprocket

6 Hub

7 Housing

8 No.1 Ring gear No.of teeth:80)

9 No.1 Planetary gear (No.of teeth : 33)

10 Drive gear (No.of teeth : 12)

11 Travel motor case

12 Travel motor

13 No.1 sun gear (No.of teeth :13)

14 Driven gear (No.of teeth :67)

15 Case

16 No.1 planetary carrier

17 No. 2 planetary gear (No.of teeth :26)

18 No.2 Sun gear (No.of teeth : 15)

19

20

21

Jakarta, .....

Inspected by,

Aproved by,

YUNASRI

ABU NANSA



**PT SAPTAINDRA SEJATI**

**FINAL DRIVE**

**ASSEMBLY**

**CHECKSHEET**

**MACHINE MODEL**

**PC2000-8**

**RO NO :**











**POWERTRAIN SECTION**





|                                                 |             |                |              |            |
|-------------------------------------------------|-------------|----------------|--------------|------------|
| ASSEMBLY CHECK SHEET FINAL<br>DRIVE<br>PC2000-8 | UNIT MODEL  | PC2000-8       | DOCUMENT NO. |            |
|                                                 | COMP. MODEL | FINAL DRIVE LH | PUBLIC DATE  | 16-07-2013 |
|                                                 | COMP. S/N   |                | REVISION NO. | 00         |
|                                                 | WO.NO       |                | PAGE         | 1 of 4     |










|         |        |  |             |  |
|---------|--------|--|-------------|--|
| PROCESS | START  |  | ASSEMBLY BY |  |
|         | FINISH |  |             |  |

| NO. | PARTS            | CHECK POINT                                                                                                                                                                                                                                                                                                                                                              | SPECIFICATION                                                                                                                                                             | SIGN |     |    | REMARKS (SKETCH, PHOTOS, COMMENTS)                                                                                                                                          |
|-----|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|     |                  |                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                           | MEC  | SPV | QA |                                                                                                                                                                             |
| 1   | HOUSING ASSEMBLY | <ul style="list-style-type: none"> <li>- Clean all part, check for dirt or damage</li> <li>- Install Spacer to housing</li> <li>- install Bearing to Shaft</li> <li>- Install Floating Seal make sure floating seal no damage</li> <li>- After install measure dimension a between the inner gear and floating seal set at 4 places</li> </ul> <div>Act. :      mm</div> | <ul style="list-style-type: none"> <li>- Shrinking fit warm up to 100 C Using Special Tool</li> <li>- Make sure floating seal not Twist</li> <li>- Std max 1mm</li> </ul> |      |     |    |       |
| 2   | CASE ASSEMBLY    | <ul style="list-style-type: none"> <li>- install Outer race Bearing to Case</li> <li>- Install Floating Seal make sure floating seal no damage</li> <li>- After install measure dimension a between the inner gear and floating seal set at 4 places</li> </ul> <div>Act. :      mm</div>                                                                                | <ul style="list-style-type: none"> <li>- Expansion fit Using Special Tool</li> <li>- Make sure floating seal not Twist</li> <li>- Std max 1mm</li> </ul>                  |      |     |    |      |
|     |                  | - Install Case assy                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                                           |      |     |    |                                                                                        |
|     |                  | - Install Bearing Inner race to Shaft and Case                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                           |      |     |    |                                                                                        |
|     |                  | <ul style="list-style-type: none"> <li>- Install Ring gear to the case</li> <li>- Install Lock plate and mounting bolt</li> </ul> <div>Act. :      Kgm</div>                                                                                                                                                                                                             | <ul style="list-style-type: none"> <li>- Std torque 10 - 12.5 kgm</li> <li>- LT2</li> </ul>                                                                               |      |     |    |   |
|     |                  | <ul style="list-style-type: none"> <li>- Install carrier 2nd to shaft</li> <li>- install spacer to shaft</li> </ul>                                                                                                                                                                                                                                                      |                                                                                                                                                                           |      |     |    |   |





|                                                                          |             |                |              |            |
|--------------------------------------------------------------------------|-------------|----------------|--------------|------------|
| <b>ASSEMBLY CHECK SHEET FINAL</b><br><br><b>DRIVE</b><br><b>PC2000-8</b> | UNIT MODEL  | PC2000-8       | DOCUMENT NO. |            |
|                                                                          | COMP. MODEL | FINAL DRIVE LH | PUBLIC DATE  | 16-07-2013 |
|                                                                          | COMP. S/N   |                | REVISION NO. | 00         |
|                                                                          | WO.NO       |                | PAGE         | 2 of 4     |










| NO. | PARTS                  | CHECK POINT                                                                                                                                                                        | SPECIFICATION                                 | SIGN |     |    | REMARKS (SKETCH, PHOTOS, COMMENTS)                                                    |
|-----|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|------|-----|----|---------------------------------------------------------------------------------------|
|     |                        |                                                                                                                                                                                    |                                               | MEC  | SPV | QA |                                                                                       |
| 3   | PRE LOAD<br>ADJUSTMENT | - Install Retainer<br>Mounting with 4 bolt and Tightening<br>Step 1st<br><br>Act : Kgm<br>Remove 4 monting bolt and Rotate the case<br>Check that it Rotates smoothly with bearing | - Std torque 3 - 4 kgm                        |      |     |    |    |
|     |                        | - Mounting with 4 Bolt and tightening<br>Step 2nd<br><br>Act : Kgm                                                                                                                 | - Std torque 3 - 4 kgm                        |      |     |    |    |
|     |                        | - Measure the Retainer to housing ( Clearence a )<br>from retainer surface to Housing surface<br><br>Act : mm                                                                      | - Using Tool Filler gauge                     |      |     |    |    |
|     |                        | - Install Shim equals the measured value<br>Plus 0 - 0.1 mm<br><br>Act : mm                                                                                                        |                                               |      |     |    |   |
|     |                        | - Install Retainer and Mounting bolt<br>Step 3rd<br><br>Act : Kgm                                                                                                                  | - Std torque 84- 105 kgm<br>- LT2             |      |     |    |  |
|     |                        | - Measure End play<br>Set Dial gauge on the ring gear and Lift to<br>The top of Case<br><br>Act : mm                                                                               | - Std End Play 0 - 0.1 mm                     |      |     |    |  |
| 4   | SHAFT                  | - Install Shaft to case assy                                                                                                                                                       |                                               |      |     |    |  |
| 5   | CARRIER ASSY<br>LARGE  | - Install Button to carrier case<br>- Install Bearing and spacer to the Gear<br>- Install thrust washer on both side of the Gear<br>- Install Shaft to the carrier                 | - Press fit<br>- Press fit                    |      |     |    |  |
|     |                        | - Install Lock plate and mounting bolt<br><br>Act : Kgm                                                                                                                            | - Std torque 25 - 31 kgm<br>- LT2             |      |     |    |  |
|     |                        | - Install carrier assy to the case<br>apply gasket sealant to the face of case and<br>monting bolt<br><br>Act : Kgm                                                                | - LG-6<br>- Std torque 155 - 195 kgm<br>- LT2 |      |     |    |  |





PT SAPTAINDRA SEJATI  
NAROGONG REBUILD CENTER





|                                                                          |             |                |              |            |
|--------------------------------------------------------------------------|-------------|----------------|--------------|------------|
| <b>ASSEMBLY CHECK SHEET FINAL</b><br><br><b>DRIVE</b><br><b>PC2000-8</b> | UNIT MODEL  | PC2000-8       | DOCUMENT NO. |            |
|                                                                          | COMP. MODEL | FINAL DRIVE LH | PUBLIC. DATE | 16-07-2013 |
|                                                                          | COMP. S/N   |                | REVISION NO. | 00         |
|                                                                          | WO. NO      |                | PAGE         | 3 of 4     |

| NO. | PARTS                    | CHECK POINT                                                                                                                                                                                                                                                                                                                                                                                                           | SPECIFICATION                                                                                                                                                                            | SIGN |     |    | REMARKS (SKETCH, PHOTOS, COMMENTS)                                                                                                                                                                                                                                                                                                                               |
|-----|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|     |                          |                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                          | MEC  | SPV | QA |                                                                                                                                                                                                                                                                                                                                                                  |
| 6   | CARRIER ASSY SMALL       | <ul style="list-style-type: none"> <li>- Install snap ring to the gear</li> <li>- Install spacer and then install outer race of the bearing</li> <li>- Install Inner race bearing and spacer to the gear</li> <li>- Install Shaft to the carrier</li> <li>- Install Lock plate and mounting bolt</li> </ul> <div>Act : Kgm</div> <ul style="list-style-type: none"> <li>- Install carrier assy to the case</li> </ul> | <ul style="list-style-type: none"> <li>- Press fit</li> <li>- Press fit</li> <li>- Std torque 10 - 12.5 kgm</li> <li>- LT2</li> </ul>                                                    |      |     |    | <br><br>                                                                                                |
| 7   | RING GEAR AND SHAFT ASSY | <ul style="list-style-type: none"> <li>- Install Ring gear to the case</li> <li>- apply gasket sealant to the face of case</li> <li>- Install Bearing inner race to the gear</li> </ul>                                                                                                                                                                                                                               | <ul style="list-style-type: none"> <li>- LG-6</li> <li>- Press fit</li> </ul>                                                                                                            |      |     |    | <br>                                                                                                                                                                                    |
| 8   | CASE AND GEAR ASSY       | <ul style="list-style-type: none"> <li>- Install Oil lubrication plate to the case and mounting bolt</li> <li>- Install Thrust washer to the case</li> <li>- Install Bearing Outer race to the case</li> <li>- Install Oil lubrication tube to the case and mounting</li> <li>- Install 2 Bearing Inner race to the gear</li> </ul> <div>Act : Kgm</div>                                                              | <ul style="list-style-type: none"> <li>- Std torque 6 - 7.5 kgm</li> <li>- LT2</li> <li>- Expansion fit</li> <li>- Std torque 6 - 7.5 kgm</li> <li>- LT2</li> <li>- Press fit</li> </ul> |      |     |    | <br><br><br> |



PT SAPTAINDRA SEJATI  
NAROGONG REBUILD CENTER

|                                                 |             |                |              |            |
|-------------------------------------------------|-------------|----------------|--------------|------------|
| ASSEMBLY CHECK SHEET FINAL<br>DRIVE<br>PC2000-8 | UNIT MODEL  | PC2000-8       | DOCUMENT NO. |            |
|                                                 | COMP. MODEL | FINAL DRIVE LH | PUBLIC. DATE | 16-07-2013 |
|                                                 | COMP. S/N   |                | REVISION NO. | 00         |
|                                                 | WO. NO      |                | PAGE         | 4 of 4     |

| NO. | PARTS              | CHECK POINT                                                                                                                                                | SPECIFICATION                                         | SIGN |     |    | REMARKS (SKETCH, PHOTOS, COMMENTS)                                                    |
|-----|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|------|-----|----|---------------------------------------------------------------------------------------|
|     |                    |                                                                                                                                                            |                                                       | MEC  | SPV | QA |                                                                                       |
|     | CASE AND GEAR ASSY | - Install Gear and Shaft to the case                                                                                                                       |                                                       |      |     |    |    |
|     |                    | - Install spacer to the shaft<br>- Install shaft to the gear<br>- Install Holder and mounting bolt<br><br>Act : Kgm                                        | - Std torque 25 - 31 kgm<br>- LT2                     |      |     |    |    |
|     |                    | - Install case and gear assy to the case<br>apply gasket sealant to the face of case<br><br>- Mounting bolt<br><br>Act : Kgm                               | - LG-6<br><br>- Std torque 46 - 58 kgm                |      |     |    |   |
| 9   | CASE ASSY          | - Install Bearing Outer race to the case<br>- Install case to the case<br>apply gasket sealant to the face of case<br><br>- Mounting bolt<br><br>Act : Kgm | - Expansion fit<br>- LG-6<br>- Std torque 25 - 31 kgm |      |     |    |  |

NOTE :

ASSEMBLY BY

( MECHANIC )

INSPECTED BY

( QA )

APPROVED BY

( GL / SPV )



**PT SAPTAINDRA SEJATI**

**FINAL DRIVE**

**VISUAL & MEASUREMENT**

**CHECKSHEET**

**MACHINE MODEL**

**PC2000-8**







**RO NO :**

**POWERTRAIN SECTION**









|                                                                                    |            |  |             |                  |
|------------------------------------------------------------------------------------|------------|--|-------------|------------------|
| <b>VISUAL &amp; MEASUREMENT<br/>CHECK SHEET<br/>FINAL DRIVE LH<br/>PC 2000 - 8</b> | WO NUMBER  |  | DOCUMENT NO | RC/QR03/PT/02/01 |
|                                                                                    | COMP.MODEL |  | PUBLIC DATE |                  |
|                                                                                    | COMP.S/N   |  | REVISION NO |                  |
|                                                                                    | UNIT CODE  |  | PAGE        | 1 of 3           |

|         |        |  |               |  |  |
|---------|--------|--|---------------|--|--|
| PROCESS | START  |  | INSPECTION BY |  |  |
|         | FINISH |  |               |  |  |

| NO       | PART NAME             | CHECKING POINT                                                                                | SKECTH DRAWING OR PHOTOES                                                           | VISUAL CHECK & MEASUREMENT                                                                                                                                                                                                  |         | DECISION |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
|----------|-----------------------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------|--------|-----|-------|--|---------|--|--------|--|----------|--|----------|--|--|--|
|          |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         | U/A      | U/R    | R/N |       |  |         |  |        |  |          |  |          |  |  |  |
| 1        | Case<br>21T-27-72120  | 1. Thread portion<br>2. Bearing fitting portion<br>3. Matting face<br>All round               |    | <table><tr><td>Contens</td><td>Act</td></tr><tr><td>Normal</td><td></td></tr><tr><td>Crack</td><td></td></tr><tr><td>Scratch</td><td></td></tr><tr><td>Broken</td><td></td></tr><tr><td>Abn wear</td><td></td></tr></table> | Contens | Act      | Normal |     | Crack |  | Scratch |  | Broken |  | Abn wear |  | Remark : |  |  |  |
| Contens  | Act                   |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Normal   |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Crack    |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Scratch  |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Broken   |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Abn wear |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| 2        | Gear<br>1T-27-72210   | 1. External gear teeth<br>2. Bearing fitting portion<br>3. Internal spline teeth<br>All round |    | <table><tr><td>Contens</td><td>Act</td></tr><tr><td>Normal</td><td></td></tr><tr><td>Crack</td><td></td></tr><tr><td>Scratch</td><td></td></tr><tr><td>Broken</td><td></td></tr><tr><td>Abn wear</td><td></td></tr></table> | Contens | Act      | Normal |     | Crack |  | Scratch |  | Broken |  | Abn wear |  |          |  |  |  |
| Contens  | Act                   |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Normal   |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Crack    |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Scratch  |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Broken   |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Abn wear |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| 3        | Shaft<br>21T-27-72190 | 1. Bearing fitting portion<br>2. External gear teeth<br>3. External spline teeth<br>All round |  | <table><tr><td>Contens</td><td>Act</td></tr><tr><td>Normal</td><td></td></tr><tr><td>Crack</td><td></td></tr><tr><td>Scratch</td><td></td></tr><tr><td>Broken</td><td></td></tr><tr><td>Abn wear</td><td></td></tr></table> | Contens | Act      | Normal |     | Crack |  | Scratch |  | Broken |  | Abn wear |  |          |  |  |  |
| Contens  | Act                   |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Normal   |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Crack    |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Scratch  |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Broken   |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Abn wear |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| 4        | Case<br>21T-27-72130  | 1. Thread fitting portion<br>2. Bearing fitting portion<br>3. Matting face<br>All round       |  | <table><tr><td>Contens</td><td>Act</td></tr><tr><td>Normal</td><td></td></tr><tr><td>Crack</td><td></td></tr><tr><td>Scratch</td><td></td></tr><tr><td>Broken</td><td></td></tr><tr><td>Abn wear</td><td></td></tr></table> | Contens | Act      | Normal |     | Crack |  | Scratch |  | Broken |  | Abn wear |  |          |  |  |  |
| Contens  | Act                   |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Normal   |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Crack    |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Scratch  |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Broken   |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Abn wear |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| 5        | Gear<br>21T-27-72260  | 1. Matting face<br>2. Internal gear teeth<br>All round                                        |  | <table><tr><td>Contens</td><td>Act</td></tr><tr><td>Normal</td><td></td></tr><tr><td>Crack</td><td></td></tr><tr><td>Scratch</td><td></td></tr><tr><td>Broken</td><td></td></tr><tr><td>Abn wear</td><td></td></tr></table> | Contens | Act      | Normal |     | Crack |  | Scratch |  | Broken |  | Abn wear |  |          |  |  |  |
| Contens  | Act                   |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Normal   |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Crack    |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Scratch  |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Broken   |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Abn wear |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| 6        | Shaft<br>21T-27-71241 | 1. External spline teeth<br>2. External gear teeth<br>All round                               |  | <table><tr><td>Contens</td><td>Act</td></tr><tr><td>Normal</td><td></td></tr><tr><td>Crack</td><td></td></tr><tr><td>Scratch</td><td></td></tr><tr><td>Broken</td><td></td></tr><tr><td>Abn wear</td><td></td></tr></table> | Contens | Act      | Normal |     | Crack |  | Scratch |  | Broken |  | Abn wear |  |          |  |  |  |
| Contens  | Act                   |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Normal   |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Crack    |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Scratch  |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Broken   |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |
| Abn wear |                       |                                                                                               |                                                                                     |                                                                                                                                                                                                                             |         |          |        |     |       |  |         |  |        |  |          |  |          |  |  |  |

|                                                                                    |            |  |             |                  |
|------------------------------------------------------------------------------------|------------|--|-------------|------------------|
| <b>VISUAL &amp; MEASUREMENT<br/>CHECK SHEET<br/>FINAL DRIVE LH<br/>PC 2000 - 8</b> | WO NUMBER  |  | DOCUMENT NO | RC/QR03/PT/02/01 |
|                                                                                    | COMP.MODEL |  | PUBLIC DATE |                  |
|                                                                                    | COMP.S/N   |  | REVISION NO |                  |
|                                                                                    | UNIT CODE  |  | PAGE        | 2 of 3           |





|         |        |  |               |  |  |
|---------|--------|--|---------------|--|--|
| PROCESS | START  |  | INSPECTION BY |  |  |
|         | FINISH |  |               |  |  |

| NO                          | PART NAME                                   | CHECKING POINT                                                                               | SKECTH DRAWING OR PHOTOES                                                           | VISUAL CHECK & MEASUREMENT |                                                                                     | DECISION                                                                            |         |        |          |     |     |   |
|-----------------------------|---------------------------------------------|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------|--------|----------|-----|-----|---|
|                             |                                             |                                                                                              |                                                                                     |                            |                                                                                     | U/A                                                                                 | U/R     | R/N    |          |     |     |   |
| 7                           | Gear<br>21T-27-71250<br>Pin<br>21T-27-71430 | 1. Bearing fitting portion<br>2. External gear teeth<br>3. Lock contact surface<br>All round |    | Contens                    | Gear                                                                                | Pin                                                                                 |         |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     | Normal                     |                                                                                     |                                                                                     | Gear    |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     | Crack                      |                                                                                     |                                                                                     |         |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     | Scratch                    |                                                                                     |                                                                                     |         |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     | Broken                     |                                                                                     |                                                                                     | Pin     |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     | Abn wear                   |                                                                                     |                                                                                     |         |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     | Remark :                   |                                                                                     |                                                                                     |         |        |          |     |     |   |
| 8                           | Carrier<br>21T-27-71270                     | 1. Spacer contact surface<br>2. Pin fitting portion<br>3. Internal spline teeth<br>All round |    | Contens                    | Act                                                                                 |                                                                                     |         |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     | Normal                     |                                                                                     | Remark :                                                                            |         |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     | Crack                      |                                                                                     |                                                                                     |         |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     | Scratch                    |                                                                                     |                                                                                     |         |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     | Broken                     |                                                                                     |                                                                                     |         |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     | Abn wear                   |                                                                                     |                                                                                     |         |        |          |     |     |   |
| 9                           | Housing<br>21T-27-71142                     | 1. Bearing fitting portion                                                                   |  | Contens                    | Act                                                                                 |                                                                                     | X       | Y      | Z        |     |     |   |
|                             |                                             | Standart                                                                                     |                                                                                     | limit                      | Normal                                                                              |                                                                                     | A       |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     |                            | Crack                                                                               |                                                                                     | B       |        |          |     |     |   |
|                             |                                             | 2. External spline teeth                                                                     |                                                                                     | Scratch                    | Remark :                                                                            |                                                                                     |         |        |          |     |     |   |
|                             |                                             | 3. Floating seal fitting portion                                                             |                                                                                     | Broken                     |                                                                                     |                                                                                     |         |        |          |     |     |   |
|                             |                                             | 4. Thread fitting portion                                                                    |                                                                                     | Abn wear                   |                                                                                     |                                                                                     |         |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     |                            |                                                                                     |                                                                                     |         |        | U/A      | U/R | R/N |   |
|                             |                                             |                                                                                              |                                                                                     |                            |                                                                                     |                                                                                     |         |        |          |     |     |   |
|                             |                                             | 10                                                                                           |                                                                                     | Case<br>21T-27-71151       | 1. Bearing fitting portion                                                          |  | Contens | Act    |          | X   | Y   | Z |
|                             |                                             |                                                                                              |                                                                                     |                            | Standart                                                                            |                                                                                     | limit   | Normal |          | A   |     |   |
|                             |                                             |                                                                                              | Crack                                                                               |                            |                                                                                     |                                                                                     | B       |        |          |     |     |   |
| 2. Thread fitting portion   | Scratch                                     |                                                                                              | Remark :                                                                            |                            |                                                                                     |                                                                                     |         |        |          |     |     |   |
| 3. Sprocket contact surface | Broken                                      |                                                                                              |                                                                                     |                            |                                                                                     |                                                                                     |         |        |          |     |     |   |
| All round                   | Abn wear                                    |                                                                                              |                                                                                     |                            |                                                                                     |                                                                                     |         |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     |                            |                                                                                     |                                                                                     |         |        | U/A      | U/R | R/N |   |
|                             |                                             |                                                                                              |                                                                                     |                            |                                                                                     |                                                                                     |         |        |          |     |     |   |
| 11                          | Housing<br>21T-27-71321                     |                                                                                              | 1. Internal spline teeth<br>2. Shims contact surface<br>All round                   |                            |  |                                                                                     | Contens | Act    |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     |                            |                                                                                     |                                                                                     | Normal  |        | Remark : |     |     |   |
|                             |                                             | Crack                                                                                        |                                                                                     |                            |                                                                                     |                                                                                     |         |        |          |     |     |   |
|                             |                                             | Scratch                                                                                      |                                                                                     |                            |                                                                                     |                                                                                     |         |        |          |     |     |   |
|                             |                                             | Broken                                                                                       |                                                                                     |                            |                                                                                     |                                                                                     |         |        |          |     |     |   |
|                             |                                             | Abn wear                                                                                     |                                                                                     |                            |                                                                                     |                                                                                     |         |        |          |     |     |   |
| 12                          | Retainer<br>21T-27-71330                    | 1. Matting face<br>All round                                                                 |  | Contens                    | Act                                                                                 |                                                                                     |         |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     | Normal                     |                                                                                     | Remark :                                                                            |         |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     | Crack                      |                                                                                     |                                                                                     |         |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     | Scratch                    |                                                                                     |                                                                                     |         |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     | Broken                     |                                                                                     |                                                                                     |         |        |          |     |     |   |
|                             |                                             |                                                                                              |                                                                                     | Abn wear                   |                                                                                     |                                                                                     |         |        |          |     |     |   |



|                                                                                    |            |  |             |                  |
|------------------------------------------------------------------------------------|------------|--|-------------|------------------|
| <b>VISUAL &amp; MEASUREMENT<br/>CHECK SHEET<br/>FINAL DRIVE LH<br/>PC 2000 - 8</b> | WO NUMBER  |  | DOCUMENT NO | RC/QR03/PT/02/01 |
|                                                                                    | COMP.MODEL |  | PUBLIC DATE |                  |
|                                                                                    | COMP.S/N   |  | REVISION NO |                  |
|                                                                                    | UNIT CODE  |  | PAGE        | 3 of 3           |

|         |        |  |               |  |  |
|---------|--------|--|---------------|--|--|
| PROCESS | START  |  | INSPECTION BY |  |  |
|         | FINISH |  |               |  |  |

| NO       | PART NAME                                   | CHECKING POINT                                                                                             | SKEETH DRAWING OR<br>PHOTOES                                                        | VISUAL CHECK & MEASUREMENT                                                                                                                                                                                                                                                            |         | DECISION |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
|----------|---------------------------------------------|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------|--------|--------|-------|--|---------|--|--------|---------|----------|--|----------|--|--|----------|--|--|------|--|--|--|
|          |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         | U/A      | U/R    | R/N    |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| 13       | Gear<br>21T-27-71311                        | 1. Internal gear teeth<br>All round                                                                        |    | <table><tr><td>Contens</td><td>Act</td></tr><tr><td>Normal</td><td></td></tr><tr><td>Crack</td><td></td></tr><tr><td>Scratch</td><td></td></tr><tr><td>Broken</td><td></td></tr><tr><td>Abn wear</td><td></td></tr></table>                                                           | Contens | Act      | Normal |        | Crack |  | Scratch |  | Broken |         | Abn wear |  | Remark : |  |  |          |  |  |      |  |  |  |
| Contens  | Act                                         |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Normal   |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Crack    |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Scratch  |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Broken   |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Abn wear |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| 14       | Shaft<br>21T-27-71280                       | 1. External spline teeth<br>External gear teeth<br>All round                                               |    | <table><tr><td>Contens</td><td>Act</td></tr><tr><td>Normal</td><td></td></tr><tr><td>Crack</td><td></td></tr><tr><td>Scratch</td><td></td></tr><tr><td>Broken</td><td></td></tr><tr><td>Abn wear</td><td></td></tr></table>                                                           | Contens | Act      | Normal |        | Crack |  | Scratch |  | Broken |         | Abn wear |  |          |  |  |          |  |  |      |  |  |  |
| Contens  | Act                                         |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Normal   |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Crack    |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Scratch  |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Broken   |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Abn wear |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| 15       | Gear<br>21T-27-71290<br>Pin<br>21T-27-71440 | 1. Bearing fitting portion<br>2. External gear teeth<br>3. Spacer contact surface<br>All round             |  | <table><tr><td>Contens</td><td>Gear</td><td>Pin</td></tr><tr><td>Normal</td><td></td><td></td></tr><tr><td>Crack</td><td></td><td></td></tr><tr><td>Scratch</td><td></td><td></td></tr><tr><td>Broken</td><td></td><td></td></tr><tr><td>Abn wear</td><td></td><td></td></tr></table> | Contens | Gear     | Pin    | Normal |       |  | Crack   |  |        | Scratch |          |  | Broken   |  |  | Abn wear |  |  | Gear |  |  |  |
| Contens  | Gear                                        | Pin                                                                                                        |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Normal   |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Crack    |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Scratch  |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Broken   |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Abn wear |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
|          |                                             |                                                                                                            |                                                                                     | Remark :                                                                                                                                                                                                                                                                              | Pin     |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
|          |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| 16       | Carrier<br>21T-27-71164                     | 1. Spacer contact surface<br>2. Washer contact surface<br>Oring groove<br>All round<br>Pin fitting portion |  | <table><tr><td>Contens</td><td>Act</td></tr><tr><td>Normal</td><td></td></tr><tr><td>Crack</td><td></td></tr><tr><td>Scratch</td><td></td></tr><tr><td>Broken</td><td></td></tr><tr><td>Abn wear</td><td></td></tr></table>                                                           | Contens | Act      | Normal |        | Crack |  | Scratch |  | Broken |         | Abn wear |  | Remark : |  |  |          |  |  |      |  |  |  |
| Contens  | Act                                         |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Normal   |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Crack    |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Scratch  |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Broken   |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
| Abn wear |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
|          |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
|          |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
|          |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
|          |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |
|          |                                             |                                                                                                            |                                                                                     |                                                                                                                                                                                                                                                                                       |         |          |        |        |       |  |         |  |        |         |          |  |          |  |  |          |  |  |      |  |  |  |

Note :

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

INSPECTION BY

APPROVED BY

MECHANIC

GL /QA



|                                             |                |           |             |  |              |        |
|---------------------------------------------|----------------|-----------|-------------|--|--------------|--------|
| DELIVERY<br>INSPECTION SHEET<br>FINAL DRIVE | MACHINE MODEL  | PC 2000-8 | REPORT NO.  |  | DOCUMENT NO. | :      |
|                                             | COMP. MODEL    |           | COMP. S/N   |  | PUBL. DATE   | :      |
|                                             | RECEIVING DATE |           | INSP. DATE  |  | REVISION NO. | 00     |
|                                             | DELIVERY DATE  |           | PROJECT NO. |  | PAGE         | 1 of 1 |

BELOW ARE THE ITEMS RELATED TO DELIVERY INSPECTION AND WHILE YOU DOING THIS INSPECTION JOB, PLEASE REFERRING TO THE REMANUFACTURED COMPONENTS - STANDARD CONFIGURATION.

✓ : GOOD CONDITION      X : BAD CONDITION      ⊗ : NONE

[illegible]

Inspected by,

Aproved by,