

Hello! This is my L^AT_EX document.

A rectangle has side length of $(x + 1)$ and area of $(x + 3)$. The equation $A(x) = x^2 + 2x + 1$ is the area of the rectangle.

superscripts

$$2x^3$$

$$2x^{34}$$

$$2x^{3x+4}$$

$$2x^{3x^4+5}$$

subscripts

$$x_1$$

$$x_{12}$$

$$x_{1_2}$$

$$a_o, a_1, a_2, \dots, a_{100}$$

greek letters

$$\pi$$

$$\Pi$$

$$\alpha$$

$$A = \pi r^2$$

trig functions

$$y = \sin x$$

$$y = \cos x$$

$$y = \tan x$$

$$y = \csc \theta$$

$$y = \sin^{-1} x$$

$$y = \arcsin x$$

log functions

$$y = \log x$$

$$y = \log_5 x$$

$$y = \ln x$$

roots

$$\sqrt{2}$$

$$\sqrt[3]{2}$$

$$\sqrt{x^2+y^2}$$

$$\sqrt{1+\sqrt{x}}$$

fractions

$$\frac{2}{3}$$

$$\frac{x}{x^2+x+1}$$

$$\frac{\sqrt{x+1}}{\sqrt{x-1}}$$

About $\frac{2}{3}$ of the glass is full.

About $\frac{2}{3}$ of the glass is full.

The distributive law

$$a(b+c)=ab+ac$$

for all $a,b,c\in\mathbb{R}$.

The equivalence class of a is $[a]$.

The set A is defined to be $[\{1,2,3\}]$

The movie ticker cost \$11.50 dollars.

$$2\left(\frac{1}{x^2-1}\right)$$

$$2\left[\frac{1}{x^2-1}\right]$$

$$2\left\{\frac{1}{x^2-1}\right\}$$

$$2\left\langle\frac{1}{x^2-1}\right\rangle$$

$$\left.\frac{dy}{dx}\right|_{x=1}$$

tables

x	1	2	3	4	5
$f(x)$	2	4	6	8	10

x	1	2	3	4	5
$f(x)$	$\frac{1}{2}$	4	6	8	10

Table 1: A table of values for $f(x) = 2x$

Table 2: The relationship between $f(x)$ and $f'(x)$

$f(x)$	$f'(x)$
$x > 0$	The function $f(x)$ is increasing. The function $f(x)$ is increasing. The function $f(x)$ is increasing. The function $f(x)$ is increasing.

arrays

$$5x^2 - 9 = x + 3$$

place your words here

(1)

$$5x^2 - 9 - x - 3 = 0$$

(2)

$$= 12 + x - 5x^2$$

(3)

$$5x^2 - 9 = x + 3$$

place your words here

$$5x^2 - 9 - x - 3 = 0$$

$$= 12 + x - 5x^2$$

lists

1. First item
2. Second item
3. Third item

- First item
 - 1. First subitem
 - 2. Second subitem
 - 3. Third subitem
- Second item
- Third item

- A. First item
- B. Second item
- C. Third item

- 6. First item
- 7. Second item
- 8. Third item

- First item
 - First subitem
 - a) Second subitem
 - Third subitem
 - * First subsubitem
 - * Second subsubitem
 - * Third subsubitem
- Second item
- Third item