

Appendix I

Lift and Escalator Schedule

NEW CIVIL AVIATION DEPARTMENT HEADQUARTERS ON AIRPORT ISLAND
O & M MANUAL
LIFT AND ESCALATOR INSTALLATION

Lift Schedule

Lift No.	Nature	Fireman's Lift	Disabled lift	Rated Load (kg)	No. of Person	Rated Speed (m/s)	Type of Control	Floor Served	Door Size		Machine-room-less	With Machine Room
									W (mm)	H (mm)		
Facilities Building												
L1	Passenger	√	√	1600	21	1.6	Duplex	P,G,1-3	1100	2100	√	-
L2	Passenger	-	√	1600	21	1.6		P,G,1-2	1100	2100	√	-
L3	Passenger	-	√	1600	21	1.6	Duplex	P,G,1-3	1100	2100	√	-
L4	Passenger	-	√	1600	21	1.6		P,G,1-3	1100	2100	√	-
L5	Goods	√	-	2100	28	1.6	Simplex	P,G,1-4	1100	2300	-	√
Office & Training Building												
L6	Passenger	-	√	1600	21	1.6	Group	P,G,1-5	1100	2100	√	-
L7	Passenger	-	√	1600	21	1.6		P,G,1-5	1100	2100	√	-
L8	Passenger	-	√	1600	21	1.6		G,1-5	1100	2100	√	-
L9	Passenger	-	√	1600	21	1.6		G,1-5	1100	2100	√	-
L10	Goods	√	-	2100	28	1.6	Simplex	P,G,1-5	1100	2100	-	√
L11	Passenger	-	√	1600	21	1.6	Group	G,1-6	1100	2100	√	-
L12	Passenger	-	√	1600	21	1.6		P,G,1-6	1100	2100	√	-
L13	Passenger	-	√	1600	21	1.6		G,1-6	1100	2100	√	-
L14	Passenger	-	√	1600	21	1.6		P,G,1-6	1100	2100	√	-
L15	Passenger	√	-	1250	16	1.6	Simplex	P,G,1-6	1100	2100	√	-
ATCC Building												
L17	Goods	√	-	1600	21	1.6	Simplex	P,G,1-3	1200	2300	√	-
L18	Passenger	-	√	1600	21	1.6	Simplex	P,G,1-3	1100	2300	√	-
L19	Passenger	-	√	2100	28	1.6	Simplex	P,G,1-2	1200	2300	-	√
L20	Passenger	√	√	1600	21	1.6	Duplex	P,G,1-2	1100	2100	√	-
L21	Passenger	-	√	1600	21	1.6		P,G,1-2	1100	2100	√	-

Lift No.	Lift Model	Machine Model	Serial number	Drive System	Power Rating	No. of Ropes	Rope Diameter
Facilities Building							
L1	5400MRL	PMS420	SA8210125-02	VVVF	18.9KW	8	11mm
L2	5400MRL	PMS420	SA8210123-07	VVVF	18.9KW	8	11mm
L3	5400MRL	PMS420	SA8210123-03	VVVF	18.9KW	8	11mm
L4	5400MRL	PMS420	SA8210126-02	VVVF	18.9KW	8	11mm
L5	-	FMP160	1012NB01	VVVF	27KW	6	13mm
Office & Training Building							
L6	5400MRL	PMS420	SA82101214-01	VVVF	18.9KW	8	11mm
L7	5400MRL	PMS420	SA82101213-02	VVVF	18.9KW	8	11mm
L8	5400MRL	PMS420	SA8211012-02	VVVF	18.9KW	8	11mm
L9	5400MRL	PMS420	SA8211013-02	VVVF	18.9KW	8	11mm
L10	-	FMP160	1012NB08	VVVF	27KW	6	13mm
L11	5400MRL	PMS420	SA8211011-03	VVVF	18.9KW	8	11mm
L12	5400MRL	PMS420	SA8211012-01	VVVF	18.9KW	8	11mm
L13	5400MRL	PMS420	SA8211011-01	VVVF	18.9KW	8	11mm
L14	5400MRL	PMS420	SA82101214-02	VVVF	18.9KW	8	11mm
L15	5400MRL	PMS420	SA82101213-04	VVVF	18.9KW	8	11mm
ATCC Building							
L17	5400MRL	PMS420	SA8210103-02	VVVF	18.9KW	8	11mm
L18	5400MRL	PMS420	SA8210102-02	VVVF	18.9KW	8	11mm
L19	-	FMP160	1009NB02	VVVF	27KW	6	13mm
L20	5400MRL	PMS420	SA8210103-05	VVVF	18.9KW	8	11mm
L21	5400MRL	PMS420	SA8210102-01	VVVF	18.9KW	8	11mm

NEW CIVIL AVIATION DEPARTMENT HEADQUARTERS ON AIRPORT ISLAND

O & M MANUAL

LIFT AND ESCALATOR INSTALLATION

Escalator Schedule

Escalator No.	Location	Serving Floors	Rated Speed (m/s)	Rise (m)	Angle of Inclination	Service On Demand	No. of Flat Steps
E1	OTB	G/F – 1/F	0.5	4.0	30	√	3
E2	OTB	G/F – 1/F	0.5	4.0	30	√	3
E3	OTB	1/F – 2/F	0.5	3.9	30	√	3
E4	ATCC	G/F – 1/F	0.5	2.8	30	√	3