



Bytewise Fellowship Task 1_Task2

Submitted By:
Muhammad Zaki Ahmad (Deep Learning)

Practice:

```
$ $ git init
Initialized empty Git repository in /Users/username/myproject/.git/
```

```
$ $ git clone https://github.com/username/repo.git
Cloning into 'repo'...
remote: Enumerating objects: 101, done.
remote: Counting objects: 100% (101/101), done.
remote: Compressing objects: 100% (82/82), done.
remote: Total 101 (delta 36), reused 58 (delta 9), pack-reused 0
Receiving objects: 100% (101/101), 1.29 MiB | 849.00 KiB/s, done.
Resolving deltas: 100% (36/36), done.
```

```
$ git add file.txt
```

```
$ git commit -m "Add new feature"
[master 429e52a] Add new feature
1 file changed, 1 insertion(+)
```

```
$ git push origin master
Counting objects: 3, done.
Delta compression using up to 8 threads.
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 289 bytes | 289.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0)
To https://github.com/username/repo.git
857a871..429e52a master -> master
|
```

```
$ git pull origin master
From https://github.com/username/repo
* branch          master      -> FETCH_HEAD
Updating 857a871..429e52a
Fast-forward
 file.txt | 1 +
1 file changed, 1 insertion(+)
```

```
$ git status
On branch master
Your branch is up to date with 'origin/master'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
       modified:   file.txt

no changes added to commit (use "git add" and/or "git commit -a")
```